


Building installations

Cable routing

OBO BETTERMANN



OBO BETTERMANN

Our products for your project
Towards the future with OBO

Reliable, safe and of the highest quality: Product features such as installation speed, load capacity, functionality and availability are at the forefront of each of our innovations. Discover the whole range of OBO products – in a new structure, allowing us to deal in a more targeted manner with the needs of you, our customers.

It is our aim to be the first port of call for the best and most innovative connections for electrical and data technology infrastructure. Thus, when looking towards the future, we have asked ourselves what we can do to be the best possible partner you could ever imagine, also in the long term. Against this backdrop, we have optimised our structure once again, sharpened our profile and defined our services more clearly. The result: Three new areas of application, which replace our previous seven product units, in order to provide you with a contemporary and user-orientated visual identity and structure, for both products and communication. This helps you to find exactly the products you are looking for in an even faster and simpler manner.

In this catalogue, we will present the entire product variety of the Building installations application area to you. The Building installations area contains cable routing and underfloor systems for administrative and functional buildings including architectural solutions. To meet the wishes of you, our customers, as well as possible, we pay particular attention to top-class functionality during development, which also includes the highest design requirements.

This is how versatile, intelligent solutions are created, which can be used in all living spaces. Our systems transport power and data in a hidden way to the place where you need them. A large selection of device installation units and cable trunking gives you access to power, data and multimedia connections. The wide range of flexible application options thus creates an individual solution for each building.

OBO – simply better.

OBO Product Worlds

Building installations

Electrical installation ducts and trunking
Device installation ducts and trunking
Skirting trunking
Service poles
Underfloor applications, in screed
Underfloor applications, in concrete
Underfloor applications, on-floor
Service outlets for underfloor applications
Floor sockets and floor boxes
Installation housing and support
Tabletop sockets
Sockets, switches, data and multimedia technology

You can find additional products in our new Industrial and Protective installation catalogues

Industrial installations

Cable support systems and connection and fastening systems for industry and construction project infrastructure

Cable trays
Mesh cable trays
Cable ladders
Industrial ducts
Support structures
Electrical installation pipes
Wiring ducts
Power supply units
Distributors
Junction boxes
Concealed and cavity wall installations
Terminals
Cable glands
Installation and fastening clips
Anchors and fastening systems

Safety and protection installations

Lightning, surge and fire protection systems

Surge protection
Explosion protection
Lightning protection
Earthing
Equipotential bonding
Insulation
Cable bandages – prevention of the spread of fire
Escape route installations – false ceiling mounting
Fire protection ducts
Systems for the maintenance of electrical functionality – cable-specific routing variants
Systems for the maintenance of electrical functionality – standard support structures and routing systems
Systems for the maintenance of electrical functionality – FireBox T series junction boxes
Anchorings

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Contents



Electrical installation ducts and trunking Page 10



Device installation ducts and trunking Page 122



Skirting trunking Page 246



Service poles Page 250



Connectable connection technology, Wieland GST18, WAGO WINSTA Page 282



Sockets, switches, data and multimedia technology Page 296



Directories Page 334




Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21



Welcome world.
Welcome to OBO.

New solutions to improve functionality and the ease of installation – OBO employees all around the world use their abilities and creativity to make this happen. Because we know that each individual market has its special characteristics and that the requirements for our products change within each market, we have paid particular attention to the compatibility of products in their place of use. We always offer our customers intelligent, well-thought-out solutions. Our brands always keep this promise. The OBO global team wishes to make the work of electrical planners and operatives around the world as easy as possible.




Production location

Subsidiary

Representative office

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

OBO Support *& contact*



You have a problem? We have the solution!

OBO Bettermann is more than the sum of its products. In any situation, we are the reliable partner right buy your side. You have a problem? We have the solution!

It doesn't matter in which area of industry our support is needed – from industrial and plant engineering to private, public and administrative buildings, as well as in the areas of mobility and renewable energies – we have everything that you need.

OBO can not only provide the entire electrotechnical infrastructure with the best possible products. We can also support you with sound expert knowledge and more than 100 years of experience, right from the planning phase through to the realisation of your projects. OBO – solutions you can rely on.

What is OBO Support?

Every OBO product carries a plus inside it, which only a branded product can offer. It is developed, manufactured and tested with a high level of competence, from the idea right through to the final check. In addition, our specialists are available for consultation and can offer you assistance and training courses for products at any time.

Together with you, we plan your project and help you choose the right products, and are also available to you at any time should you need us. From flawless logistics through to practical information – we can provide support at every level. We can also offer security through certificates on the conformity of our products with the most important standards and directives.

We are as flexible as you are – because we know how practical people work and what is important to them. Each step is a plus – that is the OBO Support concept.

You can contact our Customer Service department on:

Monday to Friday
08:00 a.m. to 5:00 p.m.

Estonia: +372 6519870
Latvia: +371 67802050
Lithuania: +370 52375911

Estonia: obo@obo.ee
Latvia: obo@obo.lv
Lithuania: obo@obo.lt



Service – OBO can help
Everywhere and in every project phase:
- Highly competent hotline
- Product and system information, digitally or printed
- Selection and planning aids on the web, as an app, as a CAD application or in printed form
- 2D and 3D product data for planning
- Field service, branch offices and subsidiaries in 60 countries
- Engineering services for major projects


Training courses from OBO
- Seminars and workshops
- Local consultation and training courses
- Planner days

Handling – OBO delivers reliably
With optimised delivery processes:
- Reliable logistics
- Practical transport systems and packaging
- Loading gear handling and disposal concepts

Certification and guarantee
OBO offers safety. Our products fulfil the most important country-specific regulations:
- Conformity (e.g. IEC, VDE, CE, KEMA, KEUR, UL)
- Certification (e.g. DIN EN, DGNB)
- 5-year guarantee for surge protection products
- Guarantee management

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Electrical installation trunking



Electrical installation trunking


Cable trunking 14


Cable trunking, halogen-free 66


Metal cable trunking 82


Accessories, cable trunking 120


Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Mini ducts with hinged lid

Mini trunking with adhesive film and hinged cover MD4

PVC






Type	Colour	Length mm		Pack m	Weight kg/100 m	Item no.
WDKMD4RW	Pure white	2000		224	3.300	**6150268**

Mini trunking with adhesive film and hinged cover.

Mini trunking with adhesive film and hinged cover MD7

PVC






Type	Colour	Length mm		Pack m	Weight kg/100 m	Item no.
WDKMD7RW	Pure white	2000		100	5.000	**6150276**

Mini trunking with adhesived film and hinge cover.

Mini trunking with adhesive film and hinged cover MD12

PVC





Type	Colour	Length mm		Pack m	Weight kg/100 m	Item no.
WDKMD12RW	Pure white	2000		80	7.000	**6150284**


Mini trunking with adhesive film and hinged cover.

PVC

Mini trunking with adhesive film and hinged cover MD17

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD17RW	Pure white	2000	56	9.000	**6150292**

Mini trunking with adhesive film and hinged cover.






PVC

Mini trunking with adhesive film and hinge cover MD12

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD12CW	Cream	2000	80	7.000	**6150179**

Mini trunking with adhesive film and hinged cover.






PVC

Mini trunking with adhesive film and hinge cover MD17

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD17CW	Cream	2000	56	9.000	**6150187**

Mini trunking with adhesive film and hinged cover.





Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

WDK cable trunking


Installation principle




1	Trunking	WDK
2	Joint cover	WDK HS
3	Internal corner cover	
4	External corner cover	WDK HI
5	T- and crosspiece cover	WDK HT
6	Flat angle cover	WDK HF
7	End piece	WDK HE
8	Partition	WWDK HT
9	Service outlet	71 GD6
10	Cover for single accessory mounting box	WDK HO

PVC

Trunking, type WDK 10020





Trunking cover and base with base perforation.


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK10020RW	Pure white	2000	96	10.000	**6150764**
WDK10020SW	Jet black	2000	96	10.000	**6027321**

PVC

Joint cover, trunking type WDK 10020

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS10020RW	Pure white	22	14	10	0.090	**6154026**

Joint cover for smooth connection of trunking segments.






PVC

Internal corner cover, trunking type WDK 10020

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI10020RW	Pure white	30	4	0.285	**6154328**

Internal corner cover for changing the direction of the WDK trunking.






PVC

External corner cover, trunking type WDK 10020

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA10020RW	Pure white	30	4	0.344	**6154417**

External corner cover for changing the direction of the WDK trunking.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Trunking height 10 mm, trunking width 20 mm

Flat angle cover, trunking type WDK 10020

PVC




Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF10020RW	Pure white	40	4	0.365	**6154212**

Flat angle hood for changing the direction of the WDK trunking.

End piece, trunking type WDK 10020

PVC



Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE10020RW	Pure white	22	11	10	0.106	**6154514**


End piece for closing the WDK trunking.

Duct height 10 mm, duct width 20 mm

T piece cover, for trunking type WDK 10020

PVC







Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT10020RW	Pure white	45	4	0.334	**6154115**

T piece hood for changing the direction of the WDK trunking.

PVC

Trunking, type WDK 10030





Trunking cover and base with base perforation.


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK10030RW	Pure white	2000	64	13.000	**6150780**

PVC

Joint cover, for trunking, type WDK 10030

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS10030RW	Pure white	32	14	10	0.115	**6154034**

Joint cover for smooth connection of trunking segments.






PVC

Internal corner cover, Trunking type WDK 10030

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI10030RW	Pure white	30	4	0.330	**6154336**

Internal corner cover for changing the direction of the WDK trunking.






PVC

External corner cover, Trunking type WDK 10030

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA10030RW	Pure white	30	4	0.450	**6154425**

External corner cover for changing the direction of the WDK trunking.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Trunking height 10 mm, trunking width 30 mm

Flat angle cover, Trunking type WDK 10030

PVC




Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
WDK HF10030RW	Pure white	50		4	0.555	**6154220**

Flat angle hood for changing the direction of the WDK trunking.

T piece cover, for trunking type WDK 10030

PVC






Type	Colour	Dim. mm	Dim. b mm		Pack Piece	Weight kg/100 pc.	Item no.
WDK HT10030RW	Pure white	55	44		4	0.455	**6154123**

T piece cover for changing the direction of the WDK trunking.

End piece, trunking type WDK 10030

PVC





Type	Colour	Dim. mm	Dim. b mm		Pack Piece	Weight kg/100 pc.	Item no.
WDK HE10030RW	Pure white	32	11		10	0.139	**6154522**

End piece to close the WDK trunking.

PVC

Trunking, type WDK 15015






Trunking cover and base with base perforation.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK15015RW	Pure white	2000	56	9.000	**6191002**
WDK15015LGR	Light grey	2000	56	9.000	**6024947**
WDK15015GR	Stone grey	2000	56	9.000	**6024955**
WDK15015BR	Sepia brown	2000	56	9.000	**6024971**
WDK15015SW	Jet black	2000	56	9.000	**6024949**

PVC

End piece, trunking type WDK 15015

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE15015RW	Pure white	15	15	10	0.082	**6193099**
WDK HE15015LGR	Light grey	15	15	10	0.081	**6183603**
WDK HE15015GR	Stone grey	15	15	10	0.081	**6158692**





End piece to close the WDK trunking.


Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 15 mm, trunking width 30 mm

Trunking, type WDK 15030

PVC






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK15030RW	Pure white	2000	32	19.500	**6191010**
WDK15030GR	Stone grey	2000	32	19.500	**6025005**
WDK15030BR	Sepia brown	2000	32	19.500	**6025021**
WDK15030LGR	Light grey	2000	32	19.500	**6025048**

Trunking cover and base with base perforation.

Joint cover, for trunking, type WDK 15030

PVC







Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS15030RW	Pure white	32	14	10	0.136	**6193501**
WDK HS15030GR	Stone grey	32	14	10	0.136	**6158838**

Joint cover for smooth connection of trunking segments.

Internal corner cover, trunking type WDK 15030

PVC






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI15030RW	Pure white	38.5	4	0.789	**6191843**
WDK HI15030GR	Stone grey	38.5	4	0.790	**6158234**

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, trunking type WDK 15030

PVC





Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA15030RW	Pure white	38.5	4	1.114	**6192149**
WDK HA15030GR	Stone grey	38.5	4	1.114	**6158358**


External corner cover for changing the direction of the WDK trunking.

PVC

Flat angle cover, trunking type WDK 15030

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF15030RW	Pure white	53	4	0.965	**6192750**
WDK HF15030GR	Stone grey	53	4	0.965	**6158595**

Flat angle hood for changing the direction of the WDK trunking.




PVC

T piece cover, for trunking type WDK 15030

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT15030RW	Pure white	73	53	4	1.119	**6192459**
WDK HT15030GR	Stone grey	73	53	4	1.119	**6158463**

T piece cover for changing the direction of the WDK trunking.






PVC

End piece, trunking type WDK 15030

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE15030RW	Pure white	30	17	10	0.230	**6193102**
WDK HE15030GR	Stone grey	30	17	10	0.230	**6158714**

End piece to close the WDK trunking.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 15 mm, trunking width 40 mm

Trunking, type WDK 15040

PVC






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK15040RW	Pure white	2000	36	23.000	6191029
WDK15040GR	Stone grey	2000	36	23.000	6025137

Trunking cover and base with base perforation.

Joint cover, for trunking, type WDK 15040

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS15040RW	Pure white	42	14	10	0.190	6193528
WDK HS15040GR	Stone grey	42	14	10	0.190	6158846

Joint cover for smooth connection of trunking segments.

Internal corner hood, for trunking type WDK 15040

PVC






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI15040RW	Pure white	42	4	1.070	6191851
WDK HI15040GR	Stone grey	42	4	1.064	6158242

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, for trunking type WDK 15040

PVC





Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA15040RW	Pure white	42	4	1.429	6192157
WDK HA15040GR	Stone grey	42	4	1.400	6158366


External corner hood for changing the direction of the WDK trunking.

PVC

Flat angle cover, for trunking type WDK 15040

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF15040RW	Pure white	63	4	1.471	**6192769**
WDK HF15040GR	Stone grey	63	4	1.500	**6158609**

Flat angle hood for changing the direction of the WDK trunking.






PVC

T piece cover, for trunking type WDK 15040

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT15040RW	Pure white	83	74	4	1.746	**6192467**
WDK HT15040GR	Stone grey	83	74	4	1.746	**6158471**

T piece cover for changing the direction of the WDK trunking.






PVC

End piece, trunking type WDK 15040

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE15040RW	Pure white	40	17	10	0.299	**6193110**
WDK HE15040GR	Stone grey	40	17	10	0.299	**6158722**

End piece to close the WDK trunking.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 20 mm, trunking width 20 mm

Trunking, type WDK 20020 with base perforation

PVC







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK20020RW	Pure white	2000	48	11.100	**6191037**
WDK20020LGR	Light grey	2000	48	11.100	**6025102**
WDK20020GR	Stone grey	2000	48	11.100	**6025110**
WDK20020BR	Sepia brown	2000	48	11.100	**6025129**
WDK20020SW	Jet black	2000	48	11.000	**6025155**

Trunking cover and base with base perforation.

Internal corner cover, trunking type WDK 20020

PVC






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI20020RW	Pure white	38.5	4	0.619	**6191878**
WDK HI20020LGR	Light grey	38.5	4	0.623	**6182011**
WDK HI20020GR	Stone grey	38.5	4	0.623	**6158226**

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, trunking type WDK 20020

PVC






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA20020RW	Pure white	38.5	4	0.678	**6192165**
WDK HA20020LGR	Light grey	38.5	4	0.678	**6182402**
WDK HA20020GR	Stone grey	38.5	4	0.678	**6158331**

External corner cover for changing the direction of the WDK trunking.

Flat angle cover, trunking type WDK 20020

PVC






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF20020RW	Pure white	38	4	0.588	**6192777**
WDK HF20020LGR	Light grey	38	4	0.596	**6183212**
WDK HF20020GR	Stone grey	38	4	0.596	**6158587**

Flat angle cover for changing the direction of the WDK trunking.

PVC

T piece cover, for trunking type WDK 20020

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT20020RW	Pure white	57	39	4	0.751	**6192475**
WDK HT20020LGR	Light grey	57	39	4	0.751	**6182801**
WDK HT20020GR	Stone grey	57	39	4	0.751	**6158455**






T piece cover for changing the direction of the WDK trunking.

PVC

End piece, Trunking type WDK 20020

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE20020RW	Pure white	17	17	10	0.103	**6193129**
WDK HE20020LGR	Light grey	17	17	10	0.101	**6183611**
WDK HE20020GR	Stone grey	17	17	10	0.101	**6158706**





End piece to close the WDK trunking.


Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 20 mm, trunking width 35 mm

Trunking, type WDK 20035

PVC






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK20035RW	Pure white	2000	32	23.900	**6191045**
WDK20035LGR	Light grey	2000	32	23.900	**6026354**
WDK20035GR	Stone grey	2000	32	23.900	**6026362**

Trunking cover and base with base perforation.

End piece, trunking type WDK 20035

PVC






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE20035RW	Pure white	35	20	10	0.334	**6193137**
WDK HE20035LGR	Light grey	35	20	10	0.334	**6183654**
WDK HE20035GR	Stone grey	35	20	10	0.334	**6158781**

End piece to close the WDK trunking.

PVC

Trunking, type WDK 20050







Trunking cover and base with base perforation.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK20050RW	Pure white	2000	42	30.700	**6168736**

PVC

Trunking, type WDK-N 20050





Trunking cover and base with base perforation.


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK-N20050RW	Pure white	2000	42	37.000	**6168744**

PVC

Joint cover, for trunking, type WDK 20050

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS20050RW	Pure white	53	14	10	0.267	**6154069**

Joint cover for smooth connection of trunking segments.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Trunking height 20 mm, trunking width 50 mm

Internal corner cover, trunking type WDK 20050

PVC






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI20050RW	Pure white	45	4	1.277	**6154360**

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, trunking type WDK 20050

PVC






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA20050RW	Pure white	45	4	1.765	**6154468**

External corner hood for changing the direction of the WDK trunking.

Flat angle cover, trunking type WDK 20050

PVC




Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF20050RW	Pure white	73	4	1.948	**6154255**

Flat angle hood for changing the direction of the WDK trunking.

T piece cover, for trunking type WDK 20050

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT20050RW	Pure white	93	73	4	2.146	**6154166**

T piece cover for changing the direction of the WDK trunking.

End piece, trunking type WDK 20050

PVC







Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE20050RW	Pure white	50	20	10	0.425	**6154557**

End piece to close the WDK trunking.

PVC

Trunking, type WDK 25025






Trunking cover and base with base perforation.


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK25025RW	Pure white	2000	30	24.500	**6191053**
WDK25025LGR	Light grey	2000	30	24.500	**6026400**
WDK25025GR	Stone grey	2000	30	24.500	**6026419**

PVC

Internal corner cover, trunking type WDK 25025

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI25025RW	Pure white	50	4	1.150	**6191886**
WDK HI25025LGR	Light grey	50	4	1.669	**6182062**
WDK HI25025GR	Stone grey	50	4	1.669	**6158250**






Internal corner cover for changing the direction of the WDK trunking.

PVC

External corner cover, for trunking type WDK 25025

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA25025RW	Pure white	52	4	1.424	**6192173**
WDK HA25025LGR	Light grey	52	4	1.424	**6182445**
WDK HA25025GR	Stone grey	52	4	1.424	**6158374**






External corner hood for changing the direction of the WDK trunking.

PVC

Flat angle cover, trunking type WDK 25025

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF25025RW	Pure white	48	4	1.055	**6192785**
WDK HF25025LGR	Light grey	48	4	1.000	**6183255**
WDK HF25025GR	Stone grey	48	4	1.000	**6158617**





Flat angle cover for changing the direction of the WDK trunking.


Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Trunking height 25 mm, trunking width 25 mm

T piece cover, for trunking type WDK 25025

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT25025RW	Pure white	68	48	4	1.171	**6192483**
WDK HT25025LGR	Light grey	68	48	4	1.171	**6182852**
WDK HT25025GR	Stone grey	68	48	4	1.171	**6158498**

T piece cover for changing the direction of the WDK trunking.

End piece, trunking type WDK 25025

PVC







Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE25025RW	Pure white	25	25	10	0.303	**6193145**
WDK HE25025LGR	Light grey	25	25	10	0.303	**6183662**
WDK HE25025GR	Stone grey	25	25	10	0.303	**6158730**

End piece to close the WDK trunking.

PVC

Trunking, type WDK 25040







Trunking cover and base with base perforation.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK25040RW	Pure white	2000	24	30.000	**6191061**
WDK25040GR	Stone grey	2000	24	30.000	**6026443**
WDK25040LGR	Light grey	2000	24	30.000	**6026486**
WDK25040SW	Jet black	2000	24	30.000	**6026488**

PVC

Trunking, type WDK-N 25040






Trunking cover and base with base perforation.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK-N25040RW	Pure white	2000	48	36.000	**6150640**

PVC

Joint cover, for trunking, type WDK 25040

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS25040RW	Pure white	42	14	10	0.231	**6193560**
WDK HS25040GR	Stone grey	42	14	10	0.231	**6158889**





Joint cover for smooth connection of trunking segments.


Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Trunking height 25 mm, trunking width 40 mm

Internal corner cover, trunking type WDK 25040

PVC






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI25040RW	Pure white	50	4	1.502	**6191894**
WDK HI25040GR	Stone grey	50	4	1.489	**6158269**

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, for trunking type WDK 25040

PVC






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA25040RW	Pure white	52	4	2.052	**6192181**
WDK HA25040GR	Stone grey	52	4	2.052	**6158382**

External corner hood for changing the direction of the WDK trunking.

Flat angle cover, trunking type WDK 25040

PVC






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF25040RW	Pure white	63	4	1.905	**6192793**
WDK HF25040GR	Stone grey	63	4	1.905	**6158625**

Flat angle hood for changing the direction of the WDK trunking.

T piece cover, for trunking type WDK 25040

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT25040RW	Pure white	83	63	4	1.994	**6192491**
WDK HT25040GR	Stone grey	83	63	4	1.994	**6158501**

T piece cover for changing the direction of the WDK trunking.

End piece, trunking type WDK 25040

PVC







Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE25040RW	Pure white	40	25	10	0.404	**6193153**
WDK HE25040GR	Stone grey	40	25	10	0.404	**6158749**

End piece to close the WDK trunking.

PVC

Trunking, type WDK 30030





Trunking cover and base with base perforation.


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK30030RW	Pure white	2000	40	24.900	**6191096**
WDK30030LGR	Light grey	2000	40	24.900	**6026796**
WDK30030GR	Stone grey	2000	40	24.900	**6026818**
WDK30030BR	Sepia brown	2000	40	24.900	**6026834**

PVC

Internal corner cover, trunking type WDK 30030

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI30030RW	Pure white	52	4	1.345	**6191924**
WDK HI30030LGR	Light grey	52	4	1.349	**6182097**
WDK HI30030GR	Stone grey	52	4	1.200	**6158285**

Internal corner cover for changing the direction of the WDK trunking.






PVC

External corner cover, trunking type WDK 30030

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA30030RW	Pure white	57	4	1.776	**6192211**
WDK HA30030LGR	Light grey	57	4	1.809	**6182488**
WDK HA30030GR	Stone grey	57	4	1.809	**6158404**

External corner hood for changing the direction of the WDK trunking.






PVC

Flat angle cover, trunking type WDK 30030

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF30030RW	Pure white	53	4	1.370	**6192815**
WDK HF30030LGR	Light grey	53	4	1.370	**6183298**
WDK HF30030GR	Stone grey	53	4	1.370	**6158641**

Flat angle hood for changing the direction of the WDK trunking.





Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 30 mm, trunking width 30 mm

T piece cover, for trunking type WDK 30030

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT30030RW	Pure white	50	39	4	1.542	**6192513**
WDK HT30030LGR	Light grey	50	39	4	1.485	**6182887**
WDK HT30030GR	Stone grey	50	39	4	1.485	**6158536**

T piece hood for changing the direction of the WDK trunking.

End piece, trunking type WDK 30030

PVC







Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE30030RW	Pure white	30	30	10	0.363	**6193188**
WDK HE30030LGR	Light grey	30	30	10	0.365	**6183697**
WDK HE30030GR	Stone grey	30	30	10	0.365	**6158765**

End piece to close the WDK trunking.

PVC

Trunking, type WDK 30045





Trunking cover and base with base perforation.


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK30045RW	Pure white	2000	48	32.000	**6191118**
WDK30045LGR	Light grey	2000	48	32.000	**6026842**
WDK30045GR	Stone grey	2000	48	32.000	**6026850**


PVC

Internal corner cover, trunking type WDK 30045

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI30045RW	Pure white	52	4	1.295	**6191932**
WDK HI30045LGR	Light grey	52	4	1.295	**6182100**
WDK HI30045GR	Stone grey	52	4	1.295	**6158307**

Internal corner cover for changing the direction of the WDK trunking.






PVC

External corner cover, trunking type WDK 30045

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA30045RW	Pure white	57	4	2.319	**6192238**
WDK HA30045LGR	Light grey	57	4	2.319	**6182496**
WDK HA30045GR	Stone grey	57	4	2.319	**6158420**

External corner hood for changing the direction of the WDK trunking.






PVC

Flat angle cover, trunking type WDK 30045

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF30045RW	Pure white	68	4	1.922	**6192823**
WDK HF30045GR	Stone grey	68	4	1.922	**6158676**
WDK HF30045LGR	Light grey	68	4	1.922	**6183301**

Flat angle hood for changing the direction of the WDK trunking.





Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 30 mm, trunking width 45 mm

T piece cover, for trunking type WDK 30045

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT30045RW	Pure white	88	68	4	2.003	**6192521**
WDK HT30045LGR	Light grey	88	68	4	2.003	**6182895**
WDK HT30045GR	Stone grey	88	68	4	2.003	**6158552**

T-piece cover for changing the direction of the WDK trunking.

End piece, trunking type WDK 30045

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE30045RW	Pure white	45	30	10	0.514	**6193196**
WDK HE30045LGR	Light grey	45	30	10	0.509	**6183700**
WDK HE30045GR	Stone grey	45	30	10	0.509	**6158803**

End piece to close the WDK trunking.

PVC

Trunking, type WDK 40040





Trunking cover and base with base perforation.


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK40040RW	Pure white	2000	36	42.100	**6191126**
WDK40040LGR	Light grey	2000	36	42.100	**6027016**
WDK40040GR	Stone grey	2000	36	42.100	**6025447**
WDK40040BR	Sepia brown	2000	36	42.100	**6025420**


PVC

Internal corner cover, trunking type WDK 40040

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI40040RW	Pure white	65	4	2.502	**6191940**
WDK HI40040LGR	Light grey	65	4	2.502	**6182119**
WDK HI40040GR	Stone grey	65	4	2.502	**6158293**

Internal corner cover for changing the direction of the WDK trunking.






PVC

External corner cover, trunking type WDK 40040

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA40040RW	Pure white	66	4	3.139	**6192246**
WDK HA40040LGR	Light grey	66	4	3.139	**6182526**
WDK HA40040GR	Stone grey	66	4	3.139	**6158412**

External corner hood for changing the direction of the WDK trunking.






PVC

Flat angle cover, trunking type WDK 40040

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF40040RW	Pure white	63	4	2.534	**6192831**
WDK HF40040LGR	Light grey	63	4	2.534	**6183336**
WDK HF40040GR	Stone grey	63	4	2.534	**6158668**

Flat angle cover for changing the direction of the WDK trunking.





Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 40 mm, trunking width 40 mm

T and intersection cover, for trunking type WDK 40040

PVC






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT40040RW	Pure white	83	43	4	2.681	**6192548**
WDK HT40040LGR	Light grey	83	43	4	2.681	**6182917**
WDK HT40040GR	Stone grey	83	43	4	2.681	**6158544**

T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

End piece, trunking type WDK 40040

PVC







Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE40040RW	Pure white	40	40	10	0.602	**6193218**
WDK HE40040LGR	Light grey	40	40	10	0.602	**6183727**
WDK HE40040GR	Stone grey	40	40	10	0.602	**6158773**

End piece to close the WDK trunking.

PVC

Trunking, type WDK 40060






Trunking cover and base with base perforation.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK40060RW	Pure white	2000	32	56.200	**6191134**
WDK40060LGR	Light grey	2000	32	56.200	**6027024**
WDK40060GR	Stone grey	2000	32	56.200	**6025633**
WDK40060BR	Sepia brown	2000	32	56.200	**6025617**
WDK40060SW	Jet black	2000	32	56.200	**6025638**

PVC

Internal corner cover, trunking type WDK 40060

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI40060RW	Pure white	110	2	7.363	**6191959**
WDK HI40060LGR	Light grey	110	2	7.363	**6182127**
WDK HI40060GR	Stone grey	110	2	7.363	**6021719**






Internal corner cover for changing the direction of the WDK trunking.

PVC

External corner cover, trunking type WDK 40060

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA40060RW	Pure white	100	2	8.653	**6192254**
WDK HA40060LGR	Light grey	100	2	8.653	**6182534**
WDK HA40060GR	Stone grey	100	2	8.653	**6021697**






External corner hood for changing the direction of the WDK trunking.

PVC

Flat angle cover, trunking type WDK 40060

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF40060RW	Pure white	101	2	6.271	**6192858**
WDK HF40060GR	Stone grey	101	2	6.271	**6021735**
WDK HF40060LGR	Light grey	101	2	6.271	**6183344**





Flat angle hood for changing the direction of the WDK trunking.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 40 mm, trunking width 60 mm

T and intersection cover, for trunking type WDK 40060

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK40060RW	Pure white	190	63	2	9.801	**6192556**
WDK HK40060LGR	Light grey	190	63	2	9.801	**6182925**
WDK HK40060GR	Stone grey	190	63	2	9.801	**6023312**

T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

End piece, trunking type WDK 40060

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE40060RW	Pure white	60	40	10	1.136	**6193226**
WDK HE40060LGR	Light grey	60	40	10	1.148	**6183735**
WDK HE40060GR	Stone grey	60	40	10	1.144	**6021492**

End piece to close the WDK trunking.

PVC

Trunking, type WDK 40090





Trunking cover and base with base perforation.


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK40090RW	Pure white	2000	32	77.300	6191142
WDK40090LGR	Light grey	2000	32	77.300	6027032
WDK40090GR	Stone grey	2000	32	77.300	6021018
WDK40090SW	Jet black	2000	32	78.100	6021023

PVC

Joint cover, for trunking, type WDK 40090

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS40090RW	Pure white	90	39	20	0.857	6193580

Joint cover for hiding cut edges and for smooth connection of trunking segments.






PVC

Internal corner cover, trunking type WDK 40090

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI40090RW	Pure white	109	2	9.468	6191967
WDK HI40090LGR	Light grey	109	2	9.468	6182135
WDK HI40090GR	Stone grey	109	2	9.468	6021190

Internal corner cover for changing the direction of the WDK trunking.






PVC

External corner cover, trunking type WDK 40090

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA40090RW	Pure white	100	2	9.638	6192262
WDK HA40090LGR	Light grey	100	2	9.638	6182542
WDK HA40090GR	Stone grey	100	2	9.638	6021093

External corner hood for changing the direction of the WDK trunking.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Trunking height 40 mm, trunking width 90 mm

Flat angle cover, trunking type WDK 40090

PVC






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF40090RW	Pure white	129	2	11.246	**6192866**
WDK HF40090LGR	Light grey	129	2	11.246	**6183352**
WDK HF40090GR	Stone grey	129	2	11.246	**6021336**

Flat angle hood for changing the direction of the WDK trunking.

T and intersection cover, for trunking type WDK 40090

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK40090RW	Pure white	230	91	2	13.986	**6192564**
WDK HK40090LGR	Light grey	230	91	2	13.986	**6182933**
WDK HK40090GR	Stone grey	230	91	2	13.986	**6023142**

T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

End piece, trunking type WDK 40090

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE40090RW	Pure white	90	40	10	1.576	**6193234**
WDK HE40090LGR	Light grey	90	40	10	1.566	**6183743**
WDK HE40090GR	Stone grey	90	40	10	1.576	**6021506**

End piece to close the WDK trunking.

PVC

Trunking, type WDK 40110





Trunking cover and base with base perforation.


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK40110RW	Pure white	2000	24	111.800	6191150
WDK40110LGR	Light grey	2000	24	111.800	6027040
WDK40110GR	Stone grey	2000	24	111.800	6021034

PVC

Joint cover, for trunking, type WDK 40110

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS40110RW	Pure white	110	39	20	0.974	6193586

Joint cover for hiding cut edges and for smooth connection of trunking segments.







PVC

Internal corner cover, trunking type WDK 40110

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI40110RW	Pure white	110.5	2	9.726	6191975
WDK HI40110LGR	Light grey	110.5	2	9.726	6182143
WDK HI40110GR	Stone grey	110.5	2	9.726	6021727

Internal corner cover for changing the direction of the WDK trunking.







PVC

External corner cover, trunking type WDK 40110

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA40110RW	Pure white	100	2	13.500	6192270
WDK HA40110LGR	Light grey	100	2	13.500	6182550
WDK HA40110GR	Stone grey	100	2	13.500	6021700

External corner hood for changing the direction of the WDK trunking.





Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 40 mm, trunking width 110 mm

Flat angle cover, trunking type WDK 40110

PVC






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF40110RW	Pure white	110	2	13.000	**6192874**
WDK HF40110LGR	Light grey	110	2	13.000	**6183360**
WDK HF40110GR	Stone grey	110	2	11.751	**6021743**

Flat angle hood for changing the direction of the WDK trunking.

T and intersection cover, for trunking type WDK 40110

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK40110RW	Pure white	272	112	2	18.882	**6192572**
WDK HK40110LGR	Light grey	272	112	2	18.882	**6182941**
WDK HK40110GR	Stone grey	272	112	2	18.882	**6023339**

T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

End piece, trunking type WDK 40110

PVC







Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE40110RW	Pure white	110	40	10	1.919	**6193242**
WDK HE40110LGR	Light grey	110	40	10	1.859	**6183751**
WDK HE40110GR	Stone grey	110	40	10	1.859	**6021514**

End piece to close the WDK trunking.

PVC

Trunking, type WDK 60060






Trunking cover and base with base perforation.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60060RW	Pure white	2000	32	81.600	**6191193**
WDK60060LGR	Light grey	2000	32	81.600	**6027105**
WDK60060GR	Stone grey	2000	32	81.600	**6025668**

PVC

Internal corner cover, trunking type WDK 60060

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60060RW	Pure white	130	2	10.932	**6192017**
WDK HI60060LGR	Light grey	130	2	10.932	**6182194**
WDK HI60060GR	Stone grey	130	2	10.932	**6022383**






Internal corner cover for changing the direction of the WDK trunking.

PVC

External corner cover, trunking type WDK 60060

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60060RW	Pure white	100	2	9.931	**6192319**
WDK HA60060LGR	Light grey	100	2	9.931	**6182593**
WDK HA60060GR	Stone grey	100	2	9.931	**6022073**






External corner hood for changing the direction of the WDK trunking.

PVC

Flat angle cover, trunking type WDK 60060

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60060RW	Pure white	101	2	7.846	**6192912**
WDK HF60060LGR	Light grey	101	2	8.243	**6183409**
WDK HF60060GR	Stone grey	101	2	8.016	**6022448**





Flat angle hood for changing the direction of the WDK trunking.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 60 mm, trunking width 60 mm

T and intersection cover, for trunking type WDK 60060

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60060RW	Pure white	190	65	2	12.876	**6192610**
WDK HK60060LGR	Light grey	190	65	2	12.876	**6183018**
WDK HK60060GR	Stone grey	190	65	2	12.876	**6023223**

T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

End piece, trunking type WDK 60060

PVC







Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60060RW	Pure white	60	60	10	1.551	**6193285**
WDK HE60060LGR	Light grey	60	60	10	1.551	**6183808**
WDK HE60060GR	Stone grey	60	60	10	1.544	**6022499**

End piece to close the WDK trunking.

PVC

Trunking, type WDK 60090





Trunking cover and base with base perforation.


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60090RW	Pure white	2000	24	110.000	**6191207**
WDK60090LGR	Light grey	2000	24	110.000	**6027113**
WDK60090GR	Stone grey	2000	24	110.000	**6022006**

PVC

Joint cover, for trunking, type WDK 60090

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS60090RW	Pure white	94	18	20	1.002	**6193590**

Joint cover for hiding cut edges and for smooth connection of trunking segments.







PVC

Internal corner cover, trunking type WDK 60090

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60090RW	Pure white	130	2	12.989	**6192025**
WDK HI60090LGR	Light grey	130	2	12.989	**6182208**
WDK HI60090GR	Stone grey	130	2	12.989	**6022219**

Internal corner cover for changing the direction of the WDK trunking.






PVC

External corner cover, trunking type WDK 60090

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60090RW	Pure white	100	2	10.965	**6192327**
WDK HA60090LGR	Light grey	100	2	10.965	**6182607**
WDK HA60090GR	Stone grey	100	2	10.965	**6022111**

External corner hood for changing the direction of the WDK trunking.





Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 60 mm, trunking width 90 mm

Flat angle cover, trunking type WDK 60090

PVC






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60090RW	Pure white	129	2	11.454	**6192920**
WDK HF60090LGR	Light grey	129	2	11.454	**6183417**
WDK HF60090GR	Stone grey	129	2	11.454	**6022316**

Flat angle hood for changing the direction of the WDK trunking.

T and intersection cover, for trunking type WDK 60090

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60090RW	Pure white	230	94	2	16.992	**6192629**
WDK HK60090LGR	Light grey	230	94	2	16.992	**6183026**
WDK HK60090GR	Stone grey	230	94	2	16.992	**6023002**

T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

End piece, trunking type WDK 60090

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60090RW	Pure white	90	60	10	2.315	**6193293**
WDK HE60090LGR	Light grey	90	60	10	2.337	**6183816**
WDK HE60090GR	Stone grey	90	60	10	2.337	**6022502**

End piece to close the WDK trunking.

PVC

Trunking, type WDK 60110





Trunking cover and base with base perforation.


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60110RW	Pure white	2000	16	117.000	**6191215**
WDK60110LGR	Light grey	2000	16	117.000	**6027121**
WDK60110GR	Stone grey	2000	16	117.000	**6022014**

PVC

Joint cover, for trunking, type WDK 60110

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS60110RW	Pure white	113	18	20	1.142	**6193596**

Joint cover for hiding cut edges and for smooth connection of trunking segments.






PVC

Internal corner cover, trunking type WDK 60110

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60110RW	Pure white	130	2	13.254	**6192033**
WDK HI60110LGR	Light grey	130	2	13.102	**6182216**
WDK HI60110GR	Stone grey	130	2	13.312	**6022235**

Internal corner cover for changing the direction of the WDK trunking.






PVC

External corner cover, trunking type WDK 60110

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60110RW	Pure white	100	2	13.226	**6192335**
WDK HA60110LGR	Light grey	100	2	13.226	**6182615**
WDK HA60110GR	Stone grey	100	2	13.049	**6022146**

External corner hood for changing the direction of the WDK trunking.





Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 60 mm, trunking width 110 mm, device installation

Flat angle cover, trunking type WDK 60110

PVC






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60110RW	Pure white	149	2	14.273	**6192939**
WDK HF60110LGR	Light grey	149	2	14.399	**6183425**
WDK HF60110GR	Stone grey	149	2	14.399	**6022332**

Flat angle hood for changing the direction of the WDK trunking.

T and intersection cover, for trunking type WDK 60110

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60110RW	Pure white	272	114	2	22.905	**6192637**
WDK HK60110LGR	Light grey	272	114	2	22.905	**6183034**
WDK HK60110GR	Stone grey	272	114	2	22.905	**6023029**

T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

End piece, trunking type WDK 60110

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60110RW	Pure white	110	60	10	2.937	**6193307**
WDK HE60110LGR	Light grey	110	60	10	2.912	**6183824**
WDK HE60110GR	Stone grey	110	60	10	2.951	**6022588**

End piece for closing the WDK trunking.

PVC

Trunking, type WDK 60130





Trunking cover and base with base perforation.


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60130RW	Pure white	2000	16	135.000	**6191223**
WDK60130LGR	Light grey	2000	16	135.000	**6027148**
WDK60130GR	Stone grey	2000	16	135.000	**6022022**

PVC

Internal corner cover, trunking type WDK 60130

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60130RW	Pure white	130	2	13.526	**6192041**
WDK HI60130LGR	Light grey	130	2	13.526	**6182224**
WDK HI60130GR	Stone grey	130	2	13.526	**6022251**

Internal corner cover for changing the direction of the WDK trunking.






PVC

External corner cover, trunking type WDK 60130

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60130RW	Pure white	100	2	14.327	**6192343**
WDK HA60130LGR	Light grey	100	2	14.327	**6182623**
WDK HA60130GR	Stone grey	100	2	14.327	**6022162**

External corner hood for changing the direction of the WDK trunking.






PVC

Flat angle cover, trunking type WDK 60130

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60130RW	Pure white	170	2	17.118	**6192947**
WDK HF60130LGR	Light grey	170	2	17.272	**6183433**
WDK HF60130GR	Stone grey	170	2	17.272	**6022359**

Flat angle hood for changing the direction of the WDK trunking.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Trunking height 60 mm, trunking width 130 mm, device installation

T and intersection cover, for trunking type WDK 60130

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60130RW	Pure white	272	65	2	23.968	**6192645**
WDK HK60130LGR	Light grey	272	65	2	23.968	**6183042**
WDK HK60130GR	Stone grey	272	65	2	23.968	**6023045**

T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

End piece, trunking type WDK 60130

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60130RW	Pure white	130	61	10	3.610	**6193315**
WDK HE60130LGR	Light grey	130	61	10	3.655	**6183832**
WDK HE60130GR	Stone grey	130	61	10	3.578	**6022529**

End piece to close the WDK trunking.

PVC

Trunking, type WDK 60150





Trunking cover and base with base perforation.


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60150RW	Pure white	2000	8	175.000	**6191231**
WDK60150LGR	Light grey	2000	8	175.000	**6027156**
WDK60150GR	Stone grey	2000	8	175.000	**6022030**

PVC

Internal corner cover, trunking type WDK 60150

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60150RW	Pure white	130	2	14.449	**6192068**
WDK HI60150LGR	Light grey	130	2	14.449	**6182232**
WDK HI60150GR	Stone grey	130	2	14.449	**6024432**

Internal corner cover for changing the direction of the WDK trunking.






PVC

External corner cover, trunking type WDK 60150

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60150RW	Pure white	100	2	17.452	**6192351**
WDK HA60150LGR	Light grey	100	2	17.452	**6182631**
WDK HA60150GR	Stone grey	100	2	17.452	**6024521**

External corner hood for changing the direction of the WDK trunking.






PVC

Flat angle cover, trunking type WDK 60150

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60150RW	Pure white	190	2	19.910	**6192955**
WDK HF60150LGR	Light grey	190	2	19.910	**6183441**
WDK HF60150GR	Stone grey	190	2	19.910	**6024599**

Flat angle hood for changing the direction of the WDK trunking.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Trunking height 60 mm, trunking width 150 mm, device installation

T and intersection cover, for trunking type WDK 60150

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60150RW	Pure white	291	155	2	26.831	**6192653**
WDK HK60150LGR	Light grey	291	155	2	26.831	**6183050**
WDK HK60150GR	Stone grey	291	155	2	26.831	**6024769**

T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

End piece, trunking type WDK 60150

PVC







Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60150RW	Pure white	150	60	10	4.118	**6193323**
WDK HE60150LGR	Light grey	150	60	10	4.827	**6183840**
WDK HE60150GR	Stone grey	150	60	10	4.223	**6024823**

End piece to close the WDK trunking.

PVC

Trunking, type WDK 60170






Trunking cover and base with base perforation.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60170RW	Pure white	2000	8	178.000	**6191258**
WDK60170CW	Cream	2000	8	178.000	**6021867**
WDK60170LGR	Light grey	2000	8	178.000	**6027164**
WDK60170GR	Stone grey	2000	8	178.000	**6022049**

PVC

Internal corner cover, trunking type WDK 60170

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60170RW	Pure white	130	2	12.472	**6192076**
WDK HI60170LGR	Light grey	130	2	12.472	**6182240**
WDK HI60170GR	Stone grey	130	2	12.472	**6022286**
WDK HI60170CW	Cream	130	2	12.472	**6160352**






Internal corner cover for changing the direction of the WDK trunking.

PVC

External corner cover, trunking type WDK 60170

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60170RW	Pure white	100	2	17.750	**6192378**
WDK HA60170LGR	Light grey	100	2	17.750	**6182658**
WDK HA60170GR	Stone grey	100	2	17.750	**6022189**
WDK HA60170CW	Cream	100	2	17.750	**6160956**






External corner hood for changing the direction of the WDK trunking.

PVC

Flat angle cover, trunking type WDK 60170

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60170RW	Pure white	211	2	22.774	**6192963**
WDK HF60170LGR	Light grey	211	2	22.774	**6183468**
WDK HF60170GR	Stone grey	211	2	22.774	**6022375**
WDK HF60170CW	Cream	211	2	22.774	**6161545**





Flat angle hood for changing the direction of the WDK trunking.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 60 mm, trunking width 170 mm, device installation

T and intersection cover, for trunking type WDK 60170

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60170RW	Pure white	291	66	2	32.600	**6192661**
WDK HK60170LGR	Light grey	291	66	2	32.600	**6183069**
WDK HK60170GR	Stone grey	291	66	2	32.600	**6023061**
WDK HK60170CW	Cream	291	66	2	32.600	**6162258**

T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

End piece, trunking type WDK 60170

PVC







Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60170RW	Pure white	170	60	10	4.859	**6193331**
WDK HE60170LGR	Light grey	170	60	10	4.859	**6183859**
WDK HE60170GR	Stone grey	170	60	10	4.859	**6022545**
WDK HE60170CW	Cream	170	60	10	4.859	**6162843**

End piece to close the WDK trunking.

PVC

Trunking, type WDK 60210






Trunking cover and base with base perforation.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60210RW	Pure white	2000	8	258.000	**6191266**
WDK60210LGR	Light grey	2000	8	258.000	**6027172**
WDK60210GR	Stone grey	2000	8	258.000	**6022065**

PVC

Internal corner cover, trunking type WDK 60210

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60210RW	Pure white	130	2	17.594	**6192084**
WDK HI60210LGR	Light grey	130	2	17.594	**6182259**
WDK HI60210GR	Stone grey	130	2	17.594	**6022294**






Internal corner cover for changing the direction of the WDK trunking.

PVC

External corner cover, trunking type WDK 60210

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60210RW	Pure white	100	2	20.357	**6192386**
WDK HA60210LGR	Light grey	100	2	20.357	**6182666**
WDK HA60210GR	Stone grey	100	2	20.357	**6022197**






External corner hood for changing the direction of the WDK trunking.

PVC

Flat angle cover, trunking type WDK 60210

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60210RW	Pure white	250	2	30.182	**6192971**
WDK HF60210LGR	Light grey	250	2	38.000	**6183476**
WDK HF60210GR	Stone grey	250	2	38.000	**6022391**





Flat angle hood for changing the direction of the WDK trunking.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 60 mm, trunking width 210 mm, device installation

T and intersection cover, for trunking type WDK 60210

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60210RW	Pure white	291	66	2	35.280	**6192688**
WDK HK60210LGR	Light grey	291	66	2	35.280	**6183077**
WDK HK60210GR	Stone grey	291	66	2	35.280	**6023126**

T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

End piece, trunking type WDK 60210

PVC






Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60210RW	Pure white	210	60	10	5.475	**6193358**
WDK HE60210LGR	Light grey	210	60	10	5.646	**6183867**
WDK HE60210GR	Stone grey	210	60	10	5.479	**6022561**

End piece to close the WDK trunking.

PVC

Trunking, type WDK 60230






Trunking cover and base with base perforation.
Four cover fixing devices included.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60230RW	Pure white	2000	8	298.000	**6191274**
WDK60230LGR	Light grey	2000	8	298.000	**6027180**
WDK60230GR	Stone grey	2000	8	298.000	**6022057**

PVC

Internal corner cover, trunking type WDK 60230

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60230RW	Pure white	130	2	22.509	**6192092**
WDK HI60230LGR	Light grey	130	2	22.509	**6182267**
WDK HI60230GR	Stone grey	130	2	22.509	**6024440**






Internal corner cover for changing the direction of the WDK trunking.

PVC

External corner cover, trunking type WDK 60230

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60230RW	Pure white	100	2	24.645	**6192394**
WDK HA60230LGR	Light grey	100	2	24.645	**6182674**
WDK HA60230GR	Stone grey	100	2	24.645	**6024548**






External corner hood for changing the direction of the WDK trunking.

PVC

T and intersection cover, for trunking type WDK 60210

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60230RW	Pure white	291	235	2	39.600	**6192696**
WDK HK60230LGR	Light grey	291	235	2	39.600	**6183085**
WDK HK60230GR	Stone grey	291	235	2	39.600	**6024777**





T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 60 mm, trunking width 230 mm

Flat angle cover, trunking type WDK 60230

PVC






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60230RW	Pure white	270	2	47.856	**6192998**
WDK HF60230LGR	Light grey	270	2	47.856	**6183484**
WDK HF60230GR	Stone grey	270	2	47.856	**6024602**

Flat angle hood for changing the direction of the WDK trunking.

End piece, trunking type WDK 60230

PVC







Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60230RW	Pure white	230	60	10	6.283	**6193366**
WDK HE60230LGR	Light grey	230	60	10	6.283	**6183875**
WDK HE60230GR	Stone grey	230	60	10	6.283	**6024831**

End piece to close the WDK trunking.
The end pieces are pushed onto the trunking and kept in place by the spring action.

PVC

Trunking, type WDK 80170






Wall installation trunking as trunking base with base perforation and matching trunking cover.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK80170RW	Pure white	2000	8	214.000	**6191304**
WDK80170CW	Cream	2000	8	214.000	**6026176**
WDK80170LGR	Light grey	2000	8	214.000	**6027229**
WDK80170GR	Stone grey	2000	8	214.000	**6026184**

PVC

End piece, trunking type WDK 80170

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE80170RW	Pure white	150	170	10	11.900	**6193387**
WDK HE80170LGR	Light grey	150	170	10	11.900	**6183913**
WDK HE80170GR	Stone grey	150	170	10	11.900	**6024858**





End piece to close the WDK trunking.


Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Trunking height 80 mm, trunking width 210 mm

Trunking, type WDK 80210

PVC






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK80210RW	Pure white	2000	8	240.000	**6191312**
WDK80210LGR	Light grey	2000	8	240.000	**6027237**
WDK80210GR	Stone grey	2000	8	240.000	**6026192**

Wall installation trunking as trunking base with base perforation and matching trunking cover.

Four cover fixing devices included

End piece, trunking type WDK 80210

PVC




Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE80210RW	Pure white	150	80	10	14.500	**6193391**
WDK HE80210LGR	Light grey	150	210	10	14.500	**6183921**
WDK HE80210GR	Stone grey	150	210	10	14.500	**6024874**

End piece to close the WDK trunking.

PVC

Trunking, type WDK 100130





Wall installation trunking as trunking base with base perforation and matching trunking cover.


Four cover fixing devices included

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK100130RW	Pure white	2000	8	214.000	**6191347**
WDK100130CW	Cream	2000	8	214.000	**6026273**
WDK100130LGR	Light grey	2000	8	214.000	**6027245**
WDK100130GR	Stone grey	2000	8	214.000	**6026281**

PVC

End piece, trunking type WDK 100130

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE100130RW	Pure white	150	130	10	8.200	**6193395**
WDK HE100130LGR	Light grey	150	130	10	8.200	**6183956**
WDK HE100130GR	Stone grey	150	130	10	8.200	**6024882**





End piece to close the WDK trunking.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 100 mm, trunking width 230 mm

Trunking, type WDK 100230

PVC





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK100230RW	Pure white	2000	4	338.000	**6191355**
WDK100230LGR	Light grey	2000	4	338.000	**6027253**
WDK100230GR	Stone grey	2000	4	338.000	**6026311**
WDK100230CW	Cream	2000	4	338.000	**6026338**


Wall installation trunking as trunking base with base perforation and matching trunking cover.

Four cover fixing devices included.

End piece, trunking type WDK 100230

PVC






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE100230RW	Pure white	230	100	5	10.409	**6193399**
WDK HE100230LGR	Light grey	230	100	5	10.237	**6183980**
WDK HE100230GR	Stone grey	230	100	5	10.237	**6024904**


End piece to close the WDK trunking.

Trunking height 10 mm, trunking width 20 mm, halogen-free

Trunking, type WDKH 10020

PC / ABS







Type	Colour	Length mm		Pack m	Weight kg/100 m	Item no.
WDKH-10020RW	Pure white	2000		96	8.500	**6175375**

Trunking cover and base with base perforation made of halogen-free plastic.

Trunking, type WDKH 10020

PC / ABS






Type	Colour	Length mm		Pack m	Weight kg/100 m	Item no.
WDKH-10020RW T	Pure white	2000		84	9.500	**6175377**

Trunking cover and base with base perforation made of halogen-free plastic.

Internal corner cover, trunking type WDKH 10020

PC / ABS





Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I10020RW	Pure white	30		4	0.252	**6175572**


Internal corner cover for changing the direction of the halogen-free WDKH trunking.

PC / ABS

External corner cover, trunking type WDKH 10020

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A10020RW	Pure white	30	4	0.332	**6175612**

External corner cover for changing the direction of the halogen-free WDKH trunking.






PC / ABS

Flat angle cover, trunking type WDKH 10020

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F10020RW	Pure white	40	4	0.308	**6175648**

Flat angle hood for changing the direction of the halogen-free WDKH trunking.






PC / ABS

T piece cover, for trunking type WDKH 10020

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T10020RW	Pure white	45	34	4	0.298	**6175684**

T and intersection cover for changing the direction of the halogen-free WDK-H trunking.






PC / ABS

End piece, trunking type WDKH 100202

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-E10020RW	Pure white	22	11	10	0.092	**6175540**

End piece for closing the WDK-H trunking.





Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Trunking, type WDKH 15030

PC / ABS







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-15030RW	Pure white	2000	48	15.000	6175390
WDKH-15030LGR	Light grey	2000	48	15.000	6175457

Trunking cover and base with base perforation made of halogen-free plastic.

Trunking, type WDKH 15030

PC / ABS






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-15030RW T	Pure white	2000	48	16.000	6175392

Trunking cover and base with base perforation made of halogen-free plastic.

Internal corner cover, trunking type WDKH 15030

PC / ABS





Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I15030RW	Pure white	38.5	4	0.677	6175578


Internal corner cover for changing the direction of the halogen-free WDKH trunking.

PC / ABS

External corner cover, trunking type WDKH 15030

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A15030RW	Pure white	38.5	4	0.948	**6175618**

External corner cover for changing the direction of the halogen-free WDKH trunking.






PC / ABS

Flat angle cover, trunking type WDKH 15030

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F15030RW	Pure white	53	4	0.833	**6175654**

Flat angle hood for changing the direction of the halogen-free WDKH trunking.




PC / ABS

T piece cover, for trunking type WDK 15030

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T15030RW	Pure white	73	53	4	0.954	**6175690**

T and intersection cover for changing the direction of the halogen-free WDK-H trunking.






PC / ABS

End piece, trunking type WDKH 15030

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-E15030RW	Pure white	30	17	10	0.200	**6175546**

End piece for closing the WDK-H trunking.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 20 mm, trunking width 20 mm, halogen-free

Trunking, type WDKH 20020

PC / ABS






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-20020RW	Pure white	2000	48	8.800	**6175400**
WDKH-20020LGR	Light grey	2000	48	8.800	**6175460**

Trunking cover and base with base perforation made of halogen-free plastic.

Internal corner cover, trunking type WDKH 20020

PC / ABS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I20020RW	Pure white	38.5	4	0.540	**6175581**
WDKH-I20020LGR	Light grey	38.5	4	0.450	**6175964**

Internal corner cover for changing the direction of the halogen-free WDKH trunking.

External corner cover, trunking type WDKH 20020

PC / ABS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A20020RW	Pure white	38.5	4	0.578	**6175624**
WDKH-A20020LGR	Light grey	38.5	4	0.520	**6176000**

External corner cover for changing the direction of the halogen-free WDKH trunking.

Flat angle cover, trunking type WDKH 20020

PC / ABS





Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F20020RW	Pure white	38	4	0.502	**6175658**
WDKH-F20020LGR	Light grey	38	4	0.502	**6176036**


Flat angle hood for changing the direction of the halogen-free WDKH trunking.

PC / ABS

T piece cover for trunking type WDKH 20020

Type	Colour	Dim. b mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T20020RW	Pure white	57	39	4	0.659	**6175694**
WDKH-T20020LGR	Light grey	57	39	4	0.659	**6176072**

T and intersection cover for changing the direction of the halogen-free WDK-H trunking.






PC / ABS

End piece, trunking type WDKH 20020

Type	Colour	Dim. b mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-E20020RW	Pure white	19	18	10	0.087	**6175550**
WDKH-E20020LGR	Light grey	19	18	10	0.089	**6175928**

End piece for closing the WDK-H trunking.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 30 mm, trunking width 45 mm, halogen-free

Trunking, type WDKH 30045

PC / ABS







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-30045RW	Pure white	2000	48	24.900	6175405
WDKH-30045LGR	Light grey	2000	48	24.900	6175463

Trunking cover and base with base perforation made of halogen-free plastic.

Internal corner cover, trunking type WDKH 30045

PC / ABS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I30045RW	Pure white	60	4	1.144	6175590
WDKH-I30045LGR	Light grey	60	4	1.144	6175968

Internal corner cover for changing the direction of the halogen-free WDKH trunking.

External corner cover, trunking type WDKH 30045

PC / ABS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A30045RW	Pure white	57	4	2.000	6175626
WDKH-A30045LGR	Light grey	57	4	2.000	6176004

External corner cover for changing the direction of the halogen-free WDKH trunking.

Flat angle cover, trunking type WDKH 30045

PC / ABS



Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F30045RW	Pure white	60	4	1.652	6175662
WDKH-F30045LGR	Light grey	60	4	1.652	6176040


Flat angle hood for changing the direction of the halogen-free WDKH trunking.

PC / ABS

T and intersection cover, for trunking type WDK 30045

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T30045RW	Pure white	88	68	4	1.803	**6175698**
WDKH-T30045LGR	Light grey	88	68	4	1.803	**6176076**

T and intersection cover for changing the direction of the halogen-free WDK-H trunking.






PC / ABS

End piece, trunking type WDKH 30045

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-E30045RW	Pure white	45	30	10	0.435	**6175554**
WDKH-E30045LGR	Light grey	45	30	10	0.500	**6175932**

End piece for closing the WDK-H trunking.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 40 mm, trunking width 60 mm, halogen-free

Trunking, type WDKH 40060

PC / ABS






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-40060RW	Pure white	2000	32	44.000	6175410
WDKH-40060LGR	Light grey	2000	32	44.000	6175466

Trunking cover and base with base perforation made of halogen-free plastic including cover fixing devices.

Internal corner cover, trunking type WDKH 40060

PC / ABS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I40060RW	Pure white	85	2	6.427	6175594
WDKH-I40060LGR	Light grey	85	2	6.427	6175972

Internal corner cover for changing the direction of the halogen-free WDKH trunking.

External corner cover, trunking type WDKH 40060

PC / ABS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A40060RW	Pure white	45	2	7.423	6175630
WDKH-A40060LGR	Light grey	45	2	7.423	6176008

External corner cover for changing the direction of the halogen-free WDKH trunking.

Flat angle cover, trunking type WDKH 40060

PC / ABS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F40060RW	Pure white	85	2	7.048	6175666
WDKH-F40060LGR	Light grey	85	2	7.048	6176044

Flat angle hood for changing the direction of the halogen-free WDKH trunking.

PC / ABS

T and intersection cover, for trunking type WDKH 40060

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T40060RW	Pure white	190	66	2	8.413	**6175702**
WDKH-T40060LGR	Light grey	190	66	2	8.413	**6176080**






T and intersection cover for changing the direction of the halogen-free WDKH trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

PC / ABS

End piece, trunking type WDKH 40060

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-E40060RW	Pure white	40	60	10	0.992	**6175558**
WDKH-E40060LGR	Light grey	40	60	10	0.992	**6175936**





End piece for closing the WDK-H trunking.


Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 60 mm, trunking width 90 mm, halogen-free

Trunking, type WDKH 60090

PC / ABS






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-60090RW	Pure white	2000	24	81.500	6175415
WDKH-60090LGR	Light grey	2000	24	81.500	6175469

Trunking cover and base with base perforation made of halogen-free plastic including cover fixing devices.

Internal corner cover, trunking type WDKH 60090

PC / ABS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I60090RW	Pure white	130	2	11.123	6175598
WDKH-I60090LGR	Light grey	130	2	11.123	6175976

Internal corner cover for changing the direction of the halogen-free WDKH trunking.

External corner cover, trunking type WDKH 60090

PC / ABS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A60090RW	Pure white	69	2	10.373	6175634
WDKH-A60090LGR	Light grey	69	2	10.700	6176012

External corner cover for changing the direction of the halogen-free WDKH trunking.

Flat angle cover, trunking type WDKH 60090

PC / ABS





Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F60090RW	Pure white	129	2	9.696	6175670
WDKH-F60090LGR	Light grey	129	2	9.696	6176048


Flat angle hood for changing the direction of the halogen-free WDKH trunking.

PC / ABS

T and intersection cover, for trunking type WDKH 60090

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T60090RW	Pure white	230	2	21.500	**6175706**
WDKH-T60090LGR	Light grey	230	2	21.500	**6176084**

T and intersection cover for changing the direction of the halogen-free WDKH trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.






PC / ABS

End piece, trunking type WDKH 60090

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-E60090RW	Pure white	90	60	10	2.024	**6175562**
WDKH-E60090LGR	Light grey	90	60	10	2.024	**6175940**

End piece for closing the WDK-H trunking.





Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 60 mm, trunking width 110 mm, halogen-free

Trunking, type WDKH-60110

PC / ABS






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-60110RW	Pure white	2000	16	95.900	6175420
WDKH-60110LGR	Light grey	2000	16	95.900	6175472

Trunking cover and base with base perforation made of halogen-free plastic including cover fixing devices.

Internal corner cover, trunking type WDKH 60110

PC / ABS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I60110RW	Pure white	130	2	11.315	6175602
WDKH-I60110LGR	Light grey	130	2	11.315	6175980

Internal corner cover for changing the direction of the halogen-free WDKH trunking.

External corner cover, trunking type WDKH 60110

PC / ABS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A60110RW	Pure white	100	2	11.437	6175638
WDKH-A60110LGR	Light grey	100	2	11.338	6176016

External corner cover for changing the direction of the halogen-free WDKH trunking.

Flat angle cover, trunking type WDKH 60110

PC / ABS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F60110RW	Pure white	149	2	12.984	6175674
WDKH-F60110LGR	Light grey	149	2	13.022	6176052

Flat angle hood for changing the direction of the halogen-free WDKH trunking.

PC / ABS

T and intersection cover, for trunking type WDKH 60110

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T60110RW	Pure white	272	114	2	20.921	**6175710**
WDKH-T60110LGR	Light grey	272	114	2	20.921	**6176088**






T and intersection cover for changing the direction of the halogen-free WDKH trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

PC / ABS

End piece, trunking type WDKH 60110

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-E60110RW	Pure white	110	60	10	2.556	**6175566**
WDKH-E60110LGR	Light grey	110	60	10	2.528	**6175944**





End piece for closing the WDK-H trunking.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 60 mm, trunking width 150 mm, halogen-free

Trunking, type WDKH 60150

PC / ABS






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-60150RW	Pure white	2000	8	146.650	**6175425**
WDKH-60150LGR	Light grey	2000	8	146.650	**6175475**

Trunking cover and base with base perforation made of halogen-free plastic including cover fixing devices.

Internal corner cover, trunking type WDKH 60150

PC / ABS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I60150RW	Pure white	130	2	12.521	**6175606**
WDKH-I60150LGR	Light grey	130	2	12.521	**6175984**

Internal corner cover for changing the direction of the halogen-free WDKH trunking.

External corner cover, trunking type WDKH 60150

PC / ABS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A60150RW	Pure white	100	2	15.180	**6175642**
WDKH-A60150LGR	Light grey	100	2	15.180	**6176020**

External corner cover for changing the direction of the halogen-free WDKH trunking.

Flat angle cover, trunking type WDKH 60150

PC / ABS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F60150RW	Pure white	190	2	18.643	**6175678**
WDKH-F60150LGR	Light grey	190	2	18.643	**6176056**

Flat angle hood for changing the direction of the halogen-free WDKH trunking.

PC / ABS

T and intersection cover, for trunking type WDKH 60150

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T60150RW	Pure white	291	155	2	23.463	**6175714**
WDKH-T60150LGR	Light grey	291	155	2	23.463	**6176092**






T and intersection cover for changing the direction of the halogen-free WDKH trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

PC / ABS

End piece, trunking type WDKH 60150


Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-E60150RW	Pure white	150	60	10	3.613	**6175570**
WDKH-E60150LGR	Light grey	150	60	10	3.736	**6175948**





End piece for closing the WDK-H trunking.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21



Reliable protection for cables

LKM cable ducts, metal

A wide range of practical mounting details make the LKM cable ducts a reliable partner during cable routing.



Partition



Duct clamp



Secure equipotential bonding




Cable brackets



Edge protection

Installation principle



1	Trunking	LKM
2	Duct clamp for the maintenance of electrical function	LKM KF
3	Joint connector	LKM SV
4	Internal corner	LKM I
5	External corner	LKM A
6	T piece	LKM T
7	Flat angle	LKM F
8	End piece	LKM E
9	Edge protection ring	KSR
10	Partition	LKM TWS
11	Cable brackets	LKM Z
12	Duct clamp	LKM KF

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Maintenance of electrical function
LKM cable routing ducts



Cable routing with metal cable ducts, type LKM, is approved as a cable-specific routing type for the maintenance of electrical function classes E 30, E 60 and E 90 according to DIN 4102 Part 12. The ducts may be routed horizontally on the wall or under the ceiling and offer additional mechanical protection of the installed cables. This installation variant is also used if, for reasons of appearance, open routing of the cables with the maintenance of electrical function is not wanted. A retaining clamp is available as an installation aid for the duct type LKM60100. This prevents cables from falling out in the case of wall and ceiling mounting. When cable installation has been completed, the duct cover is locked onto the duct base.



Horizontal wall and ceiling mounting.



Routing of power, data or fire alarm cables in the duct, type LKM60100.



Tidy routing of data and fire alarm cables in the duct, type 20030.




Retaining clamps locked into the base as installation aid for wall mounting.




Retaining clamps as mounting aid for the insertion of cables for ceiling mounting.

St FS

Cable trunking, type LKM 20020






Duct cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.

Type	Length mm	Pack m	Weight kg/100 m	Item no.
LKM20020FS	2000	32	46.000	**6246966**

St FSK

Cable trunking, type LKM 20020






Duct cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.

Type	Length mm	Pack m	Weight kg/100 m	Item no.
LKM20020RW	2000	30	52.000	**6248462**

VA 2B

Joint connector LKM SV20

Type	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV20	45	20	10	0.190	**6247431**





Joint connector to connect the bases. This creates the equipotential bonding between the trunking bases.


Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Edge protection ring KSR 20020, for LKM cable trunking type 20020

PVC







Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR20020	Grey	24	28	5	0.900	**6249842**

Edge protection ring for the open ends of LKM cable trunking.

St FS

Cable trunking, type LKM 20030






Trunking cover and base with base perforation. Equipotential bonding is guaranteed between the cover and the base without any additional aids. The LKM cable trunking, type LKM 20030FS, has been tested for the maintenance of electrical function as a routing system according to DIN 4102 Part 12. Please note the cable types tested in the BSS fire protection systems division!

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM20030FS	–	2000	24	58.000	**6246974**

St FSK

Cable trunking, type LKM 20030





Trunking cover and base with base perforation. Equipotential bonding is guaranteed between the cover and the base without any additional aids. The LKM cable trunking, type LKM 20030FS, has been tested for the maintenance of electrical function as a routing system according to DIN 4102 Part 12. Please note the cable types tested in the BSS fire protection systems division!


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM20030RW	Pure white	2000	28	58.000	**6248470**

VA 2B

Joint connector LKM SV30

Type	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV30	54	30	10	0.400	**6247434**

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Edge protection ring KSR 20030, for LKM cable trunking type 20030

PVC







Type	Colour	Dim. mm	Dim. b mm		Pack Piece	Weight kg/100 pc.	Item no.
KSR20030	Grey	34	28		5	1.100	**6249844**

Edge protection ring for the open ends of LKM cable trunking.

St FS

Cable routing trunking, type LKM 30030






Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM30030FS	–	2000	16	62.000	**6246985**

St FSK

Cable routing trunking, type LKM 30030






Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM30030RW	Pure white	2000	16	62.000	**6248489**

VA 2B

Joint connector LKM SV30

Type	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV30	54	30	10	0.400	**6247434**





Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.


Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Edge protection ring KSR 30030, for LKM cable trunking 30030

PVC







Type	Colour	Dim. mm	Dim. b mm		Pack Piece	Weight kg/100 pc.	Item no.
KSR30030	Grey	34	34		5	1.300	**6249847**

Edge protection ring for the open ends of LKM cable trunking.

St FS

Cable trunking, type LKM 40040






Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM40040FS	–	2000	16	117.000	**6246990**

St FSK

Cable trunking, type LKM 40040






Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM40040RW	Pure white	2000	12	127.600	**6248497**

VA 2B

Joint connector LKM SV40

Type	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV40	76	30	10	1.000	**6247458**





Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 40 mm, trunking width 40 mm

Internal corner, for cable trunking type LKM 40040

St FS






Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
LKM I40040FS	–	160		1	28.000	**6247652**

Internal corner for changing the direction of the LKM ducts.

Internal corner, for cable trunking type LKM 40040

St FSK






Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
LKM I40040RW	Pure white	160		1	28.000	**6249167**

Internal corner for changing the direction of the LKM ducts.

External corner, for cable trunking ducts type LKM 40040

St FS






Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
LKM A40040FS	–	120		1	38.600	**6247563**

External corner including cover for changing the direction of the LKM trunking.

External corner, for cable trunking ducts type LKM 40040

St FSK





Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
LKM A40040RW	Pure white	120		1	38.600	**6249086**

External corner including cover for changing the direction of the LKM trunking.

T piece, for cable trunking type LKM 40040

St FS





Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
LKM T40040FS	–	300		1	39.700	**6247725**


T piece including cover for changing the direction of the LKM ducts.

St FSK

T piece, for cable trunking type LKM 40040

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T40040RW	Pure white	300	1	39.700	**6249256**

T piece including cover for changing the direction of the LKM ducts.






St FS

Flat angle, for cable trunking type LKM 40040

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F40040FS	–	140	1	37.100	**6247490**

Flat angle including cover for changing the direction of the LKM ducts.






St FSK

Flat angle, for cable trunking type LKM 40040

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F40040RW	Pure white	140	1	37.100	**6248993**

Flat angle including cover for changing the direction of the LKM ducts.







St FS

End piece, for cable trunking type LKM 40040

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E40040FS	–	40	44	10	2.500	**6247881**

End piece for closing the LKM ducts.






St FSK

End piece, for cable trunking type LKM 40040

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E40040RW	Pure white	40	44	10	2.500	**6249418**

End piece for closing the LKM ducts.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Edge protection ring KSR40040, for LKM cable trunking type 40040

PVC







Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR40040	Grey	44	48	5	1.800	**6249846**

Edge protection ring for the open ends of LKM cable trunking.

St FS

Cable trunking, type LKM 40060






Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM40060FS	–	2000	8	151.200	**6247016**

St FSK

Cable trunking, type LKM 40060






Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM40060RW	Pure white	2000	8	151.200	**6248519**

VA 2B

Joint connector LKM SV40

Type	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV40	76	30	10	1.000	**6247458**





Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 40 mm, trunking width 60 mm

Internal corner, for cable trunking type LKM 40060

St FS







Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
LKM I40060FS	–	160		1	31.400	**6247660**

Internal corner for changing the direction of LKM ducts.

Internal corner, for cable trunking type LKM 40060

St FSK






Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
LKM I40060RW	Pure white	160		1	31.400	**6249175**

Internal corner for changing the direction of LKM ducts.

External corner, for cable routing duct type LKM 40060

St FS






Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
LKM A40060FS	–	120		1	46.300	**6247571**

External corner including cover for changing the direction of the LKM ducts.

External corner, for cable routing duct, type LKM 40060

St FSK






Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
LKM A40060RW	Pure white	120		1	46.300	**6249094**

External corner including cover for changing the direction of the LKM ducts.

T piece, for cable trunking type LKM 40060

St FS





Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
LKM T40060FS	–	300		1	46.800	**6247733**

T piece including cover for changing the direction of the LKM ducts.

St FSK

T piece, for cable trunking type LKM 40060

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T40060RW	Pure white	300	1	46.800	**6249264**

T piece including cover for changing the direction of the LKM ducts.






St FS

Flat angle, for cable trunking type LKM 40060

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F40060FS	–	140	1	47.400	**6247504**

Flat angle including cover for changing the direction of the LKM ducts.






St FSK

Flat angle, for cable trunking type LKM 40060

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F40060RW	Pure white	140	1	47.400	**6249000**

Flat angle including cover for changing the direction of the LKM ducts.






St FS

End piece, for cable trunking type LKM 40060

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E40060FS	–	60	44	10	3.000	**6247903**

End piece for closing the LKM ducts.






St FSK

End piece, for cable trunking type LKM 40060

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E40060RW	Pure white	60	44	10	3.000	**6249426**

End piece for closing the LKM ducts.




Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Edge protection ring KSR40060, for LKM cable trunking type 40060

PVC







Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR40060	Grey	64	48	5	2.300	**6249848**

Edge protection ring for the open ends of LKM cable trunking.

St FS

Cable trunking, type LKM 60060






Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids. Note: LKM 60060 has no loop perforation in the base, a partition cannot be installed.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM60060FS	–	2000	8	174.700	**6247091**

St FSK

Cable trunking, type LKM 60060





Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids. Note: LKM 60060 has no loop perforation in the base, a partition cannot be installed.


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM60060RW	Pure white	2000	8	174.700	**6248608**

VA 2B

Joint connector LKM SV60

Type	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV60	75	49	10	1.600	**6247466**

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 60 mm, trunking width 60 mm

Internal corner, for cable trunking type LKM 60060

St FS






Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
LKM I60060FS	–	160		1	31.900	**6248128**

Internal corner for changing the direction of the LKM trunking.

Internal corner, for cable trunking type LKM 60060

St FSK






Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
LKM I60060RW	Pure white	160		1	31.900	**6249612**

Internal corner for changing the direction of the LKM trunking.

External corner, for cable trunking type LKM 60060

St FS






Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
LKM A60060FS	–	120		1	55.800	**6248047**

External corner including cover for changing the direction of the LKM ducts.

External corner, for cable trunking type LKM 60060

St FSK





Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
LKM A60060RW	Pure white	120		1	55.800	**6249558**

External corner including cover for changing the direction of the LKM ducts.

T piece, for cable routing duct type LKM 60060

St FS





Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
LKM T60060FS	–	300		1	54.200	**6248187**


T piece including cover for changing the direction of the LKM trunking.

St FSK

T piece, for cable trunking type LKM 60060

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T60060RW	Pure white	300	1	54.200	**6249671**

T piece including cover for changing the direction of the LKM trunking.






St FS

Flat angle, for cable trunking type LKM 60060

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F60060FS	–	140	1	54.700	**6247989**

Flat angle including cover for changing the direction of the LKM ducts.






St FSK

Flat angle, for cable trunking type LKM 60060

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F60060RW	Pure white	140	1	54.700	**6249485**

Flat angle including cover for changing the direction of the LKM ducts.







St FS

End piece, for cable trunking type LKM 60060

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E60060FS	–	60	64	10	4.500	**6248284**

End piece for closing the LKM ducts.






St FSK

End piece, for cable trunking type LKM 60060

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E60060RW	Pure white	60	64	10	4.500	**6249795**

End piece for closing the LKM ducts.




Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Edge protection ring KSR60060, for LKM cable trunking type 60060

PVC







Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR60060	Grey	64	68	5	2.400	**6249850**

Edge protection ring for the open ends of LKM cable duct.

St FS

Cable trunking, type LKM 60100






Trunking cover and base with base perforation. Equipotential bonding is guaranteed between the cover and the base without any additional aids. The LKM cable trunking, type LKM 60100FS, has been tested for the maintenance of electrical function as a routing system according to DIN 4102 Part 12. Please note the cable types tested in the BSS fire protection systems division!

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM60100FS	–	2000	8	221.700	**6247113**

St FSK

Cable trunking, type LKM 60100





Trunking cover and base with base perforation. Equipotential bonding is guaranteed between the cover and the base without any additional aids. The LKM cable trunking, type LKM 60100FS, has been tested for the maintenance of electrical function as a routing system according to DIN 4102 Part 12. Please note the cable types tested in the BSS fire protection systems division!


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM60100RW	Pure white	2000	8	221.700	**6248624**

St FS

Duct clamp, LKM, for maintenance of electrical function E30 - E90

Type	Pack Piece	Weight kg/100 pc.	Item no.
LKM KF 60100	10	9.800	**6249881**

Duct clamp for the metal cable routing duct type LKM 60100FS, prevents the cables falling out during installation. The duct clamp is essential if the duct is used in cable systems with integrated maintenance of electrical function to DIN 4102, Part 12. Easy mounting through insertion into the loop perforation in the side wall.





Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 60 mm, trunking width 100 mm

Joint connector LKM SV60

VA 2B







Type	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV60	75	49	10	1.600	**6247466**

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.

Internal corner, for cable duct type LKM 60100

St FS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM I60100FS	–	160	1	39.400	**6248144**

Internal corner for changing the direction of the LKM trunking.

Internal corner, for cable duct type LKM 60100

St FSK






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM I60100RW	Pure white	160	1	39.400	**6249639**

Internal corner for changing the direction of the LKM trunking.

External corner, for cable duct type LKM 60100

St FS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM A60100FS	–	120	1	73.100	**6248063**

External corner including cover for changing the direction of the LKM ducts.

External corner, for cable duct type LKM 60100

St FSK





Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM A60100RW	Pure white	120	1	73.100	**6249574**


External corner including cover for changing the direction of the LKM ducts.

St FS

T piece for cable routing duct type LKM 60100

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T60100FS	–	300	1	69.200	**6248209**

T piece including cover for changing the direction of the LKM ducts.






St FSK

T piece for cable routing duct type LKM 60100

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T60100RW	Pure white	300	1	69.200	**6249701**

T piece including cover for changing the direction of the LKM ducts.






St FS

Flat angle, for cable duct type LKM 60100

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F60100FS	–	140	1	63.400	**6248004**

Flat angle including cover for changing the direction of the LKM ducts.






St FSK

Flat angle, for cable duct type LKM 60100

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F60100RW	Pure white	140	1	63.400	**6249507**

Flat angle including cover for changing the direction of the LKM ducts.






St FS

End piece, for cable duct type LKM 60100

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E60100FS	–	100	64	10	6.200	**6248306**

End piece for closing the LKM ducts.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

End piece, for cable duct type LKM 60100

St FSK




Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E60100RW	Pure white	100	64	10	6.500	**6249817**

End piece for closing the LKM ducts.

Edge protection ring KSR60100, for LKM cable trunking type 60100

PVC







Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR60100	Grey	104	68	5	3.400	**6249852**

Edge protection ring for the open ends of LKM cable trunking.

St FS

Cable trunking, type LKM 60150







Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM60150FS	–	2000	8	280.100	**6247148**

St FSK

Cable trunking, type LKM 60150





Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM60150RW	Pure white	2000	8	280.100	**6248640**

VA 2B

Joint connector LKM SV60

Type	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV60	75	49	10	1.600	**6247466**

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.





Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 60 mm, trunking width 150 mm

Internal corner, for cable trunking type LKM 60150

St FS






Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
LKM I60150FS	–	160		1	48.400	**6248152**

Internal corner for changing the direction of the LKM trunking.

Internal corner, for cable trunking type LKM 60150

St FSK







Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
LKM I60150RW	Pure white	160		1	48.400	**6249647**

Internal corner for changing the direction of the LKM trunking.

External corner, for cable trunking type LKM 60150

St FS






Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
LKM A60150FS	–	120		1	91.300	**6248071**

External corner including cover for changing the direction of the LKM ducts.

External corner, for cable trunking type LKM 60150

St FSK





Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
LKM A60150RW	Pure white	120		1	91.300	**6249582**

External corner including cover for changing the direction of the LKM ducts.

T piece, for cable trunking type LKM 60150

St FS





Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
LKM T60150FS	–	300		1	87.600	**6248217**


T piece including cover for changing the direction of the LKM ducts.

St FSK

T piece, for cable trunking type LKM 60150

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T60150RW	Pure white	300	1	87.600	**6249728**

T piece including cover for changing the direction of the LKM ducts.






St FS

Flat angle, for cable trunking type LKM 60150

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F60150FS	–	140	1	113.500	**6248012**

Flat angle including cover for changing the direction of the LKM ducts.






St FSK

Flat angle, for cable trunking type LKM 60150

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F60150RW	Pure white	140	1	113.500	**6249515**

Flat angle including cover for changing the direction of the LKM ducts.






St FS

End piece, for cable trunking type LKM 60150

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E60150FS	–	150	64	10	8.400	**6248314**

End piece for closing the LKM ducts.






St FSK

End piece, for cable trunking type LKM 60150

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E60150RW	Pure white	150	64	10	9.000	**6249825**

End piece for closing the LKM ducts.




Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Edge protection ring KSR60150, for LKM cable trunking type 60150

PVC







Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR60150	Grey	154	68	5	4.400	**6249854**

Edge protection ring for the open ends of LKM cable trunking.

St FS

Cable trunking, type LKM 60200







Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM60200FS	–	2000	8	338.700	**6247164**

St FSK

Cable trunking, type LKM 60200





Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM60200RW	Pure white	2000	8	338.700	**6248667**

VA 2B

Joint connector LKM SV60

Type	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV60	75	49	10	1.600	**6247466**

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 60 mm, trunking width 200 mm

Internal corner, for cable trunking type LKM 60200

St FS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM I60200FS	–	160	1	57.500	**6248160**

Internal corner for changing the direction of the LKM trunking.

Internal corner, for cable trunking type LKM 60200

St FSK






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM I60200RW	Pure white	160	1	57.500	**6249655**

Internal corner for changing the direction of the LKM trunking.

External corner, for cable trunking type LKM 60200

St FS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM A60200FS	–	120	1	114.000	**6248098**

External corner including cover for changing the direction of the LKM ducts.

External corner, for cable trunking type LKM 60200

St FSK





Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM A60200RW	Pure white	120	1	114.000	**6249590**

External corner including cover for changing the direction of the LKM ducts.

T piece, for cable trunking type LKM 60200

St FS





Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T60200FS	–	300	1	106.000	**6248225**


T piece including cover for changing the direction of the LKM trunking.

St FSK

T piece, for cable trunking type LKM 60200

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T60200RW	Pure white	300	1	106.000	**6249736**

T piece including cover for changing the direction of the LKM trunking.






St FS

Flat angle, for cable trunking type LKM 60200

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F60200FS	–	140	1	154.400	**6248020**

Flat angle including cover for changing the direction of the LKM ducts.






St FSK

Flat angle, for cable trunking type LKM 60200

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F60200RW	Pure white	140	1	154.400	**6249523**

Flat angle including cover for changing the direction of the LKM ducts.






St FS

End piece, for cable trunking type LKM 60200

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E60200FS	–	200	64	10	10.800	**6248322**

End piece for closing the LKM ducts.






St FSK

End piece, for cable trunking type LKM 60200

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E60200RW	Pure white	200	64	10	11.500	**6249833**

End piece for closing the LKM ducts.




Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Edge protection ring KSR60200, for LKM cable trunking type 60200

PE







Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR60200	Grey	204	68	5	4.700	**6249856**

Edge protection ring for the open ends of LKM cable trunking.

St FS

Cable trunking, type LKM 80080







Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM80080FS	–	2000	12	215.000	**6247194**

St FSK

Cable trunking, type LKM 80080





Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM80080RW	Pure white	2000	8	238.000	**6248694**

VA 2B

Joint connector LKM SV80

Type	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV80	75	66	10	1.300	**6247472**

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 80 mm, trunking width 80 mm

Internal corner, for cable trunking type LKM 80080

St FS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM I80080FS	–	160	1	38.700	**6248336**

Internal corner for changing the direction of LKM trunking.

Internal corner, for cable trunking type LKM 80080

St FSK







Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM I80080RW	Pure white	160	1	38.700	**6248436**

Internal corner for changing the direction of LKM trunking.

External corner, for cable trunking type LKM 80080

St FS






Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM A80080FS	–	120	1	75.300	**6248332**

External corner including cover for changing the direction of the LKM ducts.

External corner, for cable trunking type LKM 80080

St FSK





Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM A80080RW	Pure white	120	1	75.300	**6248432**

External corner including cover for changing the direction of the LKM ducts.

T piece, for cable trunking type LKM 80080

St FS





Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T80080FS	–	300	1	67.200	**6248340**


T piece including cover for changing the direction of the LKM ducts.

St FSK

T piece, for cable trunking type LKM 80080

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T80080RW	Pure white	300	1	67.200	**6248450**

T piece including cover for changing the direction of the LKM ducts.






St FS

Flat angle, for cable trunking type LKM 80080

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F80080FS	–	140	1	80.000	**6248328**

Flat angle including cover for changing the direction of the LKM ducts.






St FSK

Flat angle, for cable trunking type LKM 80080

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F80080RW	Pure white	140	1	80.000	**6248428**

Flat angle including cover for changing the direction of the LKM ducts.







St FS

End piece, for cable trunking type LKM 80080

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E80080FS	–	80	80	1	7.000	**6248344**

End piece for closing the LKM ducts.






St FSK

End piece, for cable trunking type LKM 80080

Type	Colour	Dim. mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E80080RW	Pure white	80	80	1	7.000	**6248454**

End piece for closing the LKM ducts.




Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Edge protection ring KSR80080, for LKM cable trunking 80080

PE






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR80080	Grey	84	84	5	3.800	**6249865**

Edge protection ring for the open ends of LKM cable trunking.

Partition for WDK trunking, trunking height 40 mm

PVC






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2371 40	Light grey	2000	60	13.500	6023096

Partition to divide the WDK trunking, with 40 mm trunking height, and various ISS service poles for the installation of different voltage levels.

Partition for WDKH trunking, trunking height 40 mm

PC / ABS






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-TW40LGR	Light grey	2000	60	13.350	6175500

Partition to divide the WDKH trunking of 40 mm trunking height for the installation of different voltage levels.

Partition for WDK trunking, trunking height 60 mm

PVC






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2371 60	Light grey	2000	40	17.000	6023118

Partition to divide the WDK trunking, with 60 mm trunking height for the installation of different voltage levels.

Partition, halogen-free, for trunking height 60 mm

PC / ABS






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-TW60LGR	Light grey	2000	40	20.650	6175504

Partition to divide the WDKH trunking of 60 mm trunking height for the installation of different voltage levels.

Partition for WDK trunking, trunking height 80 mm

PVC





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2371 80	Light grey	2000	40	33.000	6026982

Partition to divide the WDK trunking, with 80 mm trunking height for the installation of different voltage levels.


PVC

Partition for WDK trunking, trunking height 100 mm

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2371 100	Light grey	2000	20	40.000	**6026990**

Partition to divide the WDK trunking, with 100 mm trunking height for the installation of different voltage levels.






St FS

Partition LKM/TWS55

Type	Length mm	Dim. mm	Pack m	Weight kg/100 m	Item no.
LKM TWS55	2000	55	32	53.000	**6249876**
LKM TWS75	2000	60	32	114.000	**6249880**
LKM TWS45	2000	45	2	47.900	**6249871**

Partition to divide the LKM cable routing trunking, 60 mm duct height, for different voltage levels.






St FS

Duct clamp, LKM, for maintenance of electrical function E30 - E90

Type	Pack Piece	Weight kg/100 pc.	Item no.
LKM KF 60100	10	9.800	**6249881**

Duct clamp for the metal cable routing duct type LKM 60100FS, prevents the cables falling out during installation. The duct clamp is essential if the duct is used in cable systems with integrated maintenance of electrical function to DIN 4102, Part 12. Easy mounting through insertion into the loop perforation in the side wall.






PA

Knock-in anchor

Type	Dowel Ø mm	Length mm	Pull-out force N min/concrete	Pack Piece	Weight kg/100 pc.	Item no.
910 SD 6X35	6	35	260	100	0.310	**2351056**

Knock-in anchor: steel, electrogalvanised and transparently passivated.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Device installation trunking



Device installation trunking


Rapid 45-2 device installation trunking 124


{Geräteeinbaukanäle Rapid 45-2, halogenfrei} 140


Device installation trunking Rapid 45-2, aluminium 144


Rapid 45-2 device installation trunking covers 158


Rapid 80 device installation ducts 160


Rapid 80 device installation ducts, halogen-free 172


Device installation trunking Rapid 80, metal 182


Device installation trunking Rapid 80, aluminium 216


Fastening panel, mounting accessories for device installation ducts 242

Accessories, device installation ducts 244

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Installing intelligently

Rapid 45-2 device installation trunking & Modul 45

Rapid 45-2
The new Rapid 45 generation combines symmetrical design, homogenous colour quality and technical flexibility in one system. Innovative fittings allow practical wall installations in administrative buildings, commercial areas and in industry.





Modul 45 installation devices
- Space-saving installation
- Extensive range of switches, sockets and data technology equipment
- Simple and quick planning

Rapid 45-2 GK device installation trunking

Installation principle



1	Device installation trunking	GK	11	T piece adapter on WDK	GK-TA WDK
2	Trunking connector and joint cover	GK-KS	12	End piece	GK-E
3	Joint cover	GK-KSOT	13	Partition	GK-TW
4	External corner	GK-AS			
5	External corner cover	GK-AH			
6	Flat angle	GK-AS			
7	Flat angle cover	GK-AH			
8	Internal corner	GK-IS			
9	Internal corner cover	GK-IH			
10	T piece adapter	GK-TR			

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Trunking height 53 mm, trunking width 100 mm


Device installation trunking Rapid 45-2, trunking width 100, trunking height 53

PVC



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GK-53100RW	Pure white	2000	12	130.300	6113000
GK-53100LGR	Light grey	2000	12	130.300	6113002
GK-53100SW	Jet black	2000	12	130.300	6113003


Trunking base and cover with base perforation for direct wall mounting.



Trunking connector and joint cover

PC / ABS






Type	Colour	Additional information	Pack Piece	Weight kg/100 pc.	Item no.
GK-KS45-1RW	Pure white	–	6	0.861	6113020
GK-KS45-1LGR	Light grey	–	6	0.861	6113022

Joint cover for the bases of the Rapid 45-2 device installation trunking to hide cut edges and provide a perfect connection of the trunking segments. The joint covers are attached. Suitable for trunking width 100 mm and 165 mm.

Flat angle, for device installation trunking Rapid 45-2 type GK-53100

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-FS53100RW	Pure white	1	34.600	6113080
GK-FS53100LGR	Light grey	1	34.600	6113082

Flat angle for changing the direction of the Rapid 45-2 device installation trunking.

PC / ABS

Flat angle, for device installation trunking Rapid 45-2 type GK-53100

Type	Colour	Additional information	Pack Piece	Weight kg/100 pc.	Item no.
GK-FH53100RW	Pure white	–	2	10.911	**6113090**
GK-FH53100LGR	Light grey	–	2	10.911	**6113092**
GK-FH53100SW	Black	EE	1	—	**6112994**
GK-FH53100SW	Black	LT	1	—	**6112974**
GK-FH53100SW	Black	LV	1	—	**6112984**






Flat angle as hood fitting for changing the direction of the Rapid 45-2 device installation trunking.

PVC

Internal corner, for device installation trunking Rapid 45-2 type GK-53100

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-IS53100RW	Pure white	1	34.200	**6113060**
GK-IS53100LGR	Light grey	1	34.200	**6113062**






90° internal corner for changing the direction of the Rapid 45-2 device installation trunking.

PC / ABS

Internal corner, for device installation trunking Rapid 45-2 type GK-53100

Type	Colour	Additional information	Pack Piece	Weight kg/100 pc.	Item no.
GK-IH53100RW	Pure white	–	1	12.856	**6113070**
GK-IH53100LGR	Light grey	–	1	12.856	**6113072**
GK-IH53100SW	Black	EE	1	—	**6112992**
GK-IH53100SW	Black	LT	1	—	**6112972**
GK-IH53100SW	Black	LV	1	—	**6112982**




Internal corner for changing the direction of Rapid 45 device installation trunking.

PVC

External corner, for device installation trunking Rapid 45-2 type GK-53100

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-AS53100RW	Pure white	1	40.400	**6113040**
GK-AS53100LGR	Light grey	1	40.400	**6113042**



90° fixed external corner for changing the direction of Rapid 45-2 device installation trunking.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 53 mm, trunking width 100 mm

External corner, for device installation trunking Rapid 45-2 type GK-53100

PC / ABS






Type	Colour	Additional information		Pack Piece	Weight kg/100 pc.	Item no.
GK-AH53100RW	Pure white	–		1	7.153	**6113050**
GK-AH53100LGR	Light grey	–		1	7.153	**6113052**
GK-AH53100SW	Black	EE		1	—	**6112993**
GK-AH53100SW	Black	LT		1	—	**6112973**
GK-AH53100SW	Black	LV		1	—	**6112983**

External corner for changing the direction of Rapid 45-2 device installation trunking. The fittings can be adjusted between 80–110°.

T piece adapter, for device installation trunking Rapid 45-2 type GK-53100

PC / ABS




Type	Colour	Additional information		Pack Piece	Weight kg/100 pc.	Item no.
GK-TR53100RW	Pure white	–		1	3.405	**6113100**
GK-TR53100LGR	Light grey	–		1	3.405	**6113102**
GK-TR53100SW	Black	EE		1	—	**6112995**
GK-TR53100SW	Black	LT		1	—	**6112975**
GK-TR53100SW	Black	LV		1	—	**6112985**

T piece to create a 90° junction of the system size 53100 on the system size 53100.

T piece adapter WDK 40060

PC / ABS




Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GK-TA WDK 1RW	Pure white		1	3.002	**6113310**

T-piece adapter to create a 90° junction from the system size Rapid 45-2 53100 and 53165 on a cable trunking WDK40060.

End piece, for device installation trunking Rapid 45-2 type GK-53100

PC / ABS






Type	Colour	Additional information		Pack Piece	Weight kg/100 pc.	Item no.
GK-E53100RW	Pure white	–		1	2.493	**6113110**
GK-E53100LGR	Light grey	–		1	2.493	**6113112**
GK-E53100SW	Black	EE		1	—	**6112990**
GK-E53100SW	Black	LT		1	—	**6112970**
GK-E53100SW	Black	LV		1	—	**6112980**

End piece for side closing of the Rapid 45-2 GK and GA 53100 device installation trunking.

Cover, for device installation trunking Rapid 45-2

PVC





Type	Colour	Length mm		Pack m	Weight kg/100 m	Item no.
GK-OT45RW	Pure white	2000		24	20.550	**6113010**
GK-OT45LGR	Light grey	2000		24	20.550	**6113012**

Trunking cover for closing the Rapid 45-2 device installation trunking.

PVC

Partition GK-TW53

Type	Length mm	Pack m	Weight kg/100 m	Item no.
GK-TW53	2000	40	28.700	**6113290**





Partition for mounting in Rapid 45-2 GK and GA device installation trunking for installing cables of different voltage levels.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Trunking height 53 mm, trunking width 130 mm


Device installation trunking Rapid 45-2, trunking width 130, trunking height 53

PVC



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GK-53130RW	Pure white	2000	8	174.000	6113200
GK-53130LGR	Light grey	2000	8	174.000	6113202


Trunking base and cover with base perforation for direct wall mounting.



Trunking connector and joint cover

PC / ABS






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-KS45-2RW	Pure white	6	0.707	6113210
GK-KS45-2LGR	Light grey	6	0.707	6113212

Joint cover for the bases of the Rapid 45 device installation trunking to hide cut edges and provide a perfect connection of the trunking segments. The joint covers are attached. Suitable for trunking width 130 mm.

Flat angle, for device installation trunking Rapid 45-2 type GK-53130

PVC





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-FS53130RW	Pure white	1	60.200	6113260
GK-FS53130LGR	Light grey	1	60.200	6113262


Flat angle for changing the direction of the Rapid 45-2 device installation trunking.

PC / ABS

Flat angle, for device installation trunking Rapid 45-2 type GK-53130

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-FH53130RW	Pure white	2	14.754	6113270
GK-FH53130LGR	Light grey	2	14.754	6113272

Flat angle as hood fitting for changing the direction of the Rapid 45-2 device installation trunking.







PVC

Internal corner, for Rapid 45-2 device installation trunking, type GK-53130

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-IS53130RW	Pure white	1	44.400	6113240
GK-IS53130LGR	Light grey	1	44.400	6113242

90° internal corner for changing the direction of the Rapid 45-2 device installation trunking.






PC / ABS

Internal corner, for Rapid 45-2 device installation trunking, type GK-53130

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-IH53130RW	Pure white	1	14.730	6113250
GK-IH53130LGR	Light grey	1	14.730	6113252

Internal corner for changing the direction of Rapid 45 device installation trunking.




PVC

External corner, for device installation trunking Rapid 45-2 type GK-53130

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-AS53130RW	Pure white	1	56.200	6113220
GK-AS53130LGR	Light grey	1	56.200	6113222

External corner 90° for changing the direction of Rapid 45-2 device installation trunking.




PC / ABS

External corner cover

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-AH53130RW	Pure white	1	8.440	6113230
GK-AH53130LGR	Light grey	1	8.440	6113232

External corner for changing the direction of Rapid 45-2 device installation trunking. The fittings can be adjusted between 80–110°.





Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 53 mm, trunking width 130 mm

T piece adapter, for device installation trunking Rapid 45-2 type GK-53130

PC / ABS






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-TR53130RW	Pure white	1	3.514	**6113300**
GK-TR53130LGR	Light grey	1	3.514	**6113302**

T piece adapter to create a 90° junction of the system size 53130 on the system size 53130.

T piece adapter on WDK 40060

PC / ABS




Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-TA WDK 2RW	Pure white	1	2.717	**6113320**
GK-TA WDK 2LGR	Light grey	1	2.670	**6113322**

T-piece adapter to create a 90° junction from the system size Rapid 45-2 53130 to a cable trunking WDK40060.

End piece, for device installation trunking Rapid 45-2 type GK-53130

PC / ABS






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-E53130RW	Pure white	1	2.972	**6113280**
GK-E53130LGR	Light grey	1	2.972	**6113282**

End piece for side closing of the Rapid 45-2 GK and GA 53130 device installation trunking.

Cover, for device installation trunking Rapid 45-2

PVC





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GK-OT45RW	Pure white	2000	24	20.550	**6113010**
GK-OT45LGR	Light grey	2000	24	20.550	**6113012**

Trunking cover for closing the Rapid 45-2 device installation trunking.

Partition GK-TW53

PVC






Type	Length mm	Pack m	Weight kg/100 m	Item no.
GK-TW53	2000	40	28.700	**6113290**


Partition for mounting in Rapid 45-2 GK and GA device installation trunking for installing cables of different voltage levels.

PVC

Device installation trunking Rapid 45-2, trunking width 165, trunking height 53



Trunking base and cover with base perforation for direct wall mounting.




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GK-53165RW	Pure white	2000	8	216.250	**6113400**
GK-53165LGR	Light grey	2000	8	216.250	**6113402**

PC / ABS

Trunking connector and joint cover

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-KS45-1RW	Pure white	6	0.861	**6113020**
GK-KS45-1LGR	Light grey	6	0.861	**6113022**

Joint cover for the bases of the Rapid 45-2 device installation trunking to hide cut edges and provide a perfect connection of the trunking segments. The joint covers are attached. Suitable for trunking width 100 mm and 165 mm.






PVC

Flat angle, for device installation trunking Rapid 45-2 type GK-53165

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-FS53165RW	Pure white	1	64.500	**6113450**
GK-FS53165LGR	Light grey	1	64.500	**6113452**

Flat angle for changing the direction of the Rapid 45-2 device installation trunking.





Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 53 mm, trunking width 165 mm

Flat angle, for device installation trunking Rapid 45-2 type GK-53165

PC / ABS






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-FH53165RW	Pure white	2	16.300	**6113460**
GK-FH53165LGR	Light grey	2	16.300	**6113462**

Flat angle as hood fitting for changing the direction of the Rapid 45-2 device installation trunking.

Internal corner, for Rapid 45-2 device installation trunking, type GK-53165

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-IS53165RW	Pure white	1	54.500	**6113430**
GK-IS53165LGR	Light grey	1	54.500	**6113432**

90° internal corner for changing the direction of the Rapid 45-2 device installation trunking.

Internal corner, for Rapid 45-2 device installation trunking, type GK-53165

PC / ABS






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-IH53165RW	Pure white	1	15.634	**6113440**
GK-IH53165LGR	Light grey	1	15.634	**6113442**

Internal corner for changing the direction of Rapid 45 device installation trunking.

External corner, for device installation trunking Rapid 45-2 type GK-53165

PVC



Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-AS53165RW	Pure white	1	66.800	**6113410**
GK-AS53165LGR	Light grey	1	66.800	**6113412**

External corner 90° for changing the direction of Rapid 45-2 device installation trunking.

External corner, for device installation trunking Rapid 45-2 type GK-53165

PC / ABS





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-AH53165RW	Pure white	1	9.230	**6113420**
GK-AH53165LGR	Light grey	1	9.230	**6113422**


External corner for changing the direction of Rapid 45-2 device installation trunking. The fittings can be adjusted between 80–110°.

PC / ABS

T piece adapter, for device installation trunking Rapid 45-2 type GK-53165

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-TR53165RW	Pure white	1	4.545	**6113480**
GK-TR53165LGR	Light grey	1	4.515	**6113482**

T-piece adapter to create a 90° juction of the system size 53165 on the system size 53165.




PC / ABS

T piece adapter WDK 40060

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-TA WDK 1RW	Pure white	1	3.002	**6113310**
GK-TA WDK 1LGR	Light grey	1	2.940	**6113312**

T-piece adapter to create a 90° junction from the system size Rapid 45-2 53100 and 53165 on a cable trunking WDK40060.




PC / ABS

End piece, for device installation trunking Rapid 45-2 type GK-53165

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-E53165RW	Pure white	1	3.561	**6113470**
GK-E53165LGR	Light grey	1	3.561	**6113472**

End piece for side closing of the Rapid 45-2 GK and GA 53165 device installation trunking.






PVC

Cover, for device installation trunking Rapid 45-2

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GK-OT45RW	Pure white	2000	24	20.550	**6113010**
GK-OT45LGR	Light grey	2000	24	20.550	**6113012**

Trunking cover for closing the Rapid 45-2 device installation trunking.





PVC

Partition GK-TW53

Type	Length mm	Pack m	Weight kg/100 m	Item no.
GK-TW53	2000	40	28.700	**6113290**

Partition for mounting in Rapid 45-2 GK and GA device installation trunking for installing cables of different voltage levels.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Trunking depth 53 mm, trunking height 160 mm, 3-compartment


Device installation trunking Rapid 45-2, trunking width 160, trunking height 53

PVC



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GEK-K53160-3	Pure white	2000	8	210.000	**6116073**


Trunking base and cover with base perforation for direct wall mounting.



Trunking connector and joint cover

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GEK-KS45-3	Pure white	6	1.324	**6116163**

Joint cover for smooth connection of trunking segments.

Joint cover

PVC





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GEK-KSOT45	Pure white	6	0.284	**6116152**


Joint cover for the covers of the Rapid 45 device installation trunking to hide cut edges and provide tidy connection to installed Modul 45 devices.

PVC

Flat angle, for device installation trunking Rapid 45-2 type GK-53160

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GEK-KF53160-3	Pure white	1	64.000	**6116493**

Flat angle for direction change of Rapid 45 device installation trunking, GEK-K53160-3.






PVC

Internal corner, for device installation trunking Rapid 45-2 type GK-53160

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GEK-KI53160-3	Pure white	2	13.800	**6116201**

Internal corner as hood fitting for direction change of three-compartment Rapid 45 device installation trunking. The fittings can be variably adjusted between 80 and 103°.





PVC

Internal corner, for device installation trunking Rapid 45-2 type GK-53160

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GEK-KIS53160-3	Pure white	1	48.100	**6116203**

Rigid 90° internal corner for changing the direction of the Rapid 45 three-compartment device installation trunking.






PVC

External corner, for device installation trunking Rapid 45-2 type GK-53160

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GEK-KA53160-3	Pure white	2	22.000	**6116261**

External corner as hood fitting for direction change of three-compartment Rapid 45 device installation trunking. The fittings can be adjusted variably between 70–130°.

Fittings can be adjusted through 70–130°.




PVC

External corner

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GEK-KAS53160-3	Pure white	1	64.000	**6116263**

Rigid 90° external corner for changing the direction of the Rapid 45 three-compartment device installation trunking.





Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking depth 53 mm, trunking height 160 mm, 3-compartment

T piece, for device installation trunking Rapid 45-2 type GK-53160

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GEK-KT53160-3	Pure white	1	72.000	**6116193**

Prefabricated T piece for vertical branch of the Rapid 45 device installation trunking, three-compartment.

End piece, for device installation trunking Rapid 45-2 type GK-53160

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GEK-KE53160-3	Pure white	8	3.687	**6116403**

End piece for closing the device installation trunking Rapid 45 GEK-K53160-3.
The end pieces are pinned on the connector in the base and held in place.

Cover

PVC





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GEK-KOT45	Pure white	2000	24	18.600	**6116108**


Trunking cover for closing the Rapid 45 device installation trunking.

Accessories, trunking height 53

Partition for WDK trunking, trunking height 40 mm

PVC






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2371 40	Light grey	2000	60	13.500	**6023096**

Partition to divide the WDK trunking, with 40 mm trunking height, and various ISS service poles for the installation of different voltage levels.
The partitions are pinned on the connectors in the base.

Cover clip OK-K 45

VA






Type	Pack Piece	Weight kg/100 pc.	Item no.
OK-K 45	10	0.490	**6116116**

Cover clip for better and easier cable routing in the Rapid 45 device installation trunking.

Trunking height 53 mm, trunking width 100 mm


Device installation trunking Rapid 45-2, trunking width 100, trunking height 53, halogen-free

PC / ABS




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GKH-53100RW	Pure white	2000	12	109.700	**6114157**


Trunking base and cover with base perforation for direct wall mounting.



Trunking connector and joint cover

PC / ABS






Type	Colour	Additional information	Pack Piece	Weight kg/100 pc.	Item no.
GK-KS45-1RW	Pure white	–	6	0.861	**6113020**

Joint cover for the bases of the Rapid 45-2 device installation trunking to hide cut edges and provide a perfect connection of the trunking segments. The joint covers are attached. Suitable for trunking width 100 mm and 165 mm.

Flat angle, for device installation trunking Rapid 45-2 type GKH-53100

PC / ABS





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GKH-FS53100RW	Pure white	1	36.400	**6113085**


Flat angle for changing the direction of the Rapid 45-2 device installation trunking.

PC / ABS

Flat angle, for device installation trunking Rapid 45-2 type GK-53100

Type	Colour	Additional information	Pack Piece	Weight kg/100 pc.	Item no.
GK-FH53100RW	Pure white	–	2	10.911	**6113090**

Flat angle as hood fitting for changing the direction of the Rapid 45-2 device installation trunking.







PC / ABS

Internal corner, for device installation trunking Rapid 45-2 type GKH-53100

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GKH-IS53100RW	Pure white	1	34.200	**6113065**

Internal corner for changing the direction of Rapid 45 device installation trunking.






PC / ABS

Internal corner, for device installation trunking Rapid 45-2 type GK-53100

Type	Colour	Additional information	Pack Piece	Weight kg/100 pc.	Item no.
GK-IH53100RW	Pure white	–	1	12.856	**6113070**

Internal corner for changing the direction of Rapid 45 device installation trunking.




PC / ABS

External corner, for device installation trunking Rapid 45-2 type GK-53100

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GKH-AS53100RW	Pure white	1	40.400	**6113045**

External corner for changing the direction of Rapid 45-2 device installation trunking. The fittings can be adjusted between 80–110°.




PC / ABS

External corner, for device installation trunking Rapid 45-2 type GK-53100

Type	Colour	Additional information	Pack Piece	Weight kg/100 pc.	Item no.
GK-AH53100RW	Pure white	–	1	7.153	**6113050**

External corner for changing the direction of Rapid 45-2 device installation trunking. The fittings can be adjusted between 80–110°.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Trunking height 53 mm, trunking width 100 mm

T piece adapter, for device installation trunking Rapid 45-2 type GK-53100

PC / ABS




Type	Colour	Additional information	Pack Piece	Weight kg/100 pc.	Item no.
GK-TR53100RW	Pure white	–	1	3.405	**6113100**

T piece to create a 90° junction of the system size 53100 on the system size 53100.

End piece, for device installation trunking Rapid 45-2 type GK-53100

PC / ABS





Type	Colour	Additional information	Pack Piece	Weight kg/100 pc.	Item no.
GK-E53100RW	Pure white	–	1	2.493	**6113110**

End piece for side closing of the Rapid 45-2 GK and GA 53100 device installation trunking.

Cover

PC / ABS






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GKH-OT45RW	Pure white	2000	24	15.900	**6114162**

Trunking cover for closing the Rapid 45-2 device installation trunking.

Joint cover

PC / ABS






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-OTSA45RW	Pure white	6	0.624	**6113030**

Joint cover for the cover of the Rapid 45-2 device installation trunking to hide cut edges and provide a tidy connection to installed Modul 45® devices.

Partition GKH-TW53

PC / ABS






Type	Length mm	Pack m	Weight kg/100 m	Item no.
GKH-TW53	2000	40	14.300	**6114166**

Rapid 45-2 GA device installation trunking


Installation principle



1	Device installation trunking	GA
2	Trunking connector and joint cover	GK-KS
3	Joint cover	
4	External corner	GA-AS
5	External corner cover	GA-AH
6	Flat angle	GA-FS
7	Flat angle cover	GA-FS
8	Internal corner	GA-IS
9	Internal corner cover	GA-IH
10	T piece adapter	GA-TR
11	End piece	GK-E
12	Partition	GK-TW

Alu EL


Device installation trunking Rapid 45-2, trunking width 100, trunking height 53



Aluminium complete device installation trunking, consisting of a base and cover. The base has no floor perforation.

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by permitted scatter due to the material and process conditions cannot be avoided (according to DIN 17 611). 45 mm devices can be clicked in directly. When using PC/ABS hood fittings, there may be colour differences due to the different materials.


Type	Colour	Surface	Length mm	Pack m	Weight kg/100 m	Item no.
GA-53100EL	–	Anodised	2000	8	223.800	**6112403**
GA-53100RW	Pure white	–	2000	8	223.800	**6112400**



PC / ABS

Trunking connector and joint cover

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-KS45-1AL	Aluminium	1	0.580	**6113024**
GK-KS45-1RW	Pure white	6	0.861	**6113020**






Joint cover for the bases of the Rapid 45-2 device installation trunking to hide cut edges and provide a perfect connection of the trunking segments. The joint covers are attached. Suitable for trunking width 100 mm and 165 mm.

Alu EL

Flat angle, for device installation trunking Rapid 45-2 type GA-53100

Type	Colour	Surface	Pack Piece	Weight kg/100 pc.	Item no.
GA-FS53100EL	–	Anodised	1	69.200	**6112443**
GA-FS53100RW	Pure white	–	1	69.200	**6112440**





90° aluminium flat angle for direction change of Rapid 45-2 GA... device installation trunking.

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by permitted scatter due to the material and process conditions cannot be avoided (according to DIN 17 611). 45 mm devices can be clicked in directly. When using PC/ABS hood fittings, there may be colour differences due to the different materials.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Trunking height 53 mm, trunking width 100 mm

Flat angle, for device installation trunking Rapid 45-2 type GK-53100

PC / ABS






Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GK-FH53100AL	Aluminium		2	9.800	**6113094**
GK-FH53100RW	Pure white		2	10.911	**6113090**

Flat angle as hood fitting for changing the direction of the Rapid 45-2 device installation trunking.

Internal corner, for device installation trunking Rapid 45-2 type GA-53100

Alu EL





Type	Colour	Surface		Pack Piece	Weight kg/100 pc.	Item no.
GA-IS53100EL	–	Anodised		1	69.200	**6112433**
GA-IS53100RW	Pure white	–		1	69.200	**6112430**


Corner 90° aluminium for changing the direction of device installation trunking Rapid 45-2 GA...

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by permitted scatter due to the material and process conditions cannot be avoided (according to DIN 17 611). 45 mm devices can be clicked in directly. When using PC/ABS hood fittings, there may be colour differences due to the different materials.

Internal corner, for device installation trunking Rapid 45-2 type GK-53100

PC / ABS






Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GK-IH53100AL	Aluminium		1	12.000	**6113074**
GK-IH53100RW	Pure white		1	12.856	**6113070**

Internal corner for changing the direction of Rapid 45 device installation trunking.

External corner, for device installation trunking Rapid 45-2 type GA-53100

Alu EL





Type	Colour	Surface		Pack Piece	Weight kg/100 pc.	Item no.
GA-AS53100EL	–	Anodised		1	84.100	**6112423**
GA-AS53100RW	Pure white	–		1	84.100	**6112420**

External corner 90° aluminium for changing the direction of device installation trunking Rapid 45-2 GA...


Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by permitted scatter due to the material and process conditions cannot be avoided (according to DIN 17 611). 45 mm devices can be clicked in directly. When using PC/ABS hood fittings, there may be colour differences due to the different materials.

PC / ABS

External corner, for device installation trunking Rapid 45-2 type GK-53100

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-AH53100RW	Pure white	1	7.153	**6113050**
GK-AH53100AL	Aluminium	1	6.900	**6113054**

External corner for changing the direction of Rapid 45-2 device installation trunking. The fittings can be adjusted between 80–110°.






PC / ABS

T piece adapter, for device installation trunking Rapid 45-2 type GK-53100

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-TR53100AL	Aluminium	1	3.405	**6113104**
GK-TR53100RW	Pure white	1	3.405	**6113100**

T piece to create a 90° junction of the system size 53100 on the system size 53100.






PC / ABS

T piece adapter WDK 40060

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-TA WDK 1AL	Aluminium	1	3.002	**6113314**
GK-TA WDK 1RW	Pure white	1	3.002	**6113310**

T-piece adapter to create a 90° junction from the system size Rapid 45-2 53100 and 53165 on a cable trunking WDK40060.






PC / ABS

End piece, for device installation trunking Rapid 45-2 type GK-53100

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-E53100RW	Pure white	1	2.493	**6113110**
GK-E53100AL	Aluminium	1	2.200	**6113114**

End piece for side closing of the Rapid 45-2 GK and GA 53100 device installation trunking.






Alu EL

Cover, for device installation trunking Rapid 45-2

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GA-OT45EL	–	2000	20	47.450	**6112413**
GA-OT45RW	Pure white	2000	20	47.450	**6112410**

Trunking cover for closing the device installation trunking of the Rapid 45-2 GA... series. . The 2-piece cover consists of a PVC base profile and an aluminium panel profile.

Note:
For anodised aluminium trunking, covers and fittings, light colour differences caused by permitted scatter due to the material and process conditions cannot be avoided (according to DIN 17 611). 45 mm devices can be clicked in directly. When using PC/ABS hood fittings, there may be colour differences due to the different materials.





Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Trunking height 53 mm, trunking width 100 mm

Partition GK-TW53

PVC






Type	Length mm	Pack m	Weight kg/100 m	Item no.
GK-TW53	2000	40	28.700	**6113290**

Partition for mounting in Rapid 45-2 GK and GA device installation trunking for installing cables of different voltage levels.

Protective conductor connection bracket

St G






Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
8AWR	Electrogalvanised	10	0.610	**6288704**

Protective conductor connection bracket to include steel and aluminium device installation trunking, service poles and system components of underfloor duct systems in the protective measure.
Clamping area: 2 x 1.5–4 mm²

Joint connector

St






Type	Pack Piece	Weight kg/100 pc.	Item no.
GEK-AKU45	10	0.135	**6116752**

Joint connectors as notched pins for direct joint-to-joint connection of the trunking bases without joint cover. Suitable for aluminium device installation trunking of the Rapid 80 and Rapid 45-2 series and GAD design trunking for system use for cable routing and/or with Modul45 connect.

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by permitted scatter due to the material and process conditions cannot be avoided (according to DIN 17 611). mm devices can be clicked in directly. When using PC/ABS hood fittings, there may be colour differences due to the different materials.

Alu EL


Device installation trunking Rapid 45-2, trunking width 130, trunking height 53



Aluminium complete device installation trunking, consisting of a base and cover. The base has no floor perforation.

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by permitted scatter due to the material and process conditions cannot be avoided (according to DIN 17 611). 45 mm devices can be clicked in directly. When using PC/ABS hood fittings, there may be colour differences due to the different materials.

Type	Colour	Surface	Length mm	Pack m	Weight kg/100 m	Item no.
GA-53130EL	–	Anodised	2000	8	326.500	**6112503**
GA-53130RW	Pure white	–	2000	8	326.500	**6112500**




PC / ABS

Trunking connector and joint cover

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-KS45-2AL	Aluminium	1	0.450	**6113214**
GK-KS45-1RW	Pure white	6	0.861	**6113020**

Joint cover for the bases of the Rapid 45 device installation trunking to hide cut edges and provide a perfect connection of the trunking segments. The joint covers are attached. Suitable for trunking width 130 mm.






Alu EL

Flat angle, for device installation trunking Rapid 45-2 type GA-53130

Type	Colour	Surface	Pack Piece	Weight kg/100 pc.	Item no.
GA-FS53130EL	–	Anodised	1	119.900	**6112533**
GA-FS53130RW	Pure white	–	1	119.900	**6112530**

90° aluminium flat angle for direction change of Rapid 45-2 GA... device installation trunking.

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by permitted scatter due to the material and process conditions cannot be avoided (according to DIN 17 611). 45 mm devices can be clicked in directly. When using PC/ABS hood fittings, there may be colour differences due to the different materials.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Trunking height 53 mm, trunking width 130 mm

Flat angle, for device installation trunking Rapid 45-2 type GK-53130

PC / ABS







Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GK-FH53130AL	Aluminium		2	12.700	6113274
GK-FH53130RW	Pure white		2	14.754	6113270

Flat angle as hood fitting for changing the direction of the Rapid 45-2 device installation trunking.

Internal corner, for device installation trunking Rapid 45-2 type GA-53100

Alu EL





Type	Colour	Surface		Pack Piece	Weight kg/100 pc.	Item no.
GA-IS53130EL	–	Anodised		1	89.200	6112523
GA-IS53130RW	Pure white	–		1	89.200	6112520


Corner 90° aluminium for changing the direction of device installation trunking Rapid 45-2 GA...

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by permitted scatter due to the material and process conditions cannot be avoided (according to DIN 17 611). 45 mm devices can be clicked in directly. When using PC/ABS hood fittings, there may be colour differences due to the different materials.

Internal corner, for Rapid 45-2 device installation trunking, type GK-53130

PC / ABS






Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GK-IH53130AL	Aluminium		1	13.170	6113254
GK-IH53130RW	Pure white		1	14.730	6113250

Internal corner for changing the direction of Rapid 45 device installation trunking.

External corner, for device installation trunking Rapid 45-2 type GA-53130

Alu EL





Type	Colour	Surface		Pack Piece	Weight kg/100 pc.	Item no.
GA-AS53130EL	–	Anodised		1	117.700	6112513
GA-AS53130RW	Pure white	–		1	117.700	6112510

External corner 90° aluminium for changing the direction of device installation trunking Rapid 45-2 GA...


Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by permitted scatter due to the material and process conditions cannot be avoided (according to DIN 17 611). 45 mm devices can be clicked in directly. When using PC/ABS hood fittings, there may be colour differences due to the different materials.

PC / ABS

External corner cover

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-AH53130RW	Pure white	1	8.440	**6113230**
GK-AH53130AL	Aluminium	1	8.000	**6113234**

External corner for changing the direction of Rapid 45-2 device installation trunking. The fittings can be adjusted between 80–110°.






PC / ABS

T piece adapter, for device installation trunking Rapid 45-2 type GK-53130

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-TR53130AL	Aluminium	1	3.514	**6113304**
GK-TR53130RW	Pure white	1	3.514	**6113300**

T piece adapter to create a 90° junction of the system size 53130 on the system size 53130.







PC / ABS

T piece adapter on WDK 40060

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-TA WDK 2AL	Aluminium	1	2.200	**6113324**
GK-TA WDK 2RW	Pure white	1	2.717	**6113320**

T-piece adapter to create a 90° junction from the system size Rapid 45-2 53130 to a cable trunking WDK40060.






PC / ABS

End piece, for device installation trunking Rapid 45-2 type GK-53130

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-E53130AL	Aluminium	1	2.700	**6113284**
GK-E53130RW	Pure white	1	2.972	**6113280**

End piece for side closing of the Rapid 45-2 GK and GA 53130 device installation trunking.






Alu EL

Cover, for device installation trunking Rapid 45-2

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GA-OT45EL	–	2000	20	47.450	**6112413**
GA-OT45RW	Pure white	2000	20	47.450	**6112410**

Trunking cover for closing the device installation trunking of the Rapid 45-2 GA... series. . The 2-piece cover consists of a PVC base profile and an aluminium panel profile.

Note:
For anodised aluminium trunking, covers and fittings, light colour differences caused by permitted scatter due to the material and process conditions cannot be avoided (according to DIN 17 611). 45 mm devices can be clicked in directly. When using PC/ABS hood fittings, there may be colour differences due to the different materials.





Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Trunking height 53 mm, trunking width 130 mm

Partition GK-TW53

PVC






Type	Length mm	Pack m	Weight kg/100 m	Item no.
GK-TW53	2000	40	28.700	**6113290**

Partition for mounting in Rapid 45-2 GK and GA device installation trunking for installing cables of different voltage levels.

Protective conductor connection bracket

St G






Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
8AWR	Electrogalvanised	10	0.610	**6288704**

Protective conductor connection bracket to include steel and aluminium device installation trunking, service poles and system components of underfloor duct systems in the protective measure.
Clamping area: 2 x 1.5–4 mm²

Joint connector

St






Type	Pack Piece	Weight kg/100 pc.	Item no.
GEK-AKU45	10	0.135	**6116752**

Joint connectors as notched pins for direct joint-to-joint connection of the trunking bases without joint cover. Suitable for aluminium device installation trunking of the Rapid 80 and Rapid 45-2 series and GAD design trunking for system use for cable routing and/or with Modul45 connect.

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by permitted scatter due to the material and process conditions cannot be avoided (according to DIN 17 611). mm devices can be clicked in directly. When using PC/ABS hood fittings, there may be colour differences due to the different materials.

Alu EL


Device installation trunking Rapid 45-2, trunking width 165, trunking height 53



Aluminium complete device installation trunking, consisting of a base and cover. The base has no floor perforation.

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by permitted scatter due to the material and process conditions cannot be avoided (according to DIN 17 611). 45 mm devices can be clicked in directly. When using PC/ABS hood fittings, there may be colour differences due to the different materials.

Type	Colour	Surface	Length mm	Pack m	Weight kg/100 m	Item no.
GA-53165EL	–	Anodised	2000	6	370.750	**6112603**
GA-53165RW	Pure white	–	2000	6	370.750	**6112600**




PC / ABS

Trunking connector and joint cover

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-KS45-1AL	Aluminium	1	0.580	**6113024**
GK-KS45-1RW	Pure white	6	0.861	**6113020**

Joint cover for the bases of the Rapid 45-2 device installation trunking to hide cut edges and provide a perfect connection of the trunking segments. The joint covers are attached. Suitable for trunking width 100 mm and 165 mm.






Alu EL

Flat angle, for device installation trunking Rapid 45-2 type GA-53165

Type	Colour	Surface	Pack Piece	Weight kg/100 pc.	Item no.
GA-FS53165EL	–	Anodised	1	121.900	**6112633**
GA-FS53165RW	Pure white	–	1	121.900	**6112630**

90° aluminium flat angle for direction change of Rapid 45-2 GA... device installation trunking.

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by permitted scatter due to the material and process conditions cannot be avoided (according to DIN 17 611). 45 mm devices can be clicked in directly. When using PC/ABS hood fittings, there may be colour differences due to the different materials.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Trunking height 53 mm, trunking width 165 mm

Flat angle, for device installation trunking Rapid 45-2 type GK-53165

PC / ABS







Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GK-FH53165AL	Aluminium		2	16.300	**6113464**
GK-FH53165RW	Pure white		2	16.300	**6113460**

Flat angle as hood fitting for changing the direction of the Rapid 45-2 device installation trunking.

Internal corner, for device installation trunking Rapid 45-2 type GA-53165

Alu EL





Type	Colour	Surface		Pack Piece	Weight kg/100 pc.	Item no.
GA-IS53165EL	–	Anodised		1	100.100	**6112623**
GA-IS53165RW	Pure white	–		1	100.100	**6112620**


Corner 90° aluminium for changing the direction of device installation trunking Rapid 45-2 GA...

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by permitted scatter due to the material and process conditions cannot be avoided (according to DIN 17 611). 45 mm devices can be clicked in directly. When using PC/ABS hood fittings, there may be colour differences due to the different materials.

Internal corner, for Rapid 45-2 device installation trunking, type GK-53165

PC / ABS






Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GK-IH53165AL	Aluminium		1	14.660	**6113444**
GK-IH53165RW	Pure white		1	15.634	**6113440**

Internal corner for changing the direction of Rapid 45 device installation trunking.

External corner, for device installation trunking Rapid 45-2 type GA-53165

Alu EL





Type	Colour	Surface		Pack Piece	Weight kg/100 pc.	Item no.
GA-AS53165EL	–	Anodised		1	114.200	**6112613**
GA-AS53165RW	Pure white	–		1	114.200	**6112610**

External corner 90° aluminium for changing the direction of device installation trunking Rapid 45-2 GA...


Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by permitted scatter due to the material and process conditions cannot be avoided (according to DIN 17 611). 45 mm devices can be clicked in directly. When using PC/ABS hood fittings, there may be colour differences due to the different materials.

PC / ABS

External corner, for device installation trunking Rapid 45-2 type GK-53165

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-AH53165AL	Aluminium	1	9.230	**6113424**
GK-AH53165RW	Pure white	1	9.230	**6113420**

External corner for changing the direction of Rapid 45-2 device installation trunking. The fittings can be adjusted between 80–110°.






PC / ABS

T piece adapter, for device installation trunking Rapid 45-2 type GK-53165

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-TR53165AL	Aluminium	1	4.040	**6113484**
GK-TR53165RW	Pure white	1	4.545	**6113480**

T-piece adapter to create a 90° juction of the system size 53165 on the system size 53165.






PC / ABS

T piece adapter WDK 40060

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-TA WDK 1AL	Aluminium	1	3.002	**6113314**
GK-TA WDK 1RW	Pure white	1	3.002	**6113310**

T-piece adapter to create a 90° junction from the system size Rapid 45-2 53100 and 53165 on a cable trunking WDK40060.






PC / ABS

End piece, for device installation trunking Rapid 45-2 type GK-53165

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-E53165AL	Aluminium	1	3.240	**6113474**
GK-E53165RW	Pure white	1	3.561	**6113470**

End piece for side closing of the Rapid 45-2 GK and GA 53165 device installation trunking.






Alu EL

Cover, for device installation trunking Rapid 45-2

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GA-OT45EL	–	2000	20	47.450	**6112413**
GA-OT45RW	Pure white	2000	20	47.450	**6112410**

Trunking cover for closing the device installation trunking of the Rapid 45-2 GA... series. . The 2-piece cover consists of a PVC base profile and an aluminium panel profile.

Note:
For anodised aluminium trunking, covers and fittings, light colour differences caused by permitted scatter due to the material and process conditions cannot be avoided (according to DIN 17 611). 45 mm devices can be clicked in directly. When using PC/ABS hood fittings, there may be colour differences due to the different materials.





Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Trunking height 53 mm, trunking width 165 mm

Partition GK-TW53

PVC






Type	Length mm	Pack m	Weight kg/100 m	Item no.
GK-TW53	2000	40	28.700	**6113290**

Partition for mounting in Rapid 45-2 GK and GA device installation trunking for installing cables of different voltage levels.

Protective conductor connection bracket

St G






Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
8AWR	Electrogalvanised	10	0.610	**6288704**

Protective conductor connection bracket to include steel and aluminium device installation trunking, service poles and system components of underfloor duct systems in the protective measure.
Clamping area: 2 x 1.5–4 mm²

Joint connector

St





Type	Pack Piece	Weight kg/100 pc.	Item no.
GEK-AKU45	10	0.135	**6116752**

Joint connectors as notched pins for direct joint-to-joint connection of the trunking bases without joint cover. Suitable for aluminium device installation trunking of the Rapid 80 and Rapid 45-2 series and GAD design trunking for system use for cable routing and/or with Modul45 connect.


Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by permitted scatter due to the material and process conditions cannot be avoided (according to DIN 17 611). mm devices can be clicked in directly. When using PC/ABS hood fittings, there may be colour differences due to the different materials.

Rapid 45-2 device installation trunking covers

Cover, for device installation trunking Rapid 45-2

PVC






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GK-OT45RW	Pure white	2000	24	20.550	**6113010**

Trunking cover for closing the Rapid 45-2 device installation trunking.

Cover, for device installation trunking Rapid 45-2

PVC






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GK-OT45LGR	Light grey	2000	24	20.550	**6113012**

Trunking cover for closing the Rapid 45-2 device installation trunking.

Cover, for device installation trunking Rapid 45-2

Alu





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GA-OT45RW	Pure white	2000	20	47.450	**6112410**


Trunking cover for closing the device installation trunking of the Rapid 45-2 GA... series. . The 2-piece cover consists of a PVC base profile and an aluminium panel profile.

Note:
For anodised aluminium trunking, covers and fittings, light colour differences caused by permitted scatter due to the material and process conditions cannot be avoided (according to DIN 17 611). 45 mm devices can be clicked in directly. When using PC/ABS hood fittings, there may be colour differences due to the different materials.

Cover, for device installation trunking Rapid 45-2

Alu EL





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GA-OT45EL	–	2000	20	47.450	**6112413**

Trunking cover for closing the device installation trunking of the Rapid 45-2 GA... series. . The 2-piece cover consists of a PVC base profile and an aluminium panel profile.

Note:
For anodised aluminium trunking, covers and fittings, light colour differences caused by permitted scatter due to the material and process conditions cannot be avoided (according to DIN 17 611). 45 mm devices can be clicked in directly. When using PC/ABS hood fittings, there may be colour differences due to the different materials.


Device installation trunking Rapid 80, trunking width 110, trunking height 70

PVC



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GK-70110RW	Pure white	2000	8	132.000	6274300
GK-70110CW	Cream	2000	8	132.000	6274301
GK-70110LGR	Light grey	2000	8	132.000	6274302
GK-70110GR	Stone grey	2000	8	132.000	6274306


GK device installation trunking, made of lead-free PVC, suitable for installing directly on the wall or on wall panels. Fastening takes place using the perforation in the trunking. The GK device installation trunking possesses a C profile on the floor to accept a plastic partition. All the switch programmes with a support ring and support clamp design as well as Modul 45 installation devices can be installed in the accessory mounting boxes of series 71GD.... The system opening is 76.5 mm. On each trunking length, a coupling pair is pre-assembled on one side. The cover must be ordered separately.



Accessory mounting box 71GD6, single

PA






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	6288610

Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.

7ZE strain relief

PA





Type	Pack Piece	Weight kg/100 pc.	Item no.
7ZE	50	0.700	6288790

Strain relief with locking clips, suitable for the accessory mounting boxes 7GD... and 71GD... .
Cable clamping range to 14 mm.

PVC

Plastic trunking cover, smooth

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GK-OTGRW	Pure white	2000	16	27.500	6278680
GK-OTGCW	Cream	2000	16	27.500	6278681
GK-OTGLGR	Light grey	2000	16	27.500	6278682
GK-OTGGR	Stone grey	2000	16	27.500	6278686






Smooth trunking cover, for closing device installation trunking with 76.5 mm system opening.

PC / ABS

External corner hood, for Rapid 80 device installation trunking, type GK-70110

Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
GK-AH70110RW	Pure white	130.5	1	15.000	6274210
GK-AH70110CW	Cream	130.5	1	15.000	6274211
GK-AH70110LGR	Light grey	130.5	1	15.000	6274212






External corner cover made of halogen-free PC/ABS for changing the direction of Rapid 80 device installation trunking of the GK, GKH, GS and GA systems. The fittings can be variably adjusted between 80° and 100° and can be used in symmetrical and asymmetrical trunking.

PVC

External corner, for device installation trunking Rapid 80 type GK-70110

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-A70110RW	Pure white	1	116.000	6274310
GK-A70110CW	Cream	1	116.000	6274311
GK-A70110LGR	Light grey	1	116.000	6274312
GK-A70110GR	Stone grey	1	116.000	6274316






External corner for changing the direction of the GK device installation trunking.
Cover must be ordered separately.

PVC

External corner cover, smooth

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-OTGARW	Pure white	2	9.500	6274790
GK-OTGACW	Cream	2	9.500	6274791
GK-OTGALGR	Light grey	2	9.500	6274792
GK-OTGAGR	Stone grey	2	9.500	6274796




PVC external corner cover, smooth surface.

PC / ABS

Flat angle cover, for device installation trunking Rapid 80 type GK-70110

Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
GK-FH70110RW	Pure white	152.5	1	15.100	6274220
GK-FH70110CW	Cream	152.5	1	15.100	6274221
GK-FH70110LGR	Light grey	152.5	1	15.100	6274222





Flat angle cover fitting made of halogen-free PC/ABS for simple creation of a rising or falling 90° change of direction with device installation trunking of the series Rapid 80 GK, GKH, GS and GA. The flat angle cover fitting can be used for symmetrical and asymmetrical trunking types.


Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Flat angle, for device installation trunking Rapid 80 type GK-70110

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-F70110RW	Pure white	1	78.000	6274320
GK-F70110CW	Cream	1	78.000	6274321
GK-F70110LGR	Light grey	1	78.000	6274322
GK-F70110GR	Stone grey	1	78.000	6274326

Flat angle for changing the direction of the GK device installation trunking.
Cover must be ordered separately.

Flat angle cover, smooth

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-OTGFRW	Pure white	1	17.000	6274490
GK-OTGFCW	Cream	1	17.000	6274491
GK-OTGFLGR	Light grey	1	17.000	6274492
GK-OTGFGR	Stone grey	1	17.000	6274496

PVC flat angle cover, smooth surface.

Internal corner hood, for Rapid 80 device installation trunking, type GK-70110

PC / ABS






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-IH70110RW	Pure white	1	14.200	6274240
GK-IH70110CW	Cream	1	14.200	6274241
GK-IH70110LGR	Light grey	1	14.200	6274282

Internal corner cover made of halogen-free PC/ABS for changing the direction of Rapid 80 device installation trunking of the GK, GKH, GS and GA systems. The fittings can be variably adjusted between 85° and 95° and can be used in symmetrical and asymmetrical trunking.

Internal corner, for device installation trunking Rapid 80 type GK-70110

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-I70110RW	Pure white	1	100.000	6274340
GK-I70110CW	Cream	1	100.000	6274341
GK-I70110LGR	Light grey	1	100.000	6274342
GK-I70110GR	Stone grey	1	100.000	6274346

Internal corner for changing the direction of the GK device installation trunking.

T piece, for device installation trunking Rapid 80 type GK-70110

PVC





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-T70110RW	Pure white	1	100.000	6274360
GK-T70110CW	Cream	1	100.000	6274361
GK-T70110LGR	Light grey	1	100.000	6274362
GK-T70110GR	Stone grey	1	100.000	6274366


T piece for changing the direction of the GK device installation trunking.

PVC

End piece, for device installation trunking Rapid 80 type GK-70110

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-E70110RW	Pure white	1	5.009	**6274370**
GK-E70110CW	Cream	1	5.009	**6274371**
GK-E70110LGR	Light grey	1	5.009	**6274372**
GK-E70110GR	Stone grey	1	5.009	**6274376**

End piece for closing the GK device installation trunking.






PVC

Partition GK-TW70

Type	Length mm	Pack m	Weight kg/100 m	Item no.
GK-TW70	2000	40	17.400	**6274900**

Partition for mounting in Rapid 80 GK, GA and Rapid IBIS device installation duct or ISS service poles for installing cables of different voltage levels.






PC / ABS

Duct clamp KL80A

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KL80A	Light grey	20	0.685	**6288640**

Duct clamp for holding cables securely and for fastening the partition in Rapid 80 GK, GS and GA device installation trunking systems as well as in ISS service poles with a 76.5 mm system opening.





Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.


Device installation trunking Rapid 80, trunking width 130, trunking height 70

PVC



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GK-70130RW	Pure white	2000	8	152.000	6274500
GK-70130LGR	Light grey	2000	8	152.000	6274502
GK-70130GR	Stone grey	2000	8	152.000	6274506


GK device installation trunking, made of lead-free PVC, suitable for installing directly on the wall or on wall panels. Fastening takes place using the perforation in the trunking. The GK device installation trunking possesses a C profile on the floor to accept a plastic partition. All the switch programmes with a support ring and support clamp design as well as Modul 45 installation devices can be installed in the accessory mounting boxes of series 71GD.... The system opening is 76.5 mm. On each trunking length, a coupling pair is pre-assembled on one side. The cover must be ordered separately.



Accessory mounting box 71GD6, single

PA






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	6288610

Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.

7ZE strain relief

PA





Type	Pack Piece	Weight kg/100 pc.	Item no.
7ZE	50	0.700	6288790

Strain relief with locking clips, suitable for the accessory mounting boxes 7GD... and 71GD... .
Cable clamping range to 14 mm.

PVC

Plastic trunking cover, smooth

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GK-OTGRW	Pure white	2000	16	27.500	6278680
GK-OTGCW	Cream	2000	16	27.500	6278681
GK-OTGLGR	Light grey	2000	16	27.500	6278682
GK-OTGGR	Stone grey	2000	16	27.500	6278686






Smooth trunking cover, for closing device installation trunking with 76.5 mm system opening.

PC / ABS

External corner cover, for device installation trunking Rapid 80 type GK-70130

Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
GK-AH70130RW	Pure white	130.5	1	18.535	6274410
GK-AH70130CW	Cream	130.5	1	16.100	6274411
GK-AH70130LGR	Light grey	130.5	1	16.100	6274412






External corner cover made of halogen-free PC/ABS for changing the direction of Rapid 80 device installation trunking of the GK, GKH, GS and GA systems. The fittings can be variably adjusted between 80° and 100° and can be used in symmetrical and asymmetrical trunking.

PVC

External corner, for device installation trunking Rapid 80 type GK-70130

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-A70130RW	Pure white	1	127.000	6274510
GK-A70130CW	Cream	1	127.000	6274511
GK-A70130LGR	Light grey	1	127.000	6274512
GK-A70130GR	Stone grey	1	127.000	6274516






External corner for changing the direction of the GK device installation trunking.
Cover must be ordered separately.

PVC

External corner cover, smooth

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-OTGARW	Pure white	2	9.500	6274790
GK-OTGACW	Cream	2	9.500	6274791
GK-OTGALGR	Light grey	2	9.500	6274792
GK-OTGAGR	Stone grey	2	9.500	6274796




PVC external corner cover, smooth surface.

PC / ABS

Flat angle cover, for device installation trunking Rapid 80 type GK-70130

Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
GK-FH70130RW	Pure white	172.5	1	12.461	6274420
GK-FH70130CW	Cream	172.5	1	17.100	6274421
GK-FH70130LGR	Light grey	172.5	1	17.100	6274422





Flat angle cover fitting made of halogen-free PC/ABS for simple creation of a rising or falling 90° change of direction with device installation trunking of the series Rapid 80 GK, GKH, GS and GA. The flat angle cover fitting can be used for symmetrical and asymmetrical trunking types.


Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Flat angle, for device installation trunking Rapid 80 type GK-70130

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-F70130RW	Pure white	1	83.000	6274520
GK-F70130CW	Cream	1	83.000	6274521
GK-F70130LGR	Light grey	1	83.000	6274522
GK-F70130GR	Stone grey	1	83.000	6274526

Flat angle for changing the direction of the GK device installation trunking.

Flat angle cover, smooth

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-OTGFRW	Pure white	1	17.000	6274490
GK-OTGFCW	Cream	1	17.000	6274491
GK-OTGFLGR	Light grey	1	17.000	6274492
GK-OTGFGR	Stone grey	1	17.000	6274496

PVC flat angle cover, smooth surface.

Internal corner cover, for device installation trunking Rapid 80 type GK-70130

PC / ABS







Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-IH70130RW	Pure white	1	14.900	6274440
GK-IH70130CW	Cream	1	14.900	6274441
GK-IH70130LGR	Light grey	1	14.900	6274442

Internal corner cover made of halogen-free PC/ABS for changing the direction of Rapid 80 device installation trunking of the GK, GKH, GS and GA systems. The fittings can be variably adjusted between 85° and 95° and can be used in symmetrical and asymmetrical trunking.

Internal corner, for device installation trunking Rapid 80 type GK-70130

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-I70130RW	Pure white	1	110.000	6274540
GK-I70130CW	Cream	1	110.000	6274541
GK-I70130LGR	Light grey	1	110.000	6274542
GK-I70130GR	Stone grey	1	110.000	6274546

Internal corner for changing the direction of the GK device installation trunking.

T piece, for device installation trunking Rapid 80 type GK-70130

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-T70130RW	Pure white	1	108.000	6274560
GK-T70130CW	Cream	1	108.000	6274561
GK-T70130LGR	Light grey	1	108.000	6274562
GK-T70130GR	Stone grey	1	108.000	6274566

T piece for changing the direction of the GK device installation trunking.

PVC

End piece, for device installation trunking Rapid 80 type GK-70130

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-E70130RW	Pure white	1	5.574	**6274570**
GK-E70130CW	Cream	1	5.621	**6274571**
GK-E70130LGR	Light grey	1	5.621	**6274572**
GK-E70130GR	Stone grey	1	5.621	**6274576**






End piece for closing the GK device installation trunking.

PVC

Partition GK-TW70

Type	Length mm	Pack m	Weight kg/100 m	Item no.
GK-TW70	2000	40	17.400	**6274900**






Partition for mounting in Rapid 80 GK, GA and Rapid IBIS device installation duct or ISS service poles for installing cables of different voltage levels.

PC / ABS

Duct clamp KL80A

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KL80A	Light grey	20	0.685	**6288640**





Duct clamp for holding cables securely and for fastening the partition in Rapid 80 GK, GS and GA device installation trunking systems as well as in ISS service poles with a 76.5 mm system opening.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.


Device installation trunking Rapid 80, trunking width 170, trunking height 70

PVC



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GK-70170RW	Pure white	2000	8	180.000	**6274700**
GK-70170CW	Cream	2000	8	180.000	**6274701**
GK-70170LGR	Light grey	2000	8	180.000	**6274702**
GK-70170GR	Stone grey	2000	8	180.000	**6274706**


GK device installation trunking, made of lead-free PVC, suitable for installing directly on the wall or on wall panels. Fastening takes place using the perforation in the trunking. The GK device installation trunking possesses a C profile on the floor to accept a plastic partition. All the switch programmes with a support ring and support clamp design as well as Modul 45 installation devices can be installed in the accessory mounting boxes of series 71GD.... The system opening is 76.5 mm. On each trunking length, a coupling pair is pre-assembled on one side. The cover must be ordered separately.



Accessory mounting box 71GD6, single

PA





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	**6288610**


Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.

PA

7ZE strain relief

Type		Pack Piece	Weight kg/100 pc.	Item no.
7ZE		50	0.700	6288790

Strain relief with locking clips, suitable for the accessory mounting boxes 7GD... and 71GD... .





PVC

Plastic trunking cover, smooth

Type	Colour	Length mm		Pack m	Weight kg/100 m	Item no.
GK-OTGRW	Pure white	2000		16	27.500	6278680
GK-OTGCW	Cream	2000		16	27.500	6278681
GK-OTGLGR	Light grey	2000		16	27.500	6278682
GK-OTGGR	Stone grey	2000		16	27.500	6278686

Smooth trunking cover, for closing device installation trunking with 76.5 mm system opening.






PC / ABS

External corner cover, for device installation trunking Rapid 80 type GK-70170

Type	Colour	Length mm		Pack Piece	Weight kg/100 pc.	Item no.
GK-AH70170RW	Pure white	130.5		1	20.490	6274610
GK-AH70170CW	Cream	130.5		1	20.490	6274611
GK-AH70170LGR	Light grey	130.5		1	20.490	6274612

External corner cover made of halogen-free PC/ABS for changing the direction of Rapid 80 device installation trunking of the GK, GKH, GS and GA systems. The fittings can be variably adjusted between 80° and 100° and can be used in symmetrical and asymmetrical trunking.






PVC

External corner, for device installation trunking Rapid 80 type GK-70170

Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GK-A70170RW	Pure white		1	149.000	6274710
GK-A70170CW	Cream		1	149.000	6274711
GK-A70170LGR	Light grey		1	149.000	6274712
GK-A70170GR	Stone grey		1	149.000	6274716

External corner for changing the direction of the GK device installation trunking.
Cover must be ordered separately.






PVC

External corner cover, smooth

Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GK-OTGARW	Pure white		2	9.500	6274790
GK-OTGACW	Cream		2	9.500	6274791
GK-OTGALGR	Light grey		2	9.500	6274792
GK-OTGAGR	Stone grey		2	9.500	6274796

PVC external corner cover, smooth surface.




Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Flat angle cover, for device installation trunking Rapid 80 type GK-70170

PC / ABS






Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
GK-FH70170RW	Pure white	212.5	1	26.150	6274620
GK-FH70170CW	Cream	212.5	1	26.150	6274621
GK-FH70170LGR	Light grey	212.5	1	26.150	6274622

Flat angle cover fitting made of halogen-free PC/ABS for simple creation of a rising or falling 90° change of direction with device installation trunking of the series Rapid 80 GK, GKH, GS and GA. The flat angle cover fitting can be used for symmetrical and asymmetrical trunking types.

Flat angle, for device installation trunking Rapid 80 type GK-70170

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-F70170RW	Pure white	1	91.000	6274720
GK-F70170CW	Cream	1	91.000	6274721
GK-F70170LGR	Light grey	1	91.000	6274722
GK-F70170GR	Stone grey	1	91.000	6274726

Flat angle for changing the direction of the GK device installation trunking.

Flat angle cover, smooth

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-OTGFRW	Pure white	1	17.000	6274490
GK-OTGFCW	Cream	1	17.000	6274491
GK-OTGFLGR	Light grey	1	17.000	6274492
GK-OTGFGR	Stone grey	1	17.000	6274496

PVC flat angle cover, smooth surface.

Internal corner cover, for device installation trunking Rapid 80 type GK-70170

PC / ABS






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-IH70170RW	Pure white	1	16.300	6274640
GK-IH70170CW	Cream	1	16.300	6274641
GK-IH70170LGR	Light grey	1	16.300	6274642

Internal corner cover made of halogen-free PC/ABS for changing the direction of Rapid 80 device installation trunking of the GK, GKH, GS and GA systems. The fittings can be variably adjusted between 85° and 95° and can be used in symmetrical and asymmetrical trunking.

Internal corner, for device installation trunking Rapid 80 type GK-70170

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-I70170RW	Pure white	1	130.000	6274740
GK-I70170CW	Cream	1	130.000	6274741
GK-I70170LGR	Light grey	1	130.000	6274742
GK-I70170GR	Stone grey	1	130.000	6274746

Internal corner for changing the direction of the GK device installation trunking.

PVC

T piece, for device installation trunking Rapid 80 type GK-70170

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-T70170RW	Pure white	1	120.000	**6274760**
GK-T70170CW	Cream	1	120.000	**6274761**
GK-T70170LGR	Light grey	1	120.000	**6274762**
GK-T70170GR	Stone grey	1	120.000	**6274766**






T piece for changing the direction of the GK device installation trunking.

PVC

End piece, for device installation trunking Rapid 80 type GK-70170

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-E70170RW	Pure white	1	6.840	**6274770**
GK-E70170CW	Cream	1	6.840	**6274771**
GK-E70170LGR	Light grey	1	6.840	**6274772**
GK-E70170GR	Stone grey	1	6.840	**6274776**






End piece for closing the GK device installation trunking.

PVC

Partition GK-TW70

Type	Length mm	Pack m	Weight kg/100 m	Item no.
GK-TW70	2000	40	17.400	**6274900**






Partition for mounting in Rapid 80 GK, GA and Rapid IBIS device installation duct or ISS service poles for installing cables of different voltage levels.

PC / ABS

Duct clamp KL80A

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KL80A	Light grey	20	0.685	**6288640**





Duct clamp for holding cables securely and for fastening the partition in Rapid 80 GK, GS and GA device installation trunking systems as well as in ISS service poles with a 76.5 mm system opening.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Simply versatile

Rapid 80 device installation trunking

Our Rapid 80 plastic device installation trunking is now available in a halogen-free version. In the event of fire, the self-extinguishing plastic reduces the amount of poisonous smoke gases.



PC / ABS


Device installation trunking Rapid 80, trunking width 130, trunking height 70, halogen-free



GKH device installation trunking made of halogen-free PC/ABS, suitable for direct wall mounting or on wall brackets. Fastening takes place using the perforation in the trunking. The GKH device installation trunking possesses a C profile on the floor to accept a plastic partition. All the switch programmes with a support ring and support clamp design as well as Modul 45 installation devices can be installed in the accessory mounting boxes of series 71GD.... The system opening is 76.5 mm. On each trunking length, a coupling pair is pre-assembled on one side.

The cover must be ordered separately.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GKH-70130RW	Pure white	2000	8	121.000	**6114200**




PA

Accessory mounting box 71GD6, single

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	**6288610**

Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.






PA

7ZE strain relief

Type	Pack Piece	Weight kg/100 pc.	Item no.
7ZE	50	0.700	**6288790**

Strain relief with locking clips, suitable for the accessory mounting boxes 7GD... and 71GD... .






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Trunking cover, smooth

PC / ABS






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GKH-OTGRW	Pure white	2000	16	22.000	6114210

Smooth trunking cover made of halogen-free PC/ABS, for closing device installation trunking with 80 mm system opening.

External corner, for device installation trunking Rapid 80 type GKH-70130

PC / ABS






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GKH-A70130RW	Pure white	1	100.000	6114220

External corner made of halogen-free PC/ABS for changing the direction of the GKH device installation trunking.
Cover must be ordered separately.

External corner cover, smooth

PC / ABS




Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GKH-OTGARW	Pure white	2	7.500	6114230

PC/ABS external corner cover, smooth surface.

Flat angle cover, for device installation trunking Rapid 80 type GK-70130

PC / ABS






Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
GK-FH70130RW	Pure white	172.5	1	12.461	6274420

Flat angle cover fitting made of halogen-free PC/ABS for simple creation of a rising or falling 90° change of direction with device installation trunking of the series Rapid 80 GK, GKH, GS and GA. The flat angle cover fitting can be used for symmetrical and asymmetrical trunking types.

Flat angle, for device installation trunking Rapid 45-2 type GKH-70130

PC / ABS





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GKH-F70130RW	Pure white	1	66.000	6114240


Flat angle made of halogen-free PC/ABS for changing the direction of the GKH device installation trunking.
Cover must be ordered separately.

PC / ABS

Flat angle cover, smooth

Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GKH-OTGFRW	Pure white		1	13.000	**6114250**

Flat angle cover made of halogen-free PC/ABS.






PC / ABS

Internal corner cover, for device installation trunking Rapid 80 type GK-70130

Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GK-IH70130RW	Pure white		1	14.900	**6274440**

Internal corner cover made of halogen-free PC/ABS for changing the direction of Rapid 80 device installation trunking of the GK, GKH, GS and GA systems. The fittings can be variably adjusted between 85° and 95° and can be used in symmetrical and asymmetrical trunking.






PC / ABS

Internal corner, for device installation trunking Rapid 80 type GKH-70130

Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GKH-I70130RW	Pure white		1	90.000	**6114260**

Internal corner made of halogen-free PC/ABS for changing the direction of the GKH device installation trunking.






PC / ABS

T piece, for device installation trunking Rapid 80 type GKH-70130

Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GKH-T70130RW	Pure white		1	82.000	**6114270**

T piece made of halogen-free PC/ABS for changing the direction of the GKH device installation trunking.






PC / ABS

End piece, for device installation trunking Rapid 80 type GKH-70130

Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GKH-E70130RW	Pure white		1	5.203	**6114280**

End piece made of halogen-free PC/ABS for closing the GKH device installation trunking.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Partition GKH-TW70

PC / ABS






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GKH-TW70	Pure white	2000	40	14.000	**6114290**

Partition made of halogen-free PC/ABS for mounting in Rapid 80 GKH (GA) device installation trunking or ISS service poles for installing cables of different voltage levels.

Duct clamp KL80A

PC / ABS





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KL80A	Light grey	20	0.685	**6288640**

Duct clamp for holding cables securely and for fastening the partition in Rapid 80 GK, GS and GA device installation trunking systems as well as in ISS service poles with a 76.5 mm system opening.

PC / ABS


Device installation trunking Rapid 80, trunking width 170, trunking height 70, halogen-free



GKH device installation trunking made of halogen-free PC/ABS, suitable for direct wall mounting or on wall brackets. Fastening takes place using the perforation in the trunking. The GKH device installation trunking possesses a C profile on the floor to accept a plastic partition. All the switch programmes with a support ring and support clamp design as well as Modul 45 installation devices can be installed in the accessory mounting boxes of series 71GD.... The system opening is 76.5 mm. On each trunking length, a coupling pair is pre-assembled on one side.

The cover must be ordered separately.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GKH-70170RW	Pure white	2000	8	151.000	**6114300**




PA

Accessory mounting box 71GD6, single

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	**6288610**

Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.






PA

7ZE strain relief

Type	Pack Piece	Weight kg/100 pc.	Item no.
7ZE	50	0.700	**6288790**

Strain relief with locking clips, suitable for the accessory mounting boxes 7GD... and 71GD... .

Cable clamping range to 14 mm.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Trunking cover, smooth






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GKH-OTGRW	Pure white	2000	16	22.000	6114210

Smooth trunking cover made of halogen-free PC/ABS, for closing device installation trunking with 80 mm system opening.

External corner, for device installation trunking Rapid 80 type GKH-70170






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GKH-A70170RW	Pure white	1	119.000	6114320

External corner made of halogen-free PC/ABS for changing the direction of the GKH device installation trunking.
Cover must be ordered separately.

External corner cover, smooth




Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GKH-OTGARW	Pure white	2	7.500	6114230

PC/ABS external corner cover, smooth surface.

Flat angle cover, for device installation trunking Rapid 80 type GK-70170






Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
GK-FH70170RW	Pure white	212.5	1	26.150	6274620

Flat angle cover fitting made of halogen-free PC/ABS for simple creation of a rising or falling 90° change of direction with device installation trunking of the series Rapid 80 GK, GKH, GS and GA. The flat angle cover fitting can be used for symmetrical and asymmetrical trunking types.

Flat angle, for device installation trunking Rapid 80 type GKH-70170





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GKH-F70170RW	Pure white	1	73.000	6114340


Flat angle made of halogen-free PC/ABS for changing the direction of the GKH device installation trunking.
Cover must be ordered separately.

PC / ABS

Flat angle cover, smooth

Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GKH-OTGFRW	Pure white		1	13.000	**6114250**

Flat angle cover made of halogen-free PC/ABS.






PC / ABS

Internal corner cover, for device installation trunking Rapid 80 type GK-70170

Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GK-IH70170RW	Pure white		1	16.300	**6274640**

Internal corner cover made of halogen-free PC/ABS for changing the direction of Rapid 80 device installation trunking of the GK, GKH, GS and GA systems. The fittings can be variably adjusted between 85° and 95° and can be used in symmetrical and asymmetrical trunking.






PC / ABS

Internal corner, for device installation trunking Rapid 80 type GKH-70170

Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GKH-I70170RW	Pure white		1	100.000	**6114360**

Internal corner made of halogen-free PC/ABS for changing the direction of the GKH device installation trunking.






PC / ABS

T piece, for device installation trunking Rapid 80 type GKH-70170

Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GKH-T70170RW	Pure white		1	96.000	**6114370**

T piece made of halogen-free PC/ABS for changing the direction of the GKH device installation trunking.






PC / ABS

End piece, for device installation trunking Rapid 80 type GKH-70170

Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GKH-E70170RW	Pure white		1	6.144	**6114380**

End piece made of halogen-free PC/ABS for closing the GKH device installation trunking.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Partition GKH-TW70

PC / ABS






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GKH-TW70	Pure white	2000	40	14.000	**6114290**

Partition made of halogen-free PC/ABS for mounting in Rapid 80 GKH (GA) device installation trunking or ISS service poles for installing cables of different voltage levels.

Duct clamp KL80A

PC / ABS






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KL80A	Light grey	20	0.685	**6288640**

Duct clamp for holding cables securely and for fastening the partition in Rapid 80 GK, GS and GA device installation trunking systems as well as in ISS service poles with a 76.5 mm system opening.

Rapid 80 sheet steel device installation trunking


Installation principle



1	Trunking	GS	11	Flat angle	GK-F
2	Coupling	GS-KU	12	Flat angle cover hood	GK-OTGF
3	Accessory mounting box single	71GD	13	Internal corner cover	GS-IH
4	Accessory mounting box double	71GD	14	Internal corner	GK-I
5	Trunking cover	GS-OT	15	T-piece	GS-T
6	Joint cover	GEK_KS	16	Endpiece	GS-E
7	Trunking cover variable	GK-IH	17	Partition	GS-TW
8	External corner	GS-A	18	Trunking clamp	KL80A
9	External corner hood	GS-OTG			
10	Flat angle cover	GK-FH			

St FS


Device installation trunking Rapid 80, trunking width 110, trunking height 70, symmetrical



GS device installation trunking for mounting on the wall or on fastening panels. The GS device installation trunking possesses self-contacting locking straps to accept a sheet steel partition. The equipotential bonding between the trunking bases takes place using the trunking coupling. The protective measure and the equipotential bonding is guaranteed between the cover and the base by the self-contacting trunking cover. The real system opening is 76.5 mm. The cover must be ordered separately.

Over-lengths up to 3000 mm for trunking bases and covers as well as other RAL colours can be provided on request. The visible surfaces of the painted device installation trunking are laminated.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GS-S70110RW	Pure white	2000	12	258.000	**6277000**
GS-S70110LGR	Light grey	2000	12	258.000	**6277002**
GS-S70110FS	–	2000	12	258.000	**6277003**




VA

Coupling GS-KUP70

Type	Length mm	Pack PU	Weight kg/100 PUs	Item no.
GS-KUP70	120	1	6.400	**6277290**

Coupling for connecting the trunking bases. This creates the equipotential bonding between the trunking bases. The scope of delivery of a coupling includes 2 connection plates.






PA

Accessory mounting box 71GD6, single

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	**6288610**

Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

7ZE strain relief

PA






Type		Pack Piece	Weight kg/100 pc.	Item no.
7ZE		50	0.700	**6288790**

Strain relief with locking clips, suitable for the accessory mounting boxes 7GD... and 71GD... .
Cable clamping range to 14 mm.

Trunking cover, sheet steel

St






Type	Colour	Length mm		Pack m	Weight kg/100 m	Item no.
GS-OTRW	Pure white	2000		2	65.000	**6279850**
GS-OTLGR	Light grey	2000		2	65.000	**6279852**

Cover to close the device installation trunking GEK-S and GEK-A.

Locking bracket RKV3V

St






Type		Pack Piece	Weight kg/100 pc.	Item no.
RKV3V		20	0.085	**6288700**

Locking bracket for the mechanical and electrical connection of duct covers and duct bases. Suitable for covers of Rapid 45, Rapid 80 and ISS systems.

Plastic trunking cover, smooth

PVC






Type	Colour	Length mm		Pack m	Weight kg/100 m	Item no.
GK-OTGRW	Pure white	2000		16	27.500	**6278680**

Smooth trunking cover, for closing device installation trunking with 76.5 mm system opening.

External corner cover, smooth

PVC



Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GK-OTGARW	Pure white		2	9.500	**6274790**


PVC external corner cover, smooth surface.

PC / ABS

Flat angle cover, for device installation trunking Rapid 80 type GK-70110

Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
GK-FH70110RW	Pure white	152.5	1	15.100	6274220

Flat angle cover fitting made of halogen-free PC/ABS for simple creation of a rising or falling 90° change of direction with device installation trunking of the series Rapid 80 GK, GKH, GS and GA. The flat angle cover fitting can be used for symmetrical and asymmetrical trunking types.






PVC

Flat angle cover, smooth

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-OTGFRW	Pure white	1	17.000	6274490

PVC flat angle cover, smooth surface.






PC / ABS

Internal corner hood, for Rapid 80 device installation trunking, type GK-70110

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-IH70110RW	Pure white	1	14.200	6274240

Internal corner cover made of halogen-free PC/ABS for changing the direction of Rapid 80 device installation trunking of the GK, GKH, GS and GA systems. The fittings can be variably adjusted between 85° and 95° and can be used in symmetrical and asymmetrical trunking.






St

Internal corner, for device installation trunking Rapid 80 type GS-S70110

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GS-SI70110RW	Pure white	1	55.000	6277040

Internal corner for direct installation on GS device installation trunking.






St

Partition GS-TW70

Type	Length mm	Suitable for duct depth	Pack m	Weight kg/100 m	Item no.
GS-TW70	2000	70	2	58.650	6277090

Partition to divide the trunking for different voltage levels. Self-conducting contacting during mounting.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Partition GS-TW90

St






Type	Length mm	Suitable for duct depth	Pack m	Weight kg/100 m	Item no.
GS-TW90	2000	90	2	74.400	**6277095**

Partition to divide the trunking for different voltage levels. Self-conducting contacting during mounting.

Duct clamp KL80A

PC / ABS






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KL80A	Light grey	20	0.685	**6288640**

Duct clamp for holding cables securely and for fastening the partition in Rapid 80 GK, GS and GA device installation trunking systems as well as in ISS service poles with a 76.5 mm system opening.

Protective conductor connection bracket

St G






Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
8AWR	Electrogalvanised	10	0.610	**6288704**

Protective conductor connection bracket to include steel and aluminium device installation trunking, service poles and system components of underfloor duct systems in the protective measure.
Clamping area: 2 x 1.5–4 mm²


St

Device installation trunking Rapid 80, trunking width 130, trunking height 70, symmetrical



GS device installation trunking for mounting on the wall or on fastening panels. The GS device installation trunking possesses self-contacting locking straps to accept a sheet steel partition. The equipotential bonding between the trunking bases takes place using the trunking coupling. The protective measure and the equipotential bonding is guaranteed between the cover and the base by the self-contacting trunking cover. The real system opening is 76.5 mm. The cover must be ordered separately.

Overlengths up to 3,000 mm for trunking bases and covers as well as other RAL colours can be provided on request. The visible surfaces of the painted device installation trunking are laminated.



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GS-S70130RW	Pure white	2000	12	289.000	**6277200**
GS-S70130LGR	Light grey	2000	12	289.000	**6277202**

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

St


Device installation trunking Rapid 80, trunking width 130, trunking height 90, symmetrical



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GS-S90130RW	Pure white	2000	8	321.000	**6277300**

GS device installation trunking for mounting on the wall or on fastening panels. The GS device installation trunking possesses self-contacting locking straps to accept a sheet steel partition. The equipotential bonding between the trunking bases takes place using the trunking coupling. The protective measure and the equipotential bonding is guaranteed between the cover and the base by the self-contacting trunking cover. The real system opening is 76.5 mm. The cover must be ordered separately.


Overlengths up to 3,000 mm for trunking bases and covers as well as other RAL colours can be provided on request. The visible surfaces of the painted device installation trunking are laminated.



VA

Coupling GS-KUP70






Type	Length mm	Pack PU	Weight kg/100 PUs	Item no.
GS-KUP70	120	1	6.400	**6277290**

Coupling for connecting the trunking bases. This creates the equipotential bonding between the trunking bases. The scope of delivery of a coupling includes 2 connection plates.

PA

Accessory mounting box 71GD6, single





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	**6288610**


Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.

PA

7ZE strain relief

Type		Pack Piece	Weight kg/100 pc.	Item no.
7ZE		50	0.700	**6288790**

Strain relief with locking clips, suitable for the accessory mounting boxes 7GD... and 71GD... .
Cable clamping range to 14 mm.






St

Trunking cover, sheet steel

Type	Colour	Length mm		Pack m	Weight kg/100 m	Item no.
GS-OTRW	Pure white	2000		2	65.000	**6279850**

Cover to close the device installation trunking GEK-S and GEK-A.






St

Locking bracket RKV3V

Type		Pack Piece	Weight kg/100 pc.	Item no.
RKV3V		20	0.085	**6288700**

Locking bracket for the mechanical and electrical connection of duct covers and duct bases. Suitable for covers of Rapid 45, Rapid 80 and ISS systems.





PVC

Plastic trunking cover, smooth

Type	Colour	Length mm		Pack m	Weight kg/100 m	Item no.
GK-OTGRW	Pure white	2000		16	27.500	**6278680**

Smooth trunking cover, for closing device installation trunking with 76.5 mm system opening.






PVC

External corner cover, smooth

Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GK-OTGARW	Pure white		2	9.500	**6274790**

PVC external corner cover, smooth surface.




Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Flat angle cover, for device installation trunking Rapid 80 type GK-70130

PC / ABS






Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
GK-FH70130RW	Pure white	172.5	1	12.461	6274420

Flat angle cover fitting made of halogen-free PC/ABS for simple creation of a rising or falling 90° change of direction with device installation trunking of the series Rapid 80 GK, GKH, GS and GA. The flat angle cover fitting can be used for symmetrical and asymmetrical trunking types.

Flat angle cover, smooth

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-OTGFRW	Pure white	1	17.000	6274490

PVC flat angle cover, smooth surface.

Internal corner cover, for device installation trunking Rapid 80 type GK-70130

PC / ABS






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-IH70130RW	Pure white	1	14.900	6274440

Internal corner cover made of halogen-free PC/ABS for changing the direction of Rapid 80 device installation trunking of the GK, GKH, GS and GA systems. The fittings can be variably adjusted between 85° and 95° and can be used in symmetrical and asymmetrical trunking.

End piece, for device installation trunking Rapid 80 type GS-S70130

St






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GS-E70130RW	Pure white	1	10.800	6277270

End piece for GS device installation trunking.

End piece, for device installation trunking Rapid 80 type GS-S90130

St





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GS-E90130RW	Pure white	1	13.800	6277370


End piece for GS device installation trunking.

St

Partition GS-TW70

Type	Length mm	Suitable for duct depth	Pack m	Weight kg/100 m	Item no.
GS-TW70	2000	70	2	58.650	**6277090**

Partition to divide the trunking for different voltage levels. Self-conducting contacting during mounting.






St

Partition GS-TW90

Type	Length mm	Suitable for duct depth	Pack m	Weight kg/100 m	Item no.
GS-TW90	2000	90	2	74.400	**6277095**

Partition to divide the trunking for different voltage levels. Self-conducting contacting during mounting.






PC / ABS

Duct clamp KL80A

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KL80A	Light grey	20	0.685	**6288640**

Duct clamp for holding cables securely and for fastening the partition in Rapid 80 GK, GS and GA device installation trunking systems as well as in ISS service poles with a 76.5 mm system opening.






St G

Protective conductor connection bracket

Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
8AWR	Electrogalvanised	10	0.610	**6288704**

Protective conductor connection bracket to include steel and aluminium device installation trunking, service poles and system components of underfloor duct systems in the protective measure.
Clamping area: 2 x 1.5–4 mm²






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

St


Device installation trunking Rapid 80, trunking width 130, trunking height 70, asymmetrical



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GS-A70130RW	Pure white	2000	12	289.000	**6277400**

GS device installation trunking for mounting on the wall or on fastening panels. The GS device installation trunking possesses self-contacting locking straps to accept a sheet steel partition. The equipotential bonding between the trunking bases takes place using the trunking coupling. The protective measure and the equipotential bonding is guaranteed between the cover and the base by the self-contacting trunking cover. The real system opening is 76.5 mm. The cover must be ordered separately.

Overlengths up to 3,000 mm for trunking bases and covers as well as other RAL colours can be provided on request. The visible surfaces of the painted device installation trunking are laminated.



St


Device installation trunking Rapid 80, trunking width 130, trunking height 90, asymmetrical



GS device installation trunking for mounting on the wall or on fastening panels. The GS device installation trunking possesses self-contacting locking straps to accept a sheet steel partition. The equipotential bonding between the trunking bases takes place using the trunking coupling. The protective measure and the equipotential bonding is guaranteed between the cover and the base by the self-contacting trunking cover. The real system opening is 76.5 mm. The cover must be ordered separately.

Overlengths up to 3,000 mm for trunking bases and covers as well as other RAL colours can be provided on request. The visible surfaces of the painted device installation trunking are laminated.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GS-A90130RW	Pure white	2000	8	321.000	**6277500**




VA

Coupling GS-KUP70

Type	Length mm	Pack PU	Weight kg/100 PUs	Item no.
GS-KUP70	120	1	6.400	**6277290**

Coupling for connecting the trunking bases. This creates the equipotential bonding between the trunking bases. The scope of delivery of a coupling includes 2 connection plates.







VA

Coupling GS-KUP90

Type	Length mm	Pack PU	Weight kg/100 PUs	Item no.
GS-KUP90	120	1	8.200	**6277294**

Coupling for connecting the trunking bases. This creates the equipotential bonding between the trunking bases. The scope of delivery of a coupling includes 2 connection plates.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Accessory mounting box 71GD6, single

PA






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	**6288610**

Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.

7ZE strain relief

PA





Type	Pack Piece	Weight kg/100 pc.	Item no.
7ZE	50	0.700	**6288790**

Strain relief with locking clips, suitable for the accessory mounting boxes 7GD... and 71GD... .
Cable clamping range to 14 mm.

Trunking cover, sheet steel

St





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GS-OTRW	Pure white	2000	2	65.000	**6279850**

Cover to close the device installation trunking GEK-S and GEK-A.

Locking bracket RKV3V

St






Type	Pack Piece	Weight kg/100 pc.	Item no.
RKV3V	20	0.085	**6288700**

Locking bracket for the mechanical and electrical connection of duct covers and duct bases. Suitable for covers of Rapid 45, Rapid 80 and ISS systems.

Plastic trunking cover, smooth

PVC





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GK-OTGRW	Pure white	2000	16	27.500	**6278680**


Smooth trunking cover, for closing device installation trunking with 76.5 mm system opening.

PVC

External corner cover, smooth

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-OTGARW	Pure white	2	9.500	6274790

PVC external corner cover, smooth surface.




PC / ABS

Flat angle cover, for device installation trunking Rapid 80 type GK-70130

Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
GK-FH70130RW	Pure white	172.5	1	12.461	6274420

Flat angle cover fitting made of halogen-free PC/ABS for simple creation of a rising or falling 90° change of direction with device installation trunking of the series Rapid 80 GK, GKH, GS and GA. The flat angle cover fitting can be used for symmetrical and asymmetrical trunking types.






PVC

Flat angle cover, smooth

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-OTGFRW	Pure white	1	17.000	6274490

PVC flat angle cover, smooth surface.






PC / ABS

Internal corner cover, for device installation trunking Rapid 80 type GK-70130

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-IH70130RW	Pure white	1	14.900	6274440

Internal corner cover made of halogen-free PC/ABS for changing the direction of Rapid 80 device installation trunking of the GK, GKH, GS and GA systems. The fittings can be variably adjusted between 85° and 95° and can be used in symmetrical and asymmetrical trunking.






St

End piece, for device installation trunking Rapid 80 type GS-S70130

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GS-E70130RW	Pure white	1	10.800	6277270

End piece for GS device installation trunking.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

End piece, for device installation trunking Rapid 80 type GS-S90130

St






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GS-E90130RW	Pure white	1	13.800	**6277370**

End piece for GS device installation trunking.

Partition GS-TW70

St






Type	Length mm	Suitable for duct depth	Pack m	Weight kg/100 m	Item no.
GS-TW70	2000	70	2	58.650	**6277090**

Partition to divide the trunking for different voltage levels. Self-conducting contacting during mounting.

Partition GS-TW90

St






Type	Length mm	Suitable for duct depth	Pack m	Weight kg/100 m	Item no.
GS-TW90	2000	90	2	74.400	**6277095**

Partition to divide the trunking for different voltage levels. Self-conducting contacting during mounting.

Duct clamp KL80A

PC / ABS






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KL80A	Light grey	20	0.685	**6288640**

Duct clamp for holding cables securely and for fastening the partition in Rapid 80 GK, GS and GA device installation trunking systems as well as in ISS service poles with a 76.5 mm system opening.

Protective conductor connection bracket

St G






Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
8AWR	Electrogalvanised	10	0.610	**6288704**

Protective conductor connection bracket to include steel and aluminium device installation trunking, service poles and system components of underfloor duct systems in the protective measure.
Clamping area: 2 x 1.5–4 mm²

St


Device installation trunking Rapid 80, trunking width 170, trunking height 70, symmetrical



GS device installation trunking for mounting on the wall or on fastening panels. The GS device installation trunking possesses self-contacting locking straps to accept a sheet steel partition. The equipotential bonding between the trunking bases takes place using the trunking coupling. The protective measure and the equipotential bonding is guaranteed between the cover and the base by the self-contacting trunking cover. The real system opening is 76.5 mm. The cover must be ordered separately.

Overlengths up to 3,000 mm for trunking bases and covers as well as other RAL colours can be provided on request. The visible surfaces of the painted device installation trunking are laminated.

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GS-S70170RW	Pure white	2000	8	352.000	**6277600**




VA

Coupling GS-KUP70

Type	Length mm	Pack PU	Weight kg/100 PUs	Item no.
GS-KUP70	120	1	6.400	**6277290**

Coupling for connecting the trunking bases. This creates the equipotential bonding between the trunking bases. The scope of delivery of a coupling includes 2 connection plates.






PA

Accessory mounting box 71GD6, single

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	**6288610**

Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

7ZE strain relief

PA






Type		Pack Piece	Weight kg/100 pc.	Item no.
7ZE		50	0.700	**6288790**

Strain relief with locking clips, suitable for the accessory mounting boxes 7GD... and 71GD... .
Cable clamping range to 14 mm.

Trunking cover, sheet steel

St






Type	Colour	Length mm		Pack m	Weight kg/100 m	Item no.
GS-OTRW	Pure white	2000		2	65.000	**6279850**

Cover to close the device installation trunking GEK-S and GEK-A.

Locking bracket RKV3V

St






Type		Pack Piece	Weight kg/100 pc.	Item no.
RKV3V		20	0.085	**6288700**

Locking bracket for the mechanical and electrical connection of duct covers and duct bases. Suitable for covers of Rapid 45, Rapid 80 and ISS systems.

Plastic trunking cover, smooth

PVC






Type	Colour	Length mm		Pack m	Weight kg/100 m	Item no.
GK-OTGRW	Pure white	2000		16	27.500	**6278680**

Smooth trunking cover, for closing device installation trunking with 76.5 mm system opening.

External corner cover, smooth

PVC



Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GK-OTGARW	Pure white		2	9.500	**6274790**


PVC external corner cover, smooth surface.

PC / ABS

Flat angle cover, for device installation trunking Rapid 80 type GK-70170

Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
GK-FH70170RW	Pure white	212.5	1	26.150	6274620

Flat angle cover fitting made of halogen-free PC/ABS for simple creation of a rising or falling 90° change of direction with device installation trunking of the series Rapid 80 GK, GKH, GS and GA. The flat angle cover fitting can be used for symmetrical and asymmetrical trunking types.






PVC

Flat angle cover, smooth

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-OTGFRW	Pure white	1	17.000	6274490

PVC flat angle cover, smooth surface.






PC / ABS

Internal corner cover, for device installation trunking Rapid 80 type GK-70170

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-IH70170RW	Pure white	1	16.300	6274640

Internal corner cover made of halogen-free PC/ABS for changing the direction of Rapid 80 device installation trunking of the GK, GKH, GS and GA systems. The fittings can be variably adjusted between 85° and 95° and can be used in symmetrical and asymmetrical trunking.






St

End piece, for device installation trunking Rapid 80 type GS-S70170

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GS-E70170RW	Pure white	1	12.900	6277670

End piece for GS device installation trunking.






St

Partition GS-TW70

Type	Length mm	Suitable for duct depth	Pack m	Weight kg/100 m	Item no.
GS-TW70	2000	70	2	58.650	6277090

Partition to divide the trunking for different voltage levels. Self-conducting contacting during mounting.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Trunking height 70 mm, trunking width 170 mm

Partition GS-TW90

St






Type	Length mm	Suitable for duct depth	Pack m	Weight kg/100 m	Item no.
GS-TW90	2000	90	2	74.400	**6277095**

Partition to divide the trunking for different voltage levels. Self-conducting contacting during mounting.

Duct clamp KL80A

PC / ABS






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KL80A	Light grey	20	0.685	**6288640**

Duct clamp for holding cables securely and for fastening the partition in Rapid 80 GK, GS and GA device installation trunking systems as well as in ISS service poles with a 76.5 mm system opening.

Protective conductor connection bracket

St G






Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
8AWR	Electrogalvanised	10	0.610	**6288704**


Protective conductor connection bracket to include steel and aluminium device installation trunking, service poles and system components of underfloor duct systems in the protective measure.
Clamping area: 2 x 1.5–4 mm²

Trunking height 70 mm, trunking width 170 mm, asymmetrical

Coupling GS-KUP70

VA






Type	Length mm	Pack PU	Weight kg/100 PUs	Item no.
GS-KUP70	120	1	6.400	**6277290**

Coupling for connecting the trunking bases. This creates the equipotential bonding between the trunking bases. The scope of delivery of a coupling includes 2 connection plates.

Accessory mounting box 71GD6, single

PA





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	**6288610**


Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.

PA

7ZE strain relief

Type		Pack Piece	Weight kg/100 pc.	Item no.
7ZE		50	0.700	**6288790**

Strain relief with locking clips, suitable for the accessory mounting boxes 7GD... and 71GD... .
Cable clamping range to 14 mm.






St

Trunking cover, sheet steel

Type	Colour	Length mm		Pack m	Weight kg/100 m	Item no.
GS-OTRW	Pure white	2000		2	65.000	**6279850**

Cover to close the device installation trunking GEK-S and GEK-A.






St

Locking bracket RKV3V

Type		Pack Piece	Weight kg/100 pc.	Item no.
RKV3V		20	0.085	**6288700**

Locking bracket for the mechanical and electrical connection of duct covers and duct bases. Suitable for covers of Rapid 45, Rapid 80 and ISS systems.





PVC

Plastic trunking cover, smooth

Type	Colour	Length mm		Pack m	Weight kg/100 m	Item no.
GK-OTGRW	Pure white	2000		16	27.500	**6278680**

Smooth trunking cover, for closing device installation trunking with 76.5 mm system opening.






PVC

External corner cover, smooth

Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GK-OTGARW	Pure white		2	9.500	**6274790**

PVC external corner cover, smooth surface.




Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Flat angle cover, for device installation trunking Rapid 80 type GK-70170

PC / ABS






Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
GK-FH70170RW	Pure white	212.5	1	26.150	6274620

Flat angle cover fitting made of halogen-free PC/ABS for simple creation of a rising or falling 90° change of direction with device installation trunking of the series Rapid 80 GK, GKH, GS and GA. The flat angle cover fitting can be used for symmetrical and asymmetrical trunking types.

Flat angle cover, smooth

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-OTGFRW	Pure white	1	17.000	6274490

PVC flat angle cover, smooth surface.

Internal corner cover, for device installation trunking Rapid 80 type GK-70170

PC / ABS






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-IH70170RW	Pure white	1	16.300	6274640

Internal corner cover made of halogen-free PC/ABS for changing the direction of Rapid 80 device installation trunking of the GK, GKH, GS and GA systems. The fittings can be variably adjusted between 85° and 95° and can be used in symmetrical and asymmetrical trunking.

End piece, for device installation trunking Rapid 80 type GS-S70170

St






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GS-E70170RW	Pure white	1	12.900	6277670

End piece for GS device installation trunking.

Partition GS-TW70

St





Type	Length mm	Suitable for duct depth	Pack m	Weight kg/100 m	Item no.
GS-TW70	2000	70	2	58.650	6277090


Partition to divide the trunking for different voltage levels. Self-conducting contacting during mounting.

St

Partition GS-TW90

Type	Length mm	Suitable for duct depth	Pack m	Weight kg/100 m	Item no.
GS-TW90	2000	90	2	74.400	**6277095**

Partition to divide the trunking for different voltage levels. Self-conducting contacting during mounting.






PC / ABS

Duct clamp KL80A

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KL80A	Light grey	20	0.685	**6288640**

Duct clamp for holding cables securely and for fastening the partition in Rapid 80 GK, GS and GA device installation trunking systems as well as in ISS service poles with a 76.5 mm system opening.






St G

Protective conductor connection bracket

Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
8AWR	Electrogalvanised	10	0.610	**6288704**

Protective conductor connection bracket to include steel and aluminium device installation trunking, service poles and system components of underfloor duct systems in the protective measure.
Clamping area: 2 x 1.5–4 mm²






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

St


Device installation trunking Rapid 80, trunking width 170, trunking height 70, asymmetrical, double



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GS-D70170RW	Pure white	2000	8	382.000	**6278200**

GS device installation trunking for mounting on the wall or on fastening panels. The GS device installation trunking possesses self-contacting locking straps to accept a sheet steel partition. The equipotential bonding between the trunking bases takes place using the trunking coupling. The protective measure and the equipotential bonding is guaranteed between the cover and the base by the self-contacting trunking cover. The real system opening for device installation is 76.5 mm. The second trunking track with a system opening of 45 mm is used for cable routing. Installation of Modul 45 switching and connection devices is not possible here. The cover must be ordered separately.


Overlengths up to 3,000 mm for trunking bases and covers as well as other RAL colours can be provided on request. The visible surfaces of the painted device installation trunking are laminated.



VA

Coupling GS-KUP70





Type	Length mm	Pack PU	Weight kg/100 PUs	Item no.
GS-KUP70	120	1	6.400	**6277290**


Coupling for connecting the trunking bases. This creates the equipotential bonding between the trunking bases. The scope of delivery of a coupling includes 2 connection plates.

PA

Accessory mounting box 71GD6, single

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	**6288610**

Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.






PA

7ZE strain relief

Type	Pack Piece	Weight kg/100 pc.	Item no.
7ZE	50	0.700	**6288790**

Strain relief with locking clips, suitable for the accessory mounting boxes 7GD... and 71GD... .
Cable clamping range to 14 mm.






St

Trunking cover, sheet steel

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GS-OTRW	Pure white	2000	2	65.000	**6279850**

Cover to close the device installation trunking GEK-S and GEK-A.






St

Locking bracket RKV3V

Type	Pack Piece	Weight kg/100 pc.	Item no.
RKV3V	20	0.085	**6288700**

Locking bracket for the mechanical and electrical connection of duct covers and duct bases. Suitable for covers of Rapid 45, Rapid 80 and ISS systems.






PC / ABS

Flat angle cover, for device installation trunking Rapid 80 type GK-70170

Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
GK-FH70170RW	Pure white	212.5	1	26.150	**6274620**

Flat angle cover fitting made of halogen-free PC/ABS for simple creation of a rising or falling 90° change of direction with device installation trunking of the series Rapid 80 GK, GKH, GS and GA. The flat angle cover fitting can be used for symmetrical and asymmetrical trunking types.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Internal corner cover, for device installation trunking Rapid 80 type GK-70170

PC / ABS






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-IH70170RW	Pure white	1	16.300	**6274640**

Internal corner cover made of halogen-free PC/ABS for changing the direction of Rapid 80 device installation trunking of the GK, GKH, GS and GA systems. The fittings can be variably adjusted between 85° and 95° and can be used in symmetrical and asymmetrical trunking.

End piece, for device installation trunking Rapid 80 type GS-S70170

St






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GS-E70170RW	Pure white	1	12.900	**6277670**

End piece for GS device installation trunking.

Partition GS-TW70

St






Type	Length mm	Suitable for duct depth	Pack m	Weight kg/100 m	Item no.
GS-TW70	2000	70	2	58.650	**6277090**

Partition to divide the trunking for different voltage levels. Self-conducting contacting during mounting.

Partition GS-TW90

St






Type	Length mm	Suitable for duct depth	Pack m	Weight kg/100 m	Item no.
GS-TW90	2000	90	2	74.400	**6277095**

Partition to divide the trunking for different voltage levels. Self-conducting contacting during mounting.

Duct clamp KL80A

PC / ABS





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KL80A	Light grey	20	0.685	**6288640**


Duct clamp for holding cables securely and for fastening the partition in Rapid 80 GK, GS and GA device installation trunking systems as well as in ISS service poles with a 76.5 mm system opening.

St G

Protective conductor connection bracket

Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
8AWR	Electrogalvanised	10	0.610	**6288704**

Protective conductor connection bracket to include steel and aluminium device installation trunking, service poles and system components of underfloor duct systems in the protective measure.
Clamping area: 2 x 1.5–4 mm²






VA

Coupling GS-KUP70

Type	Length mm	Pack PU	Weight kg/100 PUs	Item no.
GS-KUP70	120	1	6.400	**6277290**

Coupling for connecting the trunking bases. This creates the equipotential bonding between the trunking bases.
The scope of delivery of a coupling includes 2 connection plates.






PA

Accessory mounting box 71GD6, single

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	**6288610**

Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.






PA

7ZE strain relief

Type	Pack Piece	Weight kg/100 pc.	Item no.
7ZE	50	0.700	**6288790**

Strain relief with locking clips, suitable for the accessory mounting boxes 7GD... and 71GD... .
Cable clamping range to 14 mm.






St

Trunking cover, sheet steel

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GS-OTRW	Pure white	2000	2	65.000	**6279850**

Cover to close the device installation trunking GEK-S and GEK-A.





Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Locking bracket RKV3V

St






Type		Pack Piece	Weight kg/100 pc.	Item no.
RKV3V		20	0.085	**6288700**

Locking bracket for the mechanical and electrical connection of duct covers and duct bases. Suitable for covers of Rapid 45, Rapid 80 and ISS systems.

Plastic trunking cover, smooth

PVC






Type	Colour	Length mm		Pack m	Weight kg/100 m	Item no.
GK-OTGRW	Pure white	2000		16	27.500	**6278680**

Smooth trunking cover, for closing device installation trunking with 76.5 mm system opening.

External corner cover, smooth

PVC




Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GK-OTGARW	Pure white		2	9.500	**6274790**

PVC external corner cover, smooth surface.

Flat angle cover, smooth

PVC






Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GK-OTGFRW	Pure white		1	17.000	**6274490**

PVC flat angle cover, smooth surface.

Partition GS-TW70

St





Type	Length mm	Suitable for duct depth		Pack m	Weight kg/100 m	Item no.
GS-TW70	2000	70		2	58.650	**6277090**


Partition to divide the trunking for different voltage levels. Self-conducting contacting during mounting.

St

Partition GS-TW90

Type	Length mm	Suitable for duct depth	Pack m	Weight kg/100 m	Item no.
GS-TW90	2000	90	2	74.400	**6277095**

Partition to divide the trunking for different voltage levels. Self-conducting contacting during mounting.






PC / ABS

Duct clamp KL80A

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KL80A	Light grey	20	0.685	**6288640**

Duct clamp for holding cables securely and for fastening the partition in Rapid 80 GK, GS and GA device installation trunking systems as well as in ISS service poles with a 76.5 mm system opening.






St G

Protective conductor connection bracket

Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
8AWR	Electrogalvanised	10	0.610	**6288704**

Protective conductor connection bracket to include steel and aluminium device installation trunking, service poles and system components of underfloor duct systems in the protective measure.
Clamping area: 2 x 1.5–4 mm²






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

St


Device installation trunking Rapid 80, trunking width 210, trunking height 70, symmetrical, double



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GS-D70210RW	Pure white	2000	8	420.000	**6278400**

GS device installation trunking for mounting on the wall or on fastening panels. The GS device installation trunking possesses self-contacting locking straps to accept a sheet steel partition. The equipotential bonding between the trunking bases takes place using the trunking coupler. The protective measure and the equipotential bonding is guaranteed between the cover and the base by the self-contacting trunking cover. The real system opening is 76.5 mm.


Overlengths up to 3,000 mm for trunking bases and covers as well as other RAL colours can be provided on request. The visible surfaces of the painted device installation trunking are laminated.



VA

Coupling GS-KUP70






Type	Length mm	Pack PU	Weight kg/100 PUs	Item no.
GS-KUP70	120	1	6.400	**6277290**

Coupling for connecting the trunking bases. This creates the equipotential bonding between the trunking bases. The scope of delivery of a coupling includes 2 connection plates.

PA

Accessory mounting box 71GD6, single





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	**6288610**


Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.

PA

7ZE strain relief

Type		Pack Piece	Weight kg/100 pc.	Item no.
7ZE		50	0.700	**6288790**

Strain relief with locking clips, suitable for the accessory mounting boxes 7GD... and 71GD... .
Cable clamping range to 14 mm.






St

Trunking cover, sheet steel

Type	Colour	Length mm		Pack m	Weight kg/100 m	Item no.
GS-OTRW	Pure white	2000		2	65.000	**6279850**

Cover to close the device installation trunking GEK-S and GEK-A.






St

Locking bracket RKV3V

Type		Pack Piece	Weight kg/100 pc.	Item no.
RKV3V		20	0.085	**6288700**

Locking bracket for the mechanical and electrical connection of duct covers and duct bases. Suitable for covers of Rapid 45, Rapid 80 and ISS systems.





PVC

Plastic trunking cover, smooth

Type	Colour	Length mm		Pack m	Weight kg/100 m	Item no.
GK-OTGRW	Pure white	2000		16	27.500	**6278680**

Smooth trunking cover, for closing device installation trunking with 76.5 mm system opening.






PVC

External corner cover, smooth

Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GK-OTGARW	Pure white		2	9.500	**6274790**

PVC external corner cover, smooth surface.




Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Flat angle cover, smooth

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-OTGFRW	Pure white	1	17.000	**6274490**

PVC flat angle cover, smooth surface.

Partition GS-TW70

St






Type	Length mm	Suitable for duct depth	Pack m	Weight kg/100 m	Item no.
GS-TW70	2000	70	2	58.650	**6277090**

Partition to divide the trunking for different voltage levels. Self-conducting contacting during mounting.

Partition GS-TW90

St






Type	Length mm	Suitable for duct depth	Pack m	Weight kg/100 m	Item no.
GS-TW90	2000	90	2	74.400	**6277095**

Partition to divide the trunking for different voltage levels. Self-conducting contacting during mounting.

Duct clamp KL80A

PC / ABS






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KL80A	Light grey	20	0.685	**6288640**

Duct clamp for holding cables securely and for fastening the partition in Rapid 80 GK, GS and GA device installation trunking systems as well as in ISS service poles with a 76.5 mm system opening.

Protective conductor connection bracket

St G





Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
8AWR	Electrogalvanised	10	0.610	**6288704**


Protective conductor connection bracket to include steel and aluminium device installation trunking, service poles and system components of underfloor duct systems in the protective measure.
Clamping area: 2 x 1.5–4 mm²

PA

Accessory mounting box 71GD6, single

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	6288610

Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.






PA

7ZE strain relief

Type	Pack Piece	Weight kg/100 pc.	Item no.
7ZE	50	0.700	6288790

Strain relief with locking clips, suitable for the accessory mounting boxes 7GD... and 71GD... .
Cable clamping range to 14 mm.






St

Trunking cover, sheet steel

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GS-OTRW	Pure white	2000	2	65.000	6279850

Cover to close the device installation trunking GEK-S and GEK-A.






St

Locking bracket RKV3V

Type	Pack Piece	Weight kg/100 pc.	Item no.
RKV3V	20	0.085	6288700

Locking bracket for the mechanical and electrical connection of duct covers and duct bases. Suitable for covers of Rapid 45, Rapid 80 and ISS systems.





PVC

Plastic trunking cover, smooth

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
GK-OTGRW	Pure white	2000	16	27.500	6278680

Smooth trunking cover, for closing device installation trunking with 76.5 mm system opening.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Protective conductor connection bracket

St G





Type	Surface		Pack Piece	Weight kg/100 pc.	Item no.
8AWR	Electrogalvanised		10	0.610	**6288704**

Protective conductor connection bracket to include steel and aluminium device installation trunking, service poles and system components of underfloor duct systems in the protective measure.
Clamping area: 2 x 1.5–4 mm²

Aluminium device installation trunking Rapid 80


Installation principle



1	Device installation trunking	GA-S	11	T piece	GA-T
2	Coupling	GA-KUP	12	End piece	GA-E
3	Single accessory mounting box	71GD	13	Partition	GA-TW
4	Double accessory mounting box	71GD	14	Duct clamp	KL80A
5	Trunking cover	GA-OT			
6	External corner	GA-SA			
7	External corner cover	GA-OTA			
8	Flat angle	GA-SF			
9	Flat angle cover	GA-OTFA			
10	Internal corner	GA-SI			

Alu EL


Device installation trunking Rapid 80, trunking width 110, trunking height 70



Device installation trunking without base perforation for direct wall mounting or mounting on panels. Over-lengths up to 6,000 mm for trunking bases and covers as well as other RAL colours can be provided on request. The visible surfaces of the painted device installation trunking are laminated.

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by tolerance based on the material and process conditions, cannot be avoided (according to DIN 17 611). Alternatively, we recommend powder coating in the colour RAL 9006 (white aluminium).

Type	Colour	Surface	Length mm	Pack m	Weight kg/100 m	Item no.
GA-S70110EL	–	Anodised	2000	12	198.200	**6279203**
GA-S70110RW	Pure white	–	2000	12	198.200	**6279200**




VA

Coupling GA-KUP70

Type	Trunking height mm	Pack PU	Weight kg/100 PUs	Item no.
GA-KUP70	70	1	5.800	**6279701**

Joint connector for connecting the bases of Rapid 80 GA aluminium device installation trunking.
The scope of delivery of a coupling includes 2 connection plates.






PA

Accessory mounting box 71GD6, single

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	**6288610**

Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

7ZE strain relief

PA






Type	Pack Piece	Weight kg/100 pc.	Item no.
7ZE	50	0.700	**6288790**

Strain relief with locking clips, suitable for the accessory mounting boxes 7GD... and 71GD... .
Cable clamping range to 14 mm.

Cover, for device installation trunking Rapid 80

Alu EL



Type	Colour	Surface	Length mm	Pack m	Weight kg/100 m	Item no.
GA-OTRW	Pure white	–	2000	2	38.300	**6279720**
GA-OTEL	–	Anodised	2000	2	38.300	**6279723**

Aluminium cover, for closing Rapid GA device installation duct and ISS service poles with a 76.5 mm system opening. The firm position of the cover and electrical contact to the lower part of the duct and service pole is guaranteed thanks to type RKV3V locking brackets. There are 6 pre-mounted locking brackets included per delivery length (2,000 mm).

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by tolerance based on the material and process conditions, cannot be avoided (according to DIN 17 611). Alternatively, we recommend powder coating in the colour RAL 9006 (white aluminium).

Locking bracket RKV3V

St






Type	Pack Piece	Weight kg/100 pc.	Item no.
RKV3V	20	0.085	**6288700**

Locking bracket for the mechanical and electrical connection of duct covers and duct bases. Suitable for covers of Rapid 45, Rapid 80 and ISS systems.

End piece, for device installation trunking Rapid 80 type GA-S70110

Alu EL






Type	Colour	Surface	Pack Piece	Weight kg/100 pc.	Item no.
GA-E70110EL	–	Anodised	1	11.200	**6279273**
GA-E70110RW	Pure white	–	1	11.200	**6279270**

End piece for tidy closure of the Rapid 80 GA device installation trunking in aluminium.

End piece, for device installation trunking Rapid 80 type GK-70110

PVC PC / ABS






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-E70110RW	Pure white	1	5.009	**6274370**
GK-E70110WA	White aluminium	1	4.900	**6274374**

End piece for closing the GK device installation trunking.

St

Partition GA-TW70

Type	Length mm	Pack m	Weight kg/100 m	Item no.
GA-TW70	2000	2	51.500	6279711






Partition to divide the Rapid 80 GA, Rapid IBIS aluminium device installation trunking and ISS service poles for the installation of different voltage levels.
For vertical mounting of device installation trunking and the installation of ISS service poles, the duct clamps, type KL80A, are required for secure fixing of the partition.

PC / ABS

Duct clamp KL80A

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KL80A	Light grey	20	0.685	6288640






Duct clamp for holding cables securely and for fastening the partition in Rapid 80 GK, GS and GA device installation trunking systems as well as in ISS service poles with a 76.5 mm system opening.

St G

Protective conductor connection bracket

Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
8AWR	Electrogalvanised	10	0.610	6288704






Protective conductor connection bracket to include steel and aluminium device installation trunking, service poles and system components of underfloor duct systems in the protective measure.
Clamping area: 2 x 1.5–4 mm²

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Alu EL


Device installation trunking Rapid 80, trunking width 130, trunking height 70



Type	Colour	Surface	Length mm		Pack m	Weight kg/100 m	Item no.
GA-S70130EL	–	Anodised	2000		12	219.700	**6279303**
GA-S70130RW	Pure white	–	2000		12	219.700	**6279300**


Device installation trunking without base perforation for direct wall mounting or mounting on panels. Over-lengths up to 6,000 mm for trunking bases and covers as well as other RAL colours can be provided on request. The visible surfaces of the painted device installation trunking are laminated.

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by tolerance based on the material and process conditions, cannot be avoided (according to DIN 17 611). Alternatively, we recommend powder coating in the colour RAL 9006 (white aluminium).



Alu EL


Device installation trunking Rapid 80, trunking width 130, trunking height 90, symmetrical



Device installation trunking Without base perforation for direct wall mounting or mounting on panels. Over-lengths up to 6,000 mm for trunking bases and covers as well as other RAL colours can be provided on request. The visible surfaces of the painted device installation trunking are laminated.

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by tolerance based on the material and process conditions, cannot be avoided (according to DIN 17 611). Alternatively, we recommend powder coating in the colour RAL 9006 (white aluminium).

Type	Colour	Surface	Length mm		Pack m	Weight kg/100 m	Item no.
GA-S90130EL	–	Anodised	2000		8	241.300	**6276903**
GA-S90130RW	Pure white	–	2000		8	241.300	**6276900**




VA

Coupling GA-KUP70

Type	Trunking height mm		Pack PU	Weight kg/100 PUs	Item no.
GA-KUP70	70		1	5.800	**6279701**

Joint connector for connecting the bases of Rapid 80 GA aluminium device installation trunking.
The scope of delivery of a coupling includes 2 connection plates.






VA

Coupling GA-KUP90

Type	Trunking height mm		Pack PU	Weight kg/100 PUs	Item no.
GA-KUP90	90		1	8.200	**6279704**

Joint connector for connecting the bases of Rapid 80 GA aluminium device installation trunking.
The scope of delivery of a coupling includes 2 connection plates.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Accessory mounting box 71GD6, single

PA






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	**6288610**

Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.

7ZE strain relief

PA






Type	Pack Piece	Weight kg/100 pc.	Item no.
7ZE	50	0.700	**6288790**

Strain relief with locking clips, suitable for the accessory mounting boxes 7GD... and 71GD... .
Cable clamping range to 14 mm.

Cover, for device installation trunking Rapid 80

Alu EL



Type	Colour	Surface	Length mm	Pack m	Weight kg/100 m	Item no.
GA-OTRW	Pure white	–	2000	2	38.300	**6279720**
GA-OTEL	–	Anodised	2000	2	38.300	**6279723**


Aluminium cover, for closing Rapid GA device installation duct and ISS service poles with a 76.5 mm system opening. The firm position of the cover and electrical contact to the lower part of the duct and service pole is guaranteed thanks to type RKV3V locking brackets. There are 6 pre-mounted locking brackets included per delivery length (2,000 mm).

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by tolerance based on the material and process conditions, cannot be avoided (according to DIN 17 611). Alternatively, we recommend powder coating in the colour RAL 9006 (white aluminium).

End piece, for device installation trunking Rapid 80 type GA-S70130

Alu EL






Type	Colour	Surface	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
GA-E70130EL	–	Anodised	37	1	11.900	**6279373**
GA-E70130RW	Pure white	–	37	1	11.900	**6279370**

End piece for tidy closure of the Rapid 80 GA device installation trunking in aluminium.

End piece, for device installation trunking Rapid 80 type GA-S90130

Alu EL





Type	Colour	Surface	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
GA-E90130EL	–	Anodised	37	1	14.500	**6276973**
GA-E90130RW	Pure white	–	37	1	14.500	**6276970**


End piece for tidy closure of the Rapid 80 GA device installation trunking in aluminium.

PVC

End piece, for device installation trunking Rapid 80 type GK-70130

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-E70130RW	Pure white	1	5.574	**6274570**

End piece for closing the GK device installation trunking.






St

Locking bracket RKV3V

Type	Pack Piece	Weight kg/100 pc.	Item no.
RKV3V	20	0.085	**6288700**

Locking bracket for the mechanical and electrical connection of duct covers and duct bases. Suitable for covers of Rapid 45, Rapid 80 and ISS systems.






St

Partition GA-TW70

Type	Length mm	Pack m	Weight kg/100 m	Item no.
GA-TW70	2000	2	51.500	**6279711**

Partition to divide the Rapid 80 GA, Rapid IBIS aluminium device installation trunking and ISS service poles for the installation of different voltage levels.
For vertical mounting of device installation trunking and the installation of ISS service poles, the duct clamps, type KL80A, are required for secure fixing of the partition.






St

Partition, trunking height 90 mm

Type	Length mm	Pack m	Weight kg/100 m	Item no.
GA-TW90	2000	2	67.300	**6279714**

Partition to divide the Rapid 80 GA and Rapid IBIS aluminium device installation trunking and ISS service poles for the installation of different voltage levels.





PC / ABS

Duct clamp KL80A

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KL80A	Light grey	20	0.685	**6288640**

Duct clamp for holding cables securely and for fastening the partition in Rapid 80 GK, GS and GA device installation trunking systems as well as in ISS service poles with a 76.5 mm system opening.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Protective conductor connection bracket

St G






Type	Surface		Pack Piece	Weight kg/100 pc.	Item no.
8AWR	Electrogalvanised		10	0.610	**6288704**

Protective conductor connection bracket to include steel and aluminium device installation trunking, service poles and system components of underfloor duct systems in the protective measure.
Clamping area: 2 x 1.5–4 mm²

Alu EL


Device installation trunking Rapid 80, trunking width 170, trunking height 70, symmetrical



Device installation trunking without base perforation for direct wall mounting or mounting on panels. Over-lengths up to 6,000 mm for trunking bases and covers as well as other RAL colours can be provided on request. The visible surfaces of the painted device installation trunking are laminated.

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by tolerance based on the material and process conditions, cannot be avoided (according to DIN 17 611). Alternatively, we recommend powder coating in the colour RAL 9006 (white aluminium).

Type	Colour	Surface	Length mm	Pack m	Weight kg/100 m	Item no.
GA-S70170EL	–	Anodised	2000	8	262.900	**6279103**
GA-S70170RW	Pure white	–	2000	8	262.900	**6279100**




VA

Coupling GA-KUP70

Type	Trunking height mm	Pack PU	Weight kg/100 PUs	Item no.
GA-KUP70	70	1	5.800	**6279701**

Joint connector for connecting the bases of Rapid 80 GA aluminium device installation trunking.
The scope of delivery of a coupling includes 2 connection plates.






PA

Accessory mounting box 71GD6, single

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	**6288610**

Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

7ZE strain relief

PA






Type	Pack Piece	Weight kg/100 pc.	Item no.
7ZE	50	0.700	**6288790**

Strain relief with locking clips, suitable for the accessory mounting boxes 7GD... and 71GD... .
Cable clamping range to 14 mm.

Cover, for device installation trunking Rapid 80

Alu EL



Type	Colour	Surface	Length mm	Pack m	Weight kg/100 m	Item no.
GA-OTRW	Pure white	–	2000	2	38.300	**6279720**
GA-OTEL	–	Anodised	2000	2	38.300	**6279723**


Aluminium cover, for closing Rapid GA device installation duct and ISS service poles with a 76.5 mm system opening. The firm position of the cover and electrical contact to the lower part of the duct and service pole is guaranteed thanks to type RKV3V locking brackets. There are 6 pre-mounted locking brackets included per delivery length (2,000 mm).

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by tolerance based on the material and process conditions, cannot be avoided (according to DIN 17 611). Alternatively, we recommend powder coating in the colour RAL 9006 (white aluminium).

Locking bracket RKV3V

St






Type	Pack Piece	Weight kg/100 pc.	Item no.
RKV3V	20	0.085	**6288700**

Locking bracket for the mechanical and electrical connection of duct covers and duct bases. Suitable for covers of Rapid 45, Rapid 80 and ISS systems.

End piece, for device installation trunking Rapid 80 type GA-70170

Alu EL






Type	Colour	Surface	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
GA-E70170EL	–	Anodised	37	1	13.400	**6279473**
GA-E70170RW	Pure white	–	37	1	13.400	**6279470**

End piece for tidy closure of the Rapid 80 GA device installation trunking in aluminium.

End piece, for device installation trunking Rapid 80 type GK-70170

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GK-E70170RW	Pure white	1	6.840	**6274770**

End piece for closing the GK device installation trunking.

St

Partition GA-TW70

Type	Length mm	Pack m	Weight kg/100 m	Item no.
GA-TW70	2000	2	51.500	6279711






Partition to divide the Rapid 80 GA, Rapid IBIS aluminium device installation trunking and ISS service poles for the installation of different voltage levels.
For vertical mounting of device installation trunking and the installation of ISS service poles, the duct clamps, type KL80A, are required for secure fixing of the partition.

PC / ABS

Duct clamp KL80A

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KL80A	Light grey	20	0.685	6288640






Duct clamp for holding cables securely and for fastening the partition in Rapid 80 GK, GS and GA device installation trunking systems as well as in ISS service poles with a 76.5 mm system opening.

St G

Protective conductor connection bracket

Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
8AWR	Electrogalvanised	10	0.610	6288704






Protective conductor connection bracket to include steel and aluminium device installation trunking, service poles and system components of underfloor duct systems in the protective measure.
Clamping area: 2 x 1.5–4 mm²

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Device installation trunking Rapid 80, trunking width 170, trunking height 70, asymmetrical


Alu EL



Type	Colour	Surface	Length mm	Pack m	Weight kg/100 m	Item no.
GA-A70170EL	–	Anodised	2000	8	262.900	**6279403**
GA-A70170RW	Pure white	–	2000	8	262.900	**6279400**

Device installation trunking without base perforation for direct wall mounting or mounting on panels. Over-lengths up to 6,000 mm for trunking bases and covers as well as other RAL colours can be provided on request. The visible surfaces of the painted device installation trunking are laminated.


Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by tolerance based on the material and process conditions, cannot be avoided (according to DIN 17 611). Alternatively, we recommend powder coating in the colour RAL 9006 (white aluminium).



Coupling GA-KUP70

VA






Type	Trunking height mm	Pack PU	Weight kg/100 PUs	Item no.
GA-KUP70	70	1	5.800	**6279701**

Joint connector for connecting the bases of Rapid 80 GA aluminium device installation trunking.
The scope of delivery of a coupling includes 2 connection plates.

Accessory mounting box 71GD6, single

PA





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	**6288610**


Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.

PA

7ZE strain relief

Type		Pack Piece	Weight kg/100 pc.	Item no.
7ZE		50	0.700	6288790

Strain relief with locking clips, suitable for the accessory mounting boxes 7GD... and 71GD... .
Cable clamping range to 14 mm.






Alu EL

Cover, for device installation trunking Rapid 80

Type	Colour	Surface	Length mm		Pack m	Weight kg/100 m	Item no.
GA-OTRW	Pure white	–	2000		2	38.300	6279720
GA-OTEL	–	Anodised	2000		2	38.300	6279723

Aluminium cover, for closing Rapid GA device installation duct and ISS service poles with a 76.5 mm system opening. The firm position of the cover and electrical contact to the lower part of the duct and service pole is guaranteed thanks to type RKV3V locking brackets. There are 6 pre-mounted locking brackets included per delivery length (2,000 mm).

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by tolerance based on the material and process conditions, cannot be avoided (according to DIN 17 611). Alternatively, we recommend powder coating in the colour RAL 9006 (white aluminium).




St

Locking bracket RKV3V

Type		Pack Piece	Weight kg/100 pc.	Item no.
RKV3V		20	0.085	6288700

Locking bracket for the mechanical and electrical connection of duct covers and duct bases. Suitable for covers of Rapid 45, Rapid 80 and ISS systems.






Alu EL

End piece, for device installation trunking Rapid 80 type GA-70170

Type	Colour	Surface	Length mm		Pack Piece	Weight kg/100 pc.	Item no.
GA-E70170EL	–	Anodised	37		1	13.400	6279473
GA-E70170RW	Pure white	–	37		1	13.400	6279470

End piece for tidy closure of the Rapid 80 GA device installation trunking in aluminium.






PVC

End piece, for device installation trunking Rapid 80 type GK-70170

Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
GK-E70170RW	Pure white		1	6.840	6274770

End piece for closing the GK device installation trunking.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Partition GA-TW70

St






Type	Length mm	Pack m	Weight kg/100 m	Item no.
GA-TW70	2000	2	51.500	**6279711**

Partition to divide the Rapid 80 GA, Rapid IBIS aluminium device installation trunking and ISS service poles for the installation of different voltage levels.
For vertical mounting of device installation trunking and the installation of ISS service poles, the duct clamps, type KL80A, are required for secure fixing of the partition.

Duct clamp KL80A

PC / ABS






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KL80A	Light grey	20	0.685	**6288640**

Duct clamp for holding cables securely and for fastening the partition in Rapid 80 GK, GS and GA device installation trunking systems as well as in ISS service poles with a 76.5 mm system opening.

Protective conductor connection bracket

St G






Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
8AWR	Electrogalvanised	10	0.610	**6288704**

Protective conductor connection bracket to include steel and aluminium device installation trunking, service poles and system components of underfloor duct systems in the protective measure.
Clamping area: 2 x 1.5–4 mm²

Alu EL


Device installation trunking Rapid 80, trunking width 170, trunking height 90



Device installation trunking Without base perforation for direct wall mounting or mounting on panels. Over-lengths up to 6,000 mm for trunking bases and covers as well as other RAL colours can be provided on request. The visible surfaces of the painted device installation trunking are laminated.

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by tolerance based on the material and process conditions, cannot be avoided (according to DIN 17 611). Alternatively, we recommend powder coating in the colour RAL 9006 (white aluminium).

Type	Colour	Surface	Length mm	Pack m	Weight kg/100 m	Item no.
GA-A90170RW	Pure white	–	2000	6	284.500	**6279500**
GA-A90170EL	–	Anodised	2000	6	284.500	**6279503**




Alu EL

End piece, for device installation trunking Rapid 80 type GA-90170

Type	Colour	Surface	Pack Piece	Weight kg/100 pc.	Item no.
GA-E90170RW	Pure white	–	1	16.900	**6279570**
GA-E90170EL	–	Anodised	1	16.900	**6279573**

End piece for tidy closure of the Rapid 80 GA device installation trunking in aluminium.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Device installation trunking Rapid 80, trunking width 210, trunking height 90


Alu EL



Type	Colour	Surface	Length mm	Pack m	Weight kg/100 m	Item no.
GA-D90210EL	–	Anodised	2000	6	378.600	**6279603**
GA-D90210RW	Pure white	–	2000	6	378.600	**6279600**

Device installation trunking without base perforation for direct wall mounting or mounting on panels. Over-lengths up to 6,000 mm for trunking bases and covers as well as other RAL colours can be provided on request. The visible surfaces of the painted device installation trunking are laminated.


Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by tolerance based on the material and process conditions, cannot be avoided (according to DIN 17 611). Alternatively, we recommend powder coating in the colour RAL 9006 (white aluminium).



Coupling GA-KUP90

VA






Type	Trunking height mm	Pack PU	Weight kg/100 PUs	Item no.
GA-KUP90	90	1	8.200	**6279704**

Joint connector for connecting the bases of Rapid 80 GA aluminium device installation trunking.
The scope of delivery of a coupling includes 2 connection plates.

Accessory mounting box 71GD6, single

PA





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	**6288610**


Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.

PA

7ZE strain relief

Type		Pack Piece	Weight kg/100 pc.	Item no.
7ZE		50	0.700	6288790

Strain relief with locking clips, suitable for the accessory mounting boxes 7GD... and 71GD... .
Cable clamping range to 14 mm.






Alu EL

Cover, for device installation trunking Rapid 80

Type	Colour	Surface	Length mm		Pack m	Weight kg/100 m	Item no.
GA-OTRW	Pure white	–	2000		2	38.300	6279720
GA-OTEL	–	Anodised	2000		2	38.300	6279723

Aluminium cover, for closing Rapid GA device installation duct and ISS service poles with a 76.5 mm system opening. The firm position of the cover and electrical contact to the lower part of the duct and service pole is guaranteed thanks to type RKV3V locking brackets. There are 6 pre-mounted locking brackets included per delivery length (2,000 mm).

Note:
For anodised device installation trunking and fittings made from aluminium, light colour differences caused by tolerance based on the material and process conditions, cannot be avoided (according to DIN 17 611). Alternatively, we recommend powder coating in the colour RAL 9006 (white aluminium).




St

Locking bracket RKV3V

Type		Pack Piece	Weight kg/100 pc.	Item no.
RKV3V		20	0.085	6288700

Locking bracket for the mechanical and electrical connection of duct covers and duct bases. Suitable for covers of Rapid 45, Rapid 80 and ISS systems.






Alu EL

End piece, for device installation trunking Rapid 80 type GA-90210

Type	Colour	Surface		Pack Piece	Weight kg/100 pc.	Item no.
GA-E90210EL	–	Anodised		1	18.800	6279673
GA-E90210RW	Pure white	–		1	18.800	6279670

End piece for tidy closure of the Rapid 80 GA device installation trunking in aluminium.






St

Partition GA-TW70

Type	Length mm		Pack m	Weight kg/100 m	Item no.
GA-TW70	2000		2	51.500	6279711

Partition to divide the Rapid 80 GA, Rapid IBIS aluminium device installation trunking and ISS service poles for the installation of different voltage levels.
For vertical mounting of device installation trunking and the installation of ISS service poles, the duct clamps, type KL80A, are required for secure fixing of the partition.





Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Partition, trunking height 90 mm

St






Type	Length mm	Pack m	Weight kg/100 m	Item no.
GA-TW90	2000	2	67.300	**6279714**

Partition to divide the Rapid 80 GA and Rapid IBIS aluminium device installation trunking and ISS service poles for the installation of different voltage levels.

Duct clamp KL80A

PC / ABS






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KL80A	Light grey	20	0.685	**6288640**

Duct clamp for holding cables securely and for fastening the partition in Rapid 80 GK, GS and GA device installation trunking systems as well as in ISS service poles with a 76.5 mm system opening.

Protective conductor connection bracket

St G





Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
8AWR	Electrogalvanised	10	0.610	**6288704**

Protective conductor connection bracket to include steel and aluminium device installation trunking, service poles and system components of underfloor duct systems in the protective measure.
Clamping area: 2 x 1.5–4 mm²

A real eye-catcher.
Design device installation trunking






From the outside, the design device installation trunking from OBO only presents a fine front of anodised aluminium whilst, on the inside, it offers plenty of space for accessories. Connectors, power supplies and data and network connections vanish behind the swivellable cover, which is available in three shapes.

- Elegant, anodised aluminium
- Three different trunking covers
- Swivellable cover
- Concealed device installation based on Modul 45®
- Wide range of system accessories

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

GAD design device installation trunking


Alu EL



Type	Surface	Length mm		Pack m	Weight kg/100 m	Item no.
GAD UEL	Anodised	2000		2	292.750	**6115775**

Base to create design device installation trunking of the GAD series. 45 mm system opening for acceptance of Modul 45 switch and connection devices and appropriate PVC and aluminium covers of the Rapid 45 series. The trunking base can be completed with trunking covers in the "Swing", "Soft" or "Style" design. The GAD OTA cover adapters are essential and must be planned on the trunking section with a max. spacing of 50 cm. A GAD OTD spacer must be placed between the trunking covers. In the as-delivered state, the 45 mm system is closed off with a black trunking cover.


Standard version in anodised aluminium, different decoration on request.



Swing trunking cover, design trunking

Alu EL





Type	Surface	Length mm		Pack Piece	Weight kg/100 pc.	Item no.
OT GAD Swing EL	Anodised	1000		1	126.100	**6115825**


Trunking cover to create a design device installation trunking of the GAD series. "Swing" design version for complete coverage of the system opening and the switching and plug-in devices. The GAD OTA cover adapters are essential and must be planned on the trunking section with a max. spacing of 50 cm. A GAD OTD spacer must be placed between the trunking covers.

Standard version in anodised aluminium, different decoration on request.

Soft trunking cover, design trunking

Alu EL





Type	Surface	Length mm		Pack Piece	Weight kg/100 pc.	Item no.
OT GAD Soft EL	Anodised	1000		1	124.900	**6115835**


Trunking cover to create a design device installation trunking of the GAD series. "Soft" design version for complete coverage of the system opening and the switching and plug-in devices. The GAD OTA cover adapters are essential and must be planned on the trunking section with a max. spacing of 50 cm. A GAD OTD spacer must be placed between the trunking covers.

Standard version in anodised aluminium, different decoration on request.

Alu EL

Style trunking cover, design trunking

Type	Surface	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
OT GAD Style EL	Anodised	1000	1	125.000	**6115845**






Trunking cover to create a design device installation trunking of the GAD series. "Style" design version for complete coverage of the system opening and the switching and plug-in devices. The GAD OTA cover adapters are essential and must be planned on the trunking section with a max. spacing of 50 cm. A GAD OTD spacer must be placed between the trunking covers.

Standard version in anodised aluminium, different decoration on request.

Alu EL

External corner, design trunking

Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
GAD AEL	Anodised	1	233.000	**6115789**






External corner base to create a design device installation trunking of the GAD series. 45 mm system opening for acceptance of Modul 45 switch and connection devices and appropriate PVC and aluminium covers of the Rapid 45 series. The fitting can be completed with fitting covers in the "Swing", "Soft" or "Style" design. The GAD OTA cover adapters are essential. A GAD OTD spacer must be placed between the trunking covers.

Standard version in anodised aluminium, different decoration on request.

Alu EL

External corner cover, Swing

Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
OT A Swing EL	Anodised	1	105.900	**6115851**






Trunking cover for the external corner of the design device installation trunking of the GAD series. "Swing" design version for complete coverage of the system opening and the switching and plug-in devices.

Standard version in anodised aluminium, different decoration on request.

Alu EL

External corner cover, Soft

Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
OT A Soft EL	Anodised	1	104.600	**6115855**






Trunking cover for the external corner of the design device installation trunking of the GAD series. "Soft" design version for complete coverage of the system opening and the switching and plug-in devices.

Standard version in anodised aluminium, different decoration on request.

Alu EL

External corner cover, Style

Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
OT A Style EL	Anodised	1	104.300	**6115865**





Trunking cover for the external corner of the design device installation trunking of the GAD series. "Style" design version for complete coverage of the system opening and the switching and plug-in devices.


Standard version in anodised aluminium, different decoration on request.


Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Internal corner, design trunking

Alu EL





Type	Surface		Pack Piece	Weight kg/100 pc.	Item no.
GAD IEL	Anodised		1	183.000	**6115795**


Internal corner base to create a design device installation trunking of the GAD series. 45 mm system opening for acceptance of Modul 45 switch and connection devices and appropriate PVC and aluminium covers of the Rapid 45 series. The fitting can be completed with fitting covers in the "Swing", "Soft" or "Style" design. The GAD OTA cover adapters are essential. A GAD OTD spacer must be placed between the trunking covers.

Standard version in anodised aluminium, different decoration on request.

Internal corner cover, Swing

Alu EL





Type	Surface		Pack Piece	Weight kg/100 pc.	Item no.
OT I Swing EL	Anodised		1	45.500	**6115875**


Trunking cover for the internal corner of the design device installation trunking of the GAD series. "Swing" design version for complete coverage of the system opening and the switching and plug-in devices.

Standard version in anodised aluminium, different decoration on request.

Internal corner cover, Soft

Alu EL





Type	Surface		Pack Piece	Weight kg/100 pc.	Item no.
OT I Soft EL	Anodised		1	46.200	**6115885**


Trunking cover for the internal corner of the design device installation trunking of the GAD series. "Soft" design version for complete coverage of the system opening and the switching and plug-in devices.

Standard version in anodised aluminium, different decoration on request.

Internal corner cover, Style

Alu EL






Type	Surface		Pack Piece	Weight kg/100 pc.	Item no.
OT I Style EL	Anodised		1	45.500	**6115895**

Trunking cover for the internal corner of the design device installation trunking of the GAD series. "Style" design version for complete coverage of the system opening and the switching and plug-in devices.

End piece, Swing, left

Alu EL





Type	Surface		Pack Piece	Weight kg/100 pc.	Item no.
GAD EL Swing EL	Anodised		1	16.100	**6115915**

End piece for design device installation trunking of the GAD series. "Swing" design version. The end piece can only be used for closing on the left side.


Standard version in anodised aluminium, different decoration on request.

Alu EL

End piece, Swing, right

Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
GAD ER Swing EL	Anodised	1	16.100	**6115925**

End piece for design device installation trunking of the GAD series. "Swing" design version. The end piece can only be used for closing on the right side.
Standard version in anodised aluminium, different decoration on request.






Alu EL

End piece, Soft, left

Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
GAD EL Soft EL	Anodised	1	15.600	**6115935**

End piece for design device installation trunking of the GAD series. "Soft" design version. The end piece can only be used for closing on the left side.
Standard version in anodised aluminium, different decoration on request.






Alu EL

End piece, Soft, right

Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
GAD ER Soft EL	Anodised	1	15.600	**6115945**

End piece for design device installation trunking of the GAD series. "Soft" design version. The end piece can only be used for closing on the right side.
Standard version in anodised aluminium, different decoration on request.






Alu EL

End piece, Style, left

Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
GAD EL Style EL	Anodised	1	16.200	**6115955**

End piece for design device installation trunking of the GAD series. "Style" design version. The end piece can only be used for closing on the left side.
Standard version in anodised aluminium, different decoration on request.






Alu EL

End piece, Style, right

Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
GAD ER Style EL	Anodised	1	16.200	**6115965**

End piece for design device installation trunking of the GAD series. "Style" design version. The end piece can only be used for closing on the right side.
Standard version in anodised aluminium, different decoration on request.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Cover adapter GAD OTA

PA






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GAD OTA	Graphite black	5	0.626	**6115975**

Cover adapter for mounting on trunking bases and fittings of the GAD and Rapid IBIS design device installation trunking series. The cover adapter can be pushed into a guide on the base and is used to accept the trunking cover and keep it at the desired spacing. It is also used for bundled cable exits and can be moved into the lengthwise direction. A maximum spacing of 500 mm between the cover adapters must be maintained.

Spacer

PA






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
GAD OTD RW	Pure white	10	0.008	**6115980**
GAD OTD LGR	Light grey	10	0.008	**6115982**
GAD OTD SW	Graphite black	10	0.008	**6115985**

Spacer for insertion between the trunking covers of the GAD design device installation trunking series. The spacer ensures secure maintenance of a minimum spacing between trunking covers.

Stabiliser plate

St






Type		Pack Piece	Weight kg/100 pc.	Item no.
GAD SB		10	2.000	**6115995**

Stabiliser plate for the stabilisation of the system opening of the GAD design device installation trunking series. The panel is placed in the trunking base and supports the acceptance of covers and ensures a secure hold of the devices.

Protective conductor connection bracket

St G






Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
8AWR	Electrogalvanised	10	0.610	**6288704**

Protective conductor connection bracket to include steel and aluminium device installation trunking, service poles and system components of underfloor duct systems in the protective measure.
Clamping area: 2 x 1.5–4 mm²

Partition for WDK trunking, trunking height 40 mm

PVC






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2371 40	Light grey	2000	60	13.500	**6023096**

Partition to divide the WDK trunking, with 40 mm trunking height, and various ISS service poles for the installation of different voltage levels.
The partitions are pinned on the connectors in the base.

Fastening panels

St FS





Type	Version	Pack Piece	Weight kg/100 pc.	Item no.
BKN50 80	53–83 mm	1	50.000	**6288001**
BKN75 125	78–127 mm	1	57.000	**6288003**
BKN120 205	120–205 mm	1	68.000	**6288005**
BKN200 350	198–351 mm	1	89.000	**6288007**


Fastening panel for mounting device installation trunking on skirting board constructions and as a support for the convection grid. The fastening panel can be used for all Rapid 80 device installation trunking systems of type GK, GS and GA. When mounting plastic GK device installation trunking, the matching wall panel adapter is also required. The connection profile is required for mounting double trunking of type GS-D70170 and GS-D90170, as well as for GS trunking with a nominal width of 210 mm.

Simply place the grid lamella on the lamella holders.

Wall panel adapter KS70170 for GK plastic, trunking width 170 mm

St FS






Type	for duct dimension	Pack Piece	Weight kg/100 pc.	Item no.
KS70170	70x170 mm	1	34.300	**6279806**

Wall panel adapter for mounting the GK70170 device installation trunking on fastening panels.

Profile connector, horizontal

PP





Type	Length mm	Number of profiles	Pack Piece	Weight kg/100 pc.	Item no.
PV N3 50H	50	2	1	0.730	**6288100**


Horizontal profile connector with guide slits to lock convection grid profiles. The profile connector is mounted on the fastening panel using the clamp, type SP3.

Simply place the grid lamella on the lamella holders.

Clamp

St FS





Type	Pack Piece	Weight kg/100 pc.	Item no.
SP3	10	0.260	**6279800**


Clamp to lock supports between the convection grid and the fixing panel.

Suitable for fixing panels for windowsill thickness 23.5 mm

Convection grid profile

Alu






Type	Colour	Surface	Length mm	Pack m	Weight kg/100 m	Item no.
KG2RW	Pure white	–	2000	40	23.100	**6287700**

Sloping convection grid, for optically attractive closing of spaces between the device installation trunking and the wall. The convection grid profiles are suitable for horizontal and vertical mounting.

Coupling pin 8VS4

Type		Pack Piece	Weight kg/100 pc.	Item no.
8VS4		100	0.740	**6287810**

Coupling pin to connect convection grid profiles.
Simply place the grid lamella on the lamella holders.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

PVC wall cover, open, 70110

ABS/ASA






Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
G-KWAO70110RW	Pure white		1	6.300	6274810

Wall cover, open, to close wall penetrations during wall mounting.

PVC wall cover, open, 70130

ABS/ASA






Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
G-KWAO70130RW	Pure white		1	6.500	6274820

Wall cover, open, to close wall penetrations during wall mounting.

Strain relief, type 2390/Z8

PVC






Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
2390/Z8	Stone grey		5	0.500	6270727

Strain relief for extensions to accessory mounting boxes
Strain relief suitable for accessory mounting box 2390/8T...

Skirting trunking




Skirting trunking

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Floor trunking, type 2650

PVC




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2650	Stone grey	2000	36	43.000	6020801

Trunking cover and base with base perforation.



Service poles



Service poles



Floor-ceiling service poles 252



Floor service poles 272



Accessories, service poles 280

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21



ISS service pole systems

In modern offices, technology must be completely flexible and also aesthetically pleasing. The solution: OBO's service pole systems. They allow free positioning of power supply points near workstations. The location can be changed at any time. This gives both users and architects the greatest possible freedom. In open-plan offices and administrative buildings, as well as in cash desk areas of shops or in production facilities, they provide more order. ISS service pole systems fulfil all the technical and architectural requirements of modern cable routing and make an active contribution to the interior architecture.









Alu EL

Service pole, type ISST70140

Type	Colour	Surface	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
ISST70140EL	–	Anodised	3006	1	820.000	**6288933**
ISST70140RW	Pure white	–	3006	1	820.000	**6288930**



ISS twin aluminium service pole with a 76.5 mm system opening.
Set consists of:
1 single-compartment column with clamping attachment
Total length: 3,315–3,480 mm
1 single-compartment pole with clamping device
1 trunking installation profile
Length 1,000 mm
1 aluminium cover
Length: 1,000 mm
The area for device installation is suitable for accepting front-locking accessory mounting boxes of the series 71GD...
The service pole is pre-mounted and ready for use immediately. The following accessories can be used, depending on the mounting situation.



Always indicate the item number when ordering.


Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Floor-ceiling service poles, aluminium

Floor plate for ISSOG70140

St FSK






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ISSBP70140RW	Pure white	1	18.500	**6290120**
ISSBP70140WA	White aluminium	1	18.500	**6290124**

Floor plate with 30 mm visible edge and four fastening holes Ø 8.5 mm. The floor plate is suitable for mounting service poles of type ISST70140, ISSOG70140 and ISST70140B.

Adapter stabiliser for ISST70140

St FSK






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ISSZ70140	Pure white	1	8.000	**6290160**

Adapter stabiliser for additional stiffening of the twin profiles. Suitable for mounting on the service poles of type ISST70140 and ISST70140B.

Rubber support for ISSOG70140

GUM






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ISSGU70140	Black	1	5.000	**6290174**

Rubber support for slip-free fastening of the floor to ceiling service pole. The rubber support is suitable for installing the service poles of type ISST70140, ISSO70140 and ISST70140B.

Ceiling panel for ISST70140

St






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
WAG70140TRW	Pure white	1	28.600	**6290200**

Ceiling rosette for tidy closure of the pole penetration in the ceiling. Suitable for service poles, type ISST70140 and ISST70140B.


Alu EL

Service pole, type ISST70140B

Type	Colour	Surface	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
ISST70140BEL	–	Anodised	3006	1	860.000	**6290013**
ISST70140BRW	Pure white	–	3006	1	860.000	**6290010**



ISS twin aluminium service pole with a 76.5 mm system opening.
Set consists of:
1 single-compartment column with clamp fastening
Total length: 3,315 mm–3,480 mm
1 fastening option for lighting
1 ceiling fastening with clamping device
1 trunking installation profile
Length: 1,000 mm
1 aluminium cover
Length: 1,000 mm
The area for device installation is suitable for accepting front-locking accessory mounting boxes of the series 71GD... The panel to fasten luminaires is attached at a height of 1,850 mm and its own height is 148 mm. It is possible to create various kinds of workplace or general room lighting using the standard wall brackets from lighting manufacturers.
The service pole is pre-mounted and ready for use immediately. The following accessories can be used, depending on the mounting situation.



Always indicate the item number when ordering.


Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Floor-ceiling service poles, aluminium

Floor plate for ISSOG70140

St FSK






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ISSBP70140RW	Pure white	1	18.500	**6290120**
ISSBP70140WA	White aluminium	1	18.500	**6290124**

Floor plate with 30 mm visible edge and four fastening holes Ø 8.5 mm. The floor plate is suitable for mounting service poles of type ISST70140, ISSOG70140 and ISST70140B.

Adapter stabiliser for ISST70140

St FSK






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ISSZ70140	Pure white	1	8.000	**6290160**

Adapter stabiliser for additional stiffening of the twin profiles. Suitable for mounting on the service poles of type ISST70140 and ISST70140B.

Fastening bracket for ISST70140

St FSK






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ISSBW70140RW	Pure white	1	8.500	**6290150**

Fixing bracket for wall fastening of the twin service pole. Suitable for installation on the service poles of type ISST70140 and ISST70140B.

Rubber support for ISSOG70140

GUM






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ISSGU70140	Black	1	5.000	**6290174**

Rubber support for slip-free fastening of the floor to ceiling service pole. The rubber support is suitable for installing the service poles of type ISST70140, ISSO70140 and ISST70140B.

Ceiling panel for ISST70140

St





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
WAG70140TRW	Pure white	1	28.600	**6290200**


Ceiling rosette for tidy closure of the pole penetration in the ceiling. Suitable for service poles, type ISST70140 and ISST70140B.

St FSK

Floor plate for ISSOG70140

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ISSBP70140WA	White aluminium	1	18.500	**6290124**
ISSBP70140RW	Pure white	1	18.500	**6290120**

Floor plate with 30 mm visible edge and four fastening holes Ø 8.5 mm. The floor plate is suitable for mounting service poles of type ISST70140, ISSOG70140 and ISST70140B.






GUM

Rubber support for ISSOG70140

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ISSGU70140	Black	1	5.000	**6290174**

Rubber support for slip-free fastening of the floor to ceiling service pole. The rubber support is suitable for installing the service poles of type ISST70140, ISSO70140 and ISST70140B.






St

Ceiling rosette for ISSOG70140

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
WAG70140O	Pure white	1	23.400	**6290260**

Ceiling rosette for tidy closure of the pole penetration in the ceiling. Suitable for service pole, type ISSO70140.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Floor-ceiling service poles, aluminium


Service pole, type ISS70110

Alu



Type	Colour	Surface	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
ISS70110RW	Pure white	–	3003	1	750.000	**6288940**

ISS aluminium service pole with a 76.5 mm system opening.
Set consists of:
1 single-compartment pole with clamping fastening
Total length 3,315–3,480 mm
1 ceiling attachment with clamp
1 aluminium cover
Length: 3,000 mm
The service pole is suitable for accepting front-locking accessory mounting boxes
of the series 71GD... Optionally, a partition, type TW (6288256), and
installation of a cover clip, type KL80A (6288640), are possible.
The service pole is pre-mounted and ready for use immediately. The following accessories can be used, depending on the mounting situation.




St

Partition GA-TW70

Type	Length mm	Pack m	Weight kg/100 m	Item no.
GA-TW70	2000	2	51.500	**6279711**

Partition to divide the Rapid 80 GA, Rapid IBIS aluminium device installation trunking and ISS service poles for the installation of different voltage levels.
For vertical mounting of device installation trunking and the installation of ISS service poles, the duct clamps, type KL80A, are required for secure fixing of the partition.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Floor-ceiling service poles, aluminium


Service pole, type ISS140110

Alu EL



Type	Colour	Surface	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
ISS140110EL	–	Anodised	3006	1	1,710.000	**6288963**

ISS aluminium service pole with a 76.5 mm system opening.
Set consists of:
1 two-compartment pole with clamping fastening
Total length 3,315–3,480 mm
1 ceiling attachment with clamp
2 aluminium covers
Length: 3,000 mm
The service pole is suitable for accepting front-locking accessory mounting boxes
of the series 71GD... Optionally, a partition, type TW (6288256), and mounting of a cover clip, type KL80A (6288640), are possible.
The service pole is pre-mounted and ready for use immediately. The following accessories can be used, depending on the mounting situation.




St

Partition GA-TW70

Type	Length mm	Pack m	Weight kg/100 m	Item no.
GA-TW70	2000	2	51.500	**6279711**

Partition to divide the Rapid 80 GA, Rapid IBIS aluminium device installation trunking and ISS service poles for the installation of different voltage levels.
For vertical mounting of device installation trunking and the installation of ISS service poles, the duct clamps, type KL80A, are required for secure fixing of the partition.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Floor-ceiling service poles, aluminium

Service pole, type ISSRM45

Alu EL



Type	Colour	Surface	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
ISSRM45EL	–	Anodised	3006	1	510.000	**6290087**
ISSRM45RW	Pure white	–	3006	1	510.000	**6290086**

ISS aluminium service pole with a 45 mm system opening.
Set consists of:
1 one-compartment pole with clamping fastening
Total length: 3,315 mm–3,480 mm
1 ceiling attachment with clamping device
1 aluminium cover
Length 3, 000 mm
The design of this ISS service pole is based on an extremely slender, round aluminium profile, which has a smooth cover of the Rapid 45 device installation trunking series as its front side. The 45 mm system opening is suitable for direct acceptance of Modul 45® switching and connection devices.




GUM

Rubber support for ISSRM45

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ISSRGU	Black	1	1.450	**6290178**

Rubber support for slip-free fastening of the floor-ceiling service pole ISSRM45.






St

Ceiling panel for ISSRM45

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
WAGRM45	Pure white	1	12.900	**6290264**

Closed ceiling rosette for tidy closure of the ceiling gland of the service poles, type ISSRM45.






PVC

Partition for WDK trunking, trunking height 40 mm

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2371 40	Light grey	2000	60	13.500	**6023096**

Partition to divide the WDK trunking, with 40 mm trunking height, and various ISS service poles for the installation of different voltage levels.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Floor-ceiling service poles, aluminium


Service pole, type ISSRM45F

Alu EL



Type	Colour	Surface	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
ISSRM45FRW	Pure white	–	2306	1	380.000	**6290095**
ISSRM45FEL	–	Anodised	2306	1	380.000	**6290097**

ISS aluminium service pole with a flexible hose to the ceiling and a 45 mm system opening.
Set consisting of:
1 one-compartment pole with flexible hose to ceiling
Total length: 2,300 mm
1 flexible hose, length: 1,500 mm
1 aluminium cover
Length: 2,300 mm
The design of this ISS service pole is based on an extremely slender, round aluminium profile, which has a smooth cover of the Rapid 45 device installation trunking series as its front side. The 45 mm system opening is suitable for direct acceptance of Modul 45® switching and connection devices.
The floor plate as a stand, type SFISSF, and the hose connection to the ceiling, type SAISSF, should be ordered separately (see articles below).




St

Floor plate for ISSRM45F

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
SFISSFRW	Pure white	1	600.000	**6290196**
SFISSFWAL	White aluminium	1	600.000	**6290197**

Floor plate as stand for service poles with hose to ceiling, type ISS110100F, 140100F and ISSRM45F.






St

Hose connection for ISSRM45F

Type	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SAISSF	80	1	14.000	**6290198**

Hose connection as ceiling attachment for service poles with hose to ceiling, type ISS110100F and 140100F.






St

Ceiling panel for ISSRM45F

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
DAB-F RW	Pure white	1	20.700	**6290269**

Ceiling rosette for tidy closure of the penetration of the flexible hose in the ceiling.






PVC

Partition for WDK trunking, trunking height 40 mm

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2371 40	Light grey	2000	60	13.500	**6023096**

Partition to divide the WDK trunking, with 40 mm trunking height, and various ISS service poles for the installation of different voltage levels.






Floor-ceiling service poles, aluminium

St

Floor plate for ISSRM45F

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
SFISSFRW	Pure white	1	600.000	**6290196**
SFISSFWAL	White aluminium	1	600.000	**6290197**

Floor plate as stand for service poles with hose to ceiling, type ISS110100F, 140100F and ISSRM45F.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Floor-ceiling service poles, aluminium

Hose connection for ISSRM45F

St






Type	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SAISSF	80	1	14.000	**6290198**

Hose connection as ceiling attachment for service poles with hose to ceiling, type ISS110100F and 140100F.

Ceiling panel for ISSRM45F

St






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
DAB-F RW	Pure white	1	20.700	**6290269**

Ceiling rosette for tidy closure of the penetration of the flexible hose in the ceiling.


Alu EL

Service pole, type ISSDM45

Type	Colour	Surface	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
ISSDM45EL	–	Anodised	3009	1	1,172.000	**6289972**
ISSDM45RW	Pure white	–	3009	1	1,172.000	**6289970**



ISS aluminium service pole with a 45 mm system opening.
Set consisting of:
1 two-compartment pole with clamping fastening
Total length: 3,315–3,480 mm
1 ceiling attachment with clamp
2 aluminium covers, length 3,000 mm
The clamp which is attached to the top of the ISS service pole can be variably adjusted from 300 to 500 mm. Possible colour options are aluminium anodised or pure white. The pole is based on a slender, oval aluminium profile. There are two 45 mm system openings on opposite sides for direct installation of Module 45® devices.



Always indicate the item number when ordering.


Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Floor-ceiling service poles, aluminium

Rubber support for ISSDM45R

GUM






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ISSGUDM45	Black	1	4.600	**6290372**

Rubber support for slip-free fastening of the floor-ceiling service pole, type ISSDM45.

Ceiling panel for ISSDM45R

St




Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
WAGDM45	Pure white	1	46.800	**6290387**

Ceiling rosette for tidy closure of the pole penetration, type ISSDM45, in the ceiling.

Partition for WDK trunking, trunking height 40 mm

PVC






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2371 40	Light grey	2000	60	13.500	**6023096**

Partition to divide the WDK trunking, with 40 mm trunking height, and various ISS service poles for the installation of different voltage levels.


Alu EL


Service pole, type ISSDM45F

Type	Colour	Surface	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
ISSDM45FRW	Pure white	–	2306	1	871.000	**6289974**
ISSDM45FEL	–	Anodised	2306	1	871.000	**6289976**



ISS aluminium service pole with a 45 mm system opening.
Set consists of:
1 two-compartment pole with two flexible hoses to the ceiling
Total length of the aluminium profile: 2,300 mm
2 aluminium covers, length 2,300 mm
Colour options are pure white or aluminium anodised. There are two 45 mm system openings on opposite sides for direct installation of Module 45® devices. The floor plate as a stand, type SFISSF, and the hose connection to the ceiling, type SAISSF, should be ordered separately (see articles below).





Always indicate the item number when ordering.


Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Floor-ceiling service poles, aluminium

Floor plate for ISSRM45F

St






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
SFISSFRW	Pure white	1	600.000	**6290196**
SFISSFWAL	White aluminium	1	600.000	**6290197**

Floor plate as stand for service poles with hose to ceiling, type ISS110100F, 140100F and ISSRM45F.

Hose connection for ISSRM45F

St






Type	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SAISSF	80	1	14.000	**6290198**

Hose connection as ceiling attachment for service poles with hose to ceiling, type ISS110100F and 140100F.

Ceiling panel for ISSDM45F

St






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
DAB-2F	Pure white	1	27.100	**6290382**

Ceiling rosette for tidy closure of the penetration of the flexible hoses in the ceiling.

Partition for WDK trunking, trunking height 40 mm

PVC





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2371 40	Light grey	2000	60	13.500	**6023096**

Partition to divide the WDK trunking, with 40 mm trunking height, and various ISS service poles for the installation of different voltage levels.


Alu EL

Service pole, type 130130

Type	Colour	Surface	Length mm		Pack Piece	Weight kg/100 pc.	Item no.
ISS130130EL	–	Anodised	3013		1	100.000	**6289405**



Aluminium floor/ceiling service pole (surface anodised or powder-coated in RAL 9010) with two 76.5 mm system openings to accommodate accessory mounting boxes in the 71GD… series or for the installation of switching and connection devices.




Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.


Service pole, type ISSHS4

St



Type	Colour	Number of compartments pc.	Pack Piece	Weight kg/100 pc.	Item no.
ISSHS4 61OT3RW	Pure white	4	1	1,050.000	**6286700**
ISSHS4 61OT3LGR	Light grey	4	1	1,108.000	**6286702**


ISS sheet steel service pole with a 76.5 mm system opening on four sides.
Empty, fittable from all four sides with six standard devices (socket, telephone, etc.) on each side, max. 24 devices. Fastening possible directly on the floor. Accessory mounting boxes to be ordered separately. The service pole is suitable for accepting front locking accessory mounting boxes of the series 71GD....



Protective frame for ISSHS4

St





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ISSHS4SR40	Jet black	1	69.400	**6286810**

Protective frame for ISSHS4 service pole for mechanical protection of the columns in the foot area.


Alu EL

Service pole, type ISSHS140250

Type	Colour	Surface	Number of compart-ments pc.	Pack Piece	Weight kg/100 pc.	Item no.
ISSHS140250RW	Pure white	–	2	1	175.000	**6290020**
ISSHS140250EL	–	Anodised	2	1	175.000	**6290023**



ISS aluminium service pole, 2-compartment, with a 76.5 mm system opening.
Empty, equippable with standard devices (socket, telephone, etc.), max. 4 devices.
Direct fastening on floor possible. Accessory mounting boxes to be ordered separately.
The service pole is suitable for accepting front locking accessory mounting boxes of the series 71GD.... The installation of a partition of type GA-TW (6279711) and the installation of the cover clip, type KL80A, are possible as an option.




Always indicate the item number when ordering.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Service pole, type ISSHS140500


Alu EL



Type	Colour	Surface	Number of compartments pc.	Pack Piece	Weight kg/100 pc.	Item no.
ISSHS140500RW	Pure white	–	2	1	302.000	**6290030**
ISSHS140500EL	–	Anodised	2	1	354.800	**6290033**

ISS aluminium service pole, 2-compartment, with a 76.5 mm system opening.
Empty, equippable with standard devices (socket, telephone, etc.), max. 8 devices.
Direct fastening on floor possible. Accessory mounting boxes to be ordered separately.
The service pole is suitable for accepting front locking accessory mounting boxes of the series 71GD.... The installation of a partition of type GA-TW (6279711) and the installation of the cover clip, type KL80A, are possible as an option.






Alu EL

Service pole, type ISSHS140700

Type	Colour	Surface	Number of compart-ments pc.	Pack Piece	Weight kg/100 pc.	Item no.
ISSHS140700RW	Pure white	–	2	1	466.000	**6290040**
ISSHS140700EL	–	Anodised	2	1	466.000	**6290043**



ISS aluminium service pole, 2-compartment, with a 76.5 mm system opening.
Empty, equippable with standard devices (socket, telephone, etc.), max. 10 devices.
Direct fastening on floor possible. Accessory mounting boxes to be ordered separately.
The service pole is suitable for accepting front locking accessory mounting boxes of the series 71GD.... The installation of a partition of type GA-TW (6279711) and the installation of the cover clip, type KL80A, are possible as an option.



Always indicate the item number when ordering.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Service pole, type ISSHS6

Alu EL



Type	Colour	Surface	Number of compart-ments pc.		Pack Piece	Weight kg/100 pc.	Item no.
ISSHS6EL	–	Anodised	6		1	720.000	**6290073**


ISS service pole centre.
Empty, can be equipped from all four sides with standard devices (socket, telephone, etc.). Two sides of the installation centre can be equipped in two compartments, the other two sides in one. Each installation compartment can accept 5 devices, the entire installation centre accepts max. 30 devices. Direct fastening on floor possible. Accessory mounting boxes to be ordered separately.
The service pole is suitable for accepting front locking accessory mounting boxes of the series 71GD.... The installation of a partition of type GA-TW (6279711) and the installation of the cover clip, type KL80A, are possible as an option.




Alu EL


Service pole, type ISSRHSM45

Type	Colour	Surface	Number of compart-ments pc.	Pack Piece	Weight kg/100 pc.	Item no.
ISSRHSM45RW	Pure white	–	1	1	135.000	**6290090**
ISSRHSM45EL	–	Anodised	1	1	135.000	**6290091**



ISS aluminium service pole with a 45 mm system opening.
Set consists of:
1 one-compartment pole with stand
Total length: 675 mm
1 aluminium cover
Length: 670 mm
The design of this ISS service pole is based on an extremely slender, round aluminium profile, which has a smooth cover of the Rapid 45 device installation trunking series as its front side. The 45 mm system opening is suitable for direct acceptance of Modul 45® switching and connection devices. The installation compartment is theoretically sufficient for 14 Modul 45® devices. If Modul 45connect® is used or in the case of cabling requiring a lot of space, the number of the max. installable devices is reduced. There is the option to install a partition, type 2371/40 (6023096).






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.


Service pole, type ISSDHSM45


Alu EL



Type	Colour	Surface	Number of compart-ments pc.	Pack Piece	Weight kg/100 pc.	Item no.
ISSDHSM45RW	Pure white	–	2	1	281.500	**6289980**
ISSDHSM45EL	–	Anodised	2	1	281.500	**6289982**

ISS service pole made from aluminium with 45 mm system opening for the direct installation of Modul 45 switching and connection devices.
Pole consists of:
1 two-compartment pole with stand
Total length 675 mm
2 aluminium covers
Length 670 mm
The design of this service pole is based on an extremely narrow, oval aluminium profile which shows on both narrow sides of the oval a cover of the Rapid 45 device installation trunking series. The 45 mm system opening is suitable for direct acceptance of Modul 45® switching and connection devices. The installation area is theoretically sufficient for 2 x 14 Modul 45® devices. If Modul 45connect® is used or in the case of cabling requiring a lot of space, the number of the max. installable devices is reduced. There is the option to install a partition, type 2371/40 (6023096).






Accessory mounting box 71GD6, single

PA






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	6288610

Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.

Accessory mounting box 71GD7-2, double

PA





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD7-2	Iron grey	2	8.200	6288608


Front locking accessory mounting box for standard switch ranges for the installation of two individual installation devices or a multiple protective contact socket. With unfolding, and also removable, base for time-saving cable connection and with feed openings for cable diameters of up to 14 mm. Halogen-free version.

Vertical fastening track 60 mm.

Accessory mounting box 71GD8-2, single, for Modul 45®

PA






Type	Pack Piece	Weight kg/100 pc.	Item no.
71GD8-2	1	5.900	6288569

Front locking single accessory mounting box for Modul 45® system, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm.

Accessory mounting box 71GD13, double, for Modul 45®

PA






Type	Pack Piece	Weight kg/100 pc.	Item no.
71GD13	1	11.000	6288583

Front locking double accessory mounting box for Modul 45® system, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm.

Accessory mounting box 71GD9, triple, for Modul 45®

PA





Type	Pack Piece	Weight kg/100 pc.	Item no.
71GD9-2	1	11.600	6288579


Front locking triple accessory mounting box for Modul 45® system, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm.

St G

Protective conductor connection bracket

Type	Surface	Pack Piece	Weight kg/100 pc.	Item no.
8AWR	Electrogalvanised	10	0.610	**6288704**

Protective conductor connection bracket to include steel and aluminium device installation trunking, service poles and system components of underfloor duct systems in the protective measure.
Clamping area: 2 x 1.5–4 mm²






St

Locking bracket RKV3V

Type	Pack Piece	Weight kg/100 pc.	Item no.
RKV3V	20	0.085	**6288700**

Locking bracket for the mechanical and electrical connection of duct covers and duct bases. Suitable for covers of Rapid 45, Rapid 80 and ISS systems.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Connectable connection technology, Wieland GST18®, WAGO WINSTA®



Connectable connection technology, Wieland GST18®, WAGO WINSTA®



Connect WAGO WINSTA® 290



Sockets, Modul 45connect® 294


Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Adapter

Modul 45connect® connector part adapter

PA






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
STA-SKS SU1 SW	Black	10	1.190	**6117196**

Connector part adapter, U-shaped, for connection to an STD-D0C / STD-D3C or STD-F0C / STD-F3C socket from the side, for VL extension cable with Wieland connector GST 18i 3p.

Modul 45connect® connector part adapter

PA






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
STA-SKS SU1 W	White	10	1.190	**6117197**

Connector part adapter, U-shaped, for connection to an STD-D0C / STD-D3C or STD-F0C / STD-F3C socket from the side, for VL extension cable with Wieland connector GST 18i 3p.

Modul 45connect® connector

PA






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
VB-SKS S	Black	10	0.590	**6117198**

Connection adapter for combining STD-D0C / STD-D3C or STD-F0C / STD-F3C sockets.

Connection cables

3-wire connection cable, halogen-free, cross-section 2.5 mm², black






Type	Cable length mm	Cross-section mm²	Number of poles	Colour	Pack Piece	Weight kg/100 pc.	Item no.
VL-3Q2.5 H1 SW	1000	2.5	3	Black	1	16.000	**6108450**
VL-3Q2.5 H3 SW	3000	2.5	3	Black	1	48.000	**6108452**
VL-3Q2.5 H5 SW	5000	2.5	3	Black	1	80.000	**6108454**
VL-3Q2.5 H8 SW	8000	2.5	3	Black	1	128.000	**6108457**
VL-3Q2.5 H10 SW	10000	2.5	3	Black	1	160.000	**6108459**

Halogen-free connection cables 3 x 2.5 mm² in the version socket – connector with GST18i connection system.

3-wire connection cable, PVC, cross-section 2.5 mm², black

Type	Cable length mm	Cross-section mm²	Number of poles	Colour	Pack Piece	Weight kg/100 pc.	Item no.
VL-3Q2.5 1 SW	1000	2.5	3	Black	1	18.000	**6108150**
VL-3Q2.5 3 SW	3000	2.5	3	Black	1	54.000	**6108152**
VL-3Q2.5 5 SW	5000	2.5	3	Black	1	90.000	**6108154**
VL-3Q2.5 8 SW	8000	2.5	3	Black	1	144.000	**6108157**
VL-3Q2.5 10 SW	10000	2.5	3	Black	1	180.000	**6108159**






Connection cable 3 x 2.5 mm² in the version socket – connector with GST18i connection system.

3-wire connection cable, halogen-free, cross-section 2.5 mm², white

Type	Cable length mm	Cross-section mm²	Number of poles	Colour	Pack Piece	Weight kg/100 pc.	Item no.
VL-3Q2.5 H3 W	3000	2.5	3	White	1	48.000	**6108477**
VL-3Q2.5 H5 W	5000	2.5	3	White	1	80.000	**6108479**
VL-3Q2.5 H8 W	8000	2.5	3	White	1	128.000	**6108482**
VL-3Q2.5 H10 W	10000	2.5	3	White	1	160.000	**6108484**






Halogen-free connection cables 3 x 2.5 mm² in the version socket – connector with GST18i connection system.

3-wire connection cable, PVC, cross-section 2.5 mm², white

Type	Cable length mm	Cross-section mm²	Number of poles	Colour	Pack Piece	Weight kg/100 pc.	Item no.
VL-3Q2.5 1 W	1000	2.5	3	White	1	18.000	**6108175**
VL-3Q2.5 3 W	3000	2.5	3	White	1	54.000	**6108177**
VL-3Q2.5 5 W	5000	2.5	3	White	1	90.000	**6108179**
VL-3Q2.5 8 W	8000	2.5	3	White	1	144.000	**6108182**
VL-3Q2.5 10 W	10000	2.5	3	White	1	180.000	**6108184**






Connection cable 3 x 2.5 mm² in the version socket – connector with GST18i connection system.

Connector part 3-pin, spring power connection

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ST-F GST18i3p SW	Black	1	2.600	**6108050**
ST-F GST18i3p W	White	1	2.620	**6108051**





Connector part, 3-pin, type GST18i with spring power connection for rigid cables of 1.5–2.5 mm², single-wire and ultrasonically welded, fine wire cables 1.5 mm² with end sleeves, unmounted with strain relief, can be terminated in situ, 250 V, 16 A.

Two connections per pole, for cables H05VV, NYM (Ø 7.8–10.33 mm), lockable, a lock should be provided for strain relief according to VDE 0628.


Stripping length: 45 mm
Stripped length: 9 mm

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Installation accessories for Connect Wieland GST18 ®

Connector part, 3-pin, screw connection





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ST-S GST18i3p SW	Black	1	2.030	**6108054**
ST-S GST18i3p W	White	1	2.030	**6108055**


Connector part, 3-pin, type GST18i with screw connection, low height (no slot loss in combination with distributor blocks), for cross-sections of 0.75–2.5 mm², single- and fine-wire cables connectable without end sleeve, for cable diameters between 6.5–10.5 mm (H05VV, NYM), unmounted with strain relief, terminable in situ, 250 V, 16 A.

Stripping length: 31 mm
Insulation removal length: 7 mm

Connector part, 3-pin, screw connection

PA






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ST-S4 GST18i3 SW	Black	1	1.600	**6108060**
ST-S4 GST18i3 W	White	1	1.600	**6108062**

Connector part, 3-pin, type GST18i with screw connection for cables of 1.5–4.0 mm² and cable diameters between 10.5–14.5 mm (H05VV, NYM), unmounted with strain relief, terminable in situ, 250 V, 16 A.

Connector part, 5-pin, screw connection






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ST-S GST18i5p SW	Black	1	4.330	**6108070**

Connector part, 5-pin, type GST18i, with screw connection for 1.5–2.5 mm² cables, single and fine-wire, with strain relief, one connection per pin, unmounted, for cables H05VV (Ø 9.5–13.5) NYM and (Ø 10.5–13.5 mm), lockable, according to the strain relief in VDE 0628 a lock should be planned, 250 V, 16 A.

Stripping length: 8 mm
Jacket removal length: 46 mm

Socket section 3-pin, spring power connection





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
BT-F GST18i3p SW	Black	1	2.620	**6108052**
BT-F GST18i3p W	White	1	2.690	**6108053**

Socket part, 3-pin, type GST18i with spring power connection for rigid cables of 1.5–2.5 mm², single-wire and ultra-sonically welded, fine wire cables 1.5 mm² with end sleeves, unmounted with strain relief, can be terminated in situ, 250 V, 16 A.


Two connections per pole, for cables H05VV, NYM (Ø 7.8–10.33 mm), lockable, a lock should be provided for strain relief according to VDE 0628.

Stripping length: 45 mm
Stripped length: 9 mm

Socket section 3-pin, screw connection

PA






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
BT-S4 GST18i3 SW	Black	1	1.600	**6108064**
BT-S4 GST18i3 W	White	1	1.600	**6108066**

Socket section, 3-pin, type GST18i with screw connection for cables of 1.5–4.0 mm² and for cable diameters between 10.5–14.5 mm (H05VV, NYM), unmounted with strain relief, terminable in situ, 250 V, 16 A.

Socket section 3-pin, screw connection

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
BT-S GST18i3p SW	Black	1	2.150	**6108056**
BT-S GST18i3p W	White	1	2.150	**6108057**






Socket part, 3-pin, type GST18i with screw connection, low height (no slot loss in combination with distributor blocks), for cross-sections of 0.75–2.5 mm², single- and fine-wire cables connectable without end sleeve, for cable diameters between 6.5–10.5 mm (H05VV, NYM), unmounted with strain relief, terminable in situ, 250 V, 16 A.

Stripping length: 31 mm
Insulation removal length: 7 mm

Socket section 5-pin, screw connection

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
BT-S GST18i5p SW	Black	1	4.550	**6108072**






Socket part, 5-pin, type GST18i, with screw connection for 1.5 to 2.5 mm² cables, single and fine-wire, with strain relief, one connection per pin, unmounted, for cables H05VV (Ø 9.5 – 13.5) NYM and (Ø 10.5 to 13.5 mm), lockable, according to the strain relief in VDE 0628 a lock should be planned, 250 V, 16 A.

Stripping length: 8 mm
Jacket removal length: 46 mm

Distributor block 3-pin

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
VB-3 GST18i3p	Black	1	3.590	**6108080**






Distributor block with lock, type GST18i, one input with plug section 3-pin and three outputs with socket section 3-pin.

Distributor block 3-pin

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
VB-5 GST18i3p	Black	1	5.590	**6108082**






Distributor block with lock, type GST18i, one input with plug section 3-pin and five outputs with socket section 3-pin.

Distributor block, 3-pin, T-shaped

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
VB-T GST18i3p	Black	1	2.540	**6108084**





T distributor with lock, type GST18i, one input with 3-pin connector part and two outputs with 3-pin socket part.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Installation accessories for Connect Wieland GST18 ®

Distributor block, 3-pole

PA







Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
VB-2 GST18i3p	Black	1	3.300	**6108086**

Distributor block with lock, type GST18i, 1 input with 3-pin plug section and 2 outputs with 3-pin socket section.

Surge protection module with support for Modul 45connect






Type	Signalling on device	Pack Piece	Weight kg/100 pc.	Item no.
ÜSM-A-4T	Acoustic	1	2.226	**6107801**

2-pin surge protection module, 16 A/250 V~, with acoustic default display, no network switch-off, for connection to a multiple socket of type Modul 45connect using the supplied support. For installation in universal supports UT3/45 and UT4/45. The surge protection module meets EN 61643-11, type 3, Class III, requirements Class D.

Locking

PA





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
VR-GST18	Black	10	0.100	**6108074**


Locking clip for GST18, plug connections, for locking connection cables.

Connection cables with WINSTA MIDI connector system

3-wire connection cable, halogen-free, cross-section 2.5 mm², white

PA





Type	Cable length mm	Colour	Pack Piece	Weight kg/100 pc.	Item no.
VL-WIN 3P2.5H1W	1000	White	1	16.500	**6108732**
VL-WIN 3P2.5H3W	3000	White	1	46.200	**6108736**
VL-WIN 3P2.5H5W	5000	White	1	78.370	**6108740**
VL-WIN 3P2.5H8W	8000	White	1	120.260	**6108744**


Connection cable 3 x 2.5 mm² in the version socket-connector, type WINSTA® MIDI.

Hose pipe: H05Z1Z1-F 3 x 2.5 mm²

3-wire connection cable, halogen-free, cross-section 2.5 mm², black

PA





Type	Cable length mm	Colour	Pack Piece	Weight kg/100 pc.	Item no.
VL-WIN 3P2.5H1SW	1000	Black	1	16.500	**6108730**
VL-WIN 3P2.5H3SW	3000	Black	1	46.200	**6108734**
VL-WIN 3P2.5H5SW	5000	Black	1	78.000	**6108738**
VL-WIN 3P2.5H8SW	8000	Black	1	120.280	**6108742**


Connection cable 3 x 2.5 mm² in the version socket-connector, type WINSTA® MIDI.

Hose pipe: H05Z1Z1-F 3 x 2.5 mm²

3-wire connection cable, PVC, cross-section 2.5 mm², white

PA





Type	Cable length mm	Colour	Pack Piece	Weight kg/100 pc.	Item no.
VL-WIN 3P2.5 1W	1000	White	1	17.820	**6108712**
VL-WIN 3P2.5 3W	3000	White	1	49.880	**6108716**
VL-WIN 3P2.5 5W	5000	White	1	82.000	**6108720**
VL-WIN 3P2.5 8W	8000	White	1	127.570	**6108724**


Connection cable 3 x 2.5 mm² in the version socket-connector, type WINSTA® MIDI.

PVC hose pipe: H05VV-F 3 x 2.5 mm²

3-wire connection cable, PVC, cross-section 2.5 mm², black

PA





Type	Cable length mm	Colour	Pack Piece	Weight kg/100 pc.	Item no.
VL-WIN 3P2.5 1SW	1000	Black	1	17.820	**6108710**
VL-WIN 3P2.5 3SW	3000	Black	1	46.800	**6108714**
VL-WIN 3P2.5 5SW	5000	Black	1	82.000	**6108718**
VL-WIN 3P2.5 8SW	8000	Black	1	130.170	**6108722**

Connection cable 3 x 2.5 mm² in the version socket-connector, type WINSTA® MIDI.


PVC hose pipe: H05VV-F 3 x 2.5 mm²

PA

Connector part 3-pin

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ST-WIN 3P SW	Black	1	2.000	**6108954**
ST-WIN 3P W	White	1	1.999	**6108956**

Connector 3-pin, type WINSTA® MIDI with clamp connection.






PA

Connector part, 5-pin

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ST-WIN 5P SW	Black	1	2.970	**6108964**
ST-WIN 5P W	White	1	2.948	**6108966**

Connector 5-pin, type WINSTA® MIDI with clamp connection.






PA

Socket section 3-pin

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
BT-WIN 3P SW	Black	1	2.000	**6108950**
BT-WIN 3P W	White	1	1.965	**6108952**

Socket section 3-pin, type WINSTA® MIDI with clamp connection.






PA

Socket section 5-pin

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
BT-WIN 5P SW	Black	1	2.904	**6108960**
BT-WIN 5P W	White	1	2.885	**6108962**

Socket section 5-pin, type WINSTA® MIDI with clamp connection.







PA

Distributor block, 3-pole, 1I/2O

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
VB2-WIN 3P	Black	1	2.283	**6108970**

2x distributor, 3-pin, type WINSTA® MIDI.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21


Always indicate the item number when ordering.

Installation accessories for WINSTA MIDI connector system

Distributor block 3-pin, 1E/3A

PA






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
VB3-WIN 3P	Black	1	2.510	**6108972**
VB5-WIN 3P	White	1	3.700	**6108974**

3x distributor, 3-pin, type WINSTA® MIDI.

Locking lever for WINSTA® MIDI.

PA





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
VK-WIN	Black	25	0.056	**6108700**

Locking lever for plug connector system WINSTA® MIDI.




Modul 45connect®


Plug-in installation solutions for device installation trunking and service poles

As continuously connectable installation technology, the Modul 45connect® range for device installation trunking and service poles offers the highest level of flexibility, security and cost-efficiency.

From energy distribution through to device connection in the trunking, the system offers all the required installation components.








- Fast installation without the need for tools, using Modul 45connect®
- Safe installation through encoded connection technology
- Direct mounting in the trunking – without additional components

Sockets, switches, data and multimedia technology



Sockets, switches, data and multimedia technology


Sockets 298


Accessories, sockets 310


Switch 312


Data technology support 316


Data technology modules 322


Multimedia technology 326

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21









Modul 45®

Devices

With their dimensions of 45 x 45 mm, the Modul 45® devices from OBO Bettermann are compact and space-saving. For this reason, the sockets, data and multimedia technology connections are ideal for use in underfloor systems, device installation trunking and service poles. The Modul 45® system makes optimum use of limited installation space.

The advantages of Modul 45® at a glance:

- Space savings thanks to compact design
- Modular structure
- Quick and easy planning
- Simple mounting
- High efficiency due to time and cost savings
- Wide range of application options
- Easy exchangeability




Installation in floor boxes



Installation in device installation trunking



Installation in service poles




Modul 45® and standard


Installation solutions for device installation trunking and service poles with 80 mm system opening

The Modul 45® devices from OBO Bettermann are compact and space-saving. They are therefore ideal for use in device installation trunking and service poles. The Modul 45® system makes optimum use of limited installation space.

The advantages of Modul 45® at a glance:
- Space savings thanks to compact design
- Modular structure
- Quick and easy planning
- Simple mounting
- High efficiency due to time and cost savings
- Wide range of application options
- Easy exchangeability








Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

With protective contact

0° socket, protective contact, single






Type	STD-D0 RW1	STD-D0 ROR1	STD-D0 MZGN1	STD-D0 SRO1	STD-D0 SWGR1	STD-D0 AL1
Colour	Pure white	Pure orange	Mint green	Signal red	Black-grey	Aluminium-painted
Pack Piece	1	1	1	1	1	1
Weight kg/100 pc.	4.200	4.200	4.200	4.200	4.200	4.200
Item no.	**6120008**	**6120010**	**6120012**	**6120014**	**6120016**	**6120018**

PC Polycarbonate

Power socket, single 0°, with increased touch protection with screwless terminals, 2-pin, 16 A, 250 V~, with connection terminals to IEC 60884-1.

0° socket, protective contact, double






Type	STD-D0 RW2	STD-D0 ROR2	STD-D0 MZGN2	STD-D0 SRO2	STD-D0 SWGR2	STD-D0 AL2
Colour	Pure white	Pure orange	Mint green	Signal red	Black-grey	Aluminium-painted
Pack Piece	1	1	1	1	1	1
Weight kg/100 pc.	8.000	8.000	8.000	8.000	8.000	8.000
Item no.	**6120022**	**6120024**	**6120026**	**6120028**	**6120030**	**6120032**

PC Polycarbonate

Power socket, double 0°, with increased touch protection with screwless terminals, 2-pin, 16 A, 250 V~, with connection terminals to IEC 60884-1.

0° socket, protective contact, triple






Type	STD-D0 RW3	STD-D0 ROR3	STD-D0 MZGN3	STD-D0 SRO3	STD-D0 SWGR3	STD-D0 AL3
Colour	Pure white	Pure orange	Mint green	Signal red	Black-grey	Aluminium-painted
Pack Piece	1	1	1	1	1	1
Weight kg/100 pc.	12.200	12.200	12.200	12.200	12.200	12.200
Item no.	**6120042**	**6120044**	**6120046**	**6120048**	**6120050**	**6120052**

PC Polycarbonate

Power socket, triple 0°, with increased touch protection with screwless terminals, 2-pin, 16 A, 250 V~, with connection terminals to IEC 60884-1.

0° socket, protective contact, encoded version, single






Type	**STD-D0K SRO1**
Colour	Signal red
Pack Piece	1
Weight kg/100 pc.	4.200
Item no.	**6120292**

PC Polycarbonate

Protective contact socket Single 0°, encoded version, with increased touch protection, with screwless terminals, 2-pin, 16 A, 250 V~, with connection terminals according to IEC 60884-1.
The socket can only be used in connection with an encoding pin of type CST-STD.

Note: The encoding pin is not contained in the scope of supply.

0° socket, protective contact, encoded version, double






Type	**STD-D0K SRO2**
Colour	Signal red
Pack Piece	1
Weight kg/100 pc.	8.000
Item no.	**6120294**

PC Polycarbonate

Protective contact socket Double 0°, encoded version, with increased touch protection, with screwless terminals, 2-pin, 16 A, 250 V~, with connection terminals according to IEC 60884-1.
The socket can only be used in connection with an encoding pin of type CST-STD.

Note: The encoding pin is not contained in the scope of supply.

0° socket, protective contact, encoded version, triple





Type	**STD-D0K SRO3**
Colour	Signal red
Pack Piece	1
Weight kg/100 pc.	12.200
Item no.	**6120296**

PC Polycarbonate


Protective contact socket Triple 0°, encoded version, with increased touch protection, with screwless terminals, 2-pin, 16 A, 250 V~, with connection terminals according to IEC 60884-1.
The socket can only be used in connection with an encoding pin of type CST-STD.

Note: The encoding pin is not contained in the scope of supply.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

With protective contact

33° socket, protective contact, single






Type	STD-D3S RW1	STD-D3S ROR1	STD-D3S MZGN1	STD-D3S SRO1	STD-D3S SWGR1	STD-D3S AL1
Colour	Pure white	Pure orange	Mint green	Signal red	Black-grey	Aluminium-painted
Pack Piece	1	1	1	1	1	1
Weight kg/100 pc.	4.000	4.000	4.000	4.000	4.000	4.000
Item no.	**6120073**	**6120075**	**6120077**	**6120079**	**6120081**	**6120083**

PC Polycarbonate

Protective contact socket single 33°, with increased touch protection, with screwless terminals, 2-pin, 16 A, 250 V~, with connection terminals to IEC 60884-1.

Protective contact socket, 33°, double







Type	STD-D3S RW2	STD-D3S ROR2	STD-D3S MZGN2	STD-D3S SRO2	STD-D3S SWGR2	STD-D3S AL2
Colour	Pure white	Pure orange	Mint green	Signal red	Black-grey	Aluminium-painted
Pack Piece	1	1	1	1	1	1
Weight kg/100 pc.	7.700	7.700	7.700	7.700	7.700	7.700
Item no.	**6120103**	**6120105**	**6120107**	**6120109**	**6120111**	**6120114**

PC Polycarbonate

Protective contact socket double 33°, with increased touch protection, with screwless terminals, 2-pin, 16 A, 250 V~, with connection terminals to IEC 60884-1.

33° socket, protective contact, triple






Type	STD-D3S RW3	STD-D3S ROR3	STD-D3S MZGN3	STD-D3S SRO3	STD-D3S SWGR3	STD-D3S AL3
Colour	Pure white	Pure orange	Mint green	Signal red	Black-grey	Aluminium-painted
Pack Piece	1	1	1	1	1	1
Weight kg/100 pc.	11.000	11.000	11.000	11.000	11.000	11.000
Item no.	**6120123**	**6120125**	**6120127**	**6120129**	**6120131**	**6120133**

PC Polycarbonate

Protective contact socket triple 33°, with increased touch protection, with screwless terminals, 2-pin, 16 A, 250 V~, with connection terminals to IEC 60884-1.

Socket 33°, protective contact, encoded version






Type	**STD-D3K SRO1**
Colour	Signal red
Pack Piece	1
Weight kg/100 pc.	4.000
Item no.	**6120302**

PC Polycarbonate

Protective contact socket Single 33°, encoded version, with increased touch protection, with screwless terminals, 2-pin, 16 A, 250 V~, with connection terminals according to IEC 60884-1.
The socket can only be used in connection with an encoding pin of type CST-STD.

Note: The encoding pin is not contained in the scope of supply.

33° socket, protective contact, encoded version, double






Type	**STD-D3K SRO2**
Colour	Signal red
Pack Piece	1
Weight kg/100 pc.	7.700
Item no.	**6120304**

PC Polycarbonate

Protective contact socket Double 33°, encoded version, with increased touch protection, with screwless terminals, 2-pin, 16 A, 250 V~, with connection terminals according to IEC 60884-1.
The socket can only be used in connection with an encoding pin of type CST-STD.

Note: The encoding pin is not contained in the scope of supply.

33° socket, protective contact, encoded version, triple





Type	**STD-D3K SRO3**
Colour	Signal red
Pack Piece	1
Weight kg/100 pc.	11.000
Item no.	**6120306**

PC Polycarbonate


Protective contact socket Triple 33°, encoded version, with increased touch protection, with screwless terminals, 2-pin, 16 A, 250 V~, with connection terminals according to IEC 60884-1.
The socket can only be used in connection with an encoding pin of type CST-STD.

Note: The encoding pin is not contained in the scope of supply.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Preterminated socket units

AR45 socket unit, single








Type	SDE-RW D0RW1	SDE-RW D0RT1
Colour	Pure white	Signal red
Pack Piece	4	4
Weight kg/100 pc.	10.700	10.700
Item no.	**6119401**	**6119403**

PC Polycarbonate

Pre-terminated socket unit without labelling panel, suitable for installation in Rapid 80 device installation trunking systems.

Socket unit, consisting of:
- Accessory mounting box, single, type 71GD8-2.
- Protective contact socket, single, 0° connection direction, colour: see table.
- Cover frame AR45, single, without labelling panel, colour: pure white

AR45 socket unit, double








Type	SDE-RW D0RW2	SDE-RW D0RT2
Colour	Pure white	Signal red
Pack Piece	2	2
Weight kg/100 pc.	19.000	19.000
Item no.	**6119407**	**6119409**

PC Polycarbonate


Pre-terminated socket unit without labelling panel, suitable for installation in Rapid 80 device installation trunking systems.

Socket unit, consisting of:
- Service outlet, double, type 71GD13
- Protective contact socket, double, 0° connection direction, colour: see table
- Cover frame AR45, double, without labelling panel, colour: pure white

AR45 socket unit, triple








Type	SDE-RW D0RW3	SDE-RW D0RT3
Colour	Pure white	Signal red
Pack Piece	2	2
Weight kg/100 pc.	23.300	23.300
Item no.	**6119414**	**6119413**

PC Polycarbonate

Pre-terminated socket unit without labelling panel, suitable for installation in Rapid 80 device installation trunking systems.

Socket unit, consisting of:
- Service outlet, triple, type 71GD9-2
- Protective contact socket, triple, 0° connection direction, colour: see table
- Cover frame AR45, triple, without labelling panel, colour: pure white

AR45 socket unit, single, with labelling panel for horizontal device installation










Type	SDE-RW D0RW1B	SDE-RW D0GN1B	SDE-RW D0RT1B
Colour	Pure white	Mint green	Signal red
Pack Piece	4	4	4
Weight kg/100 pc.	10.700	10.700	10.700
Item no.	**6119421**	**6119422**	**6119423**

PC Polycarbonate

Pre-terminated socket unit with labelling panel, suitable for installation in Rapid 80 device installation trunking systems.

Socket unit, consisting of:
- Accessory mounting box, single, type 71GD8-2
- Protective contact socket, single, 0° connection direction, colour: see table
- Cover frame AR45, single, with labelling panel, type AR45-BF.., colour: pure white

AR45 socket unit, double, with labelling panel for horizontal device installation








Type	SDE-RW D0RW2B	SDE-RW D0RT2B
Colour	Pure white	Signal red
Pack Piece	2	2
Weight kg/100 pc.	19.000	19.000
Item no.	**6119427**	**6119429**

PC Polycarbonate


Pre-terminated socket unit with labelling panel, suitable for installation in Rapid 80 device installation trunking systems.

Socket unit, consisting of:
- Accessory mounting box, double, type 71GD13
- Protective contact socket, double, 0° connection direction, colour: see table
- Cover frame AR45, double, with labelling panel, type AR45-BF.., colour: pure white

AR45 socket unit, triple, with labelling panel for horizontal device installation







Type	SDE-RW D0RW3B	SDE-RW D0RT3B
Colour	Pure white	Signal red
Pack Piece	2	2
Weight kg/100 pc.	23.300	23.300
Item no.	**6119433**	**6119435**

PC Polycarbonate

Pre-terminated socket unit with labelling panel, suitable for installation in Rapid 80 device installation trunking systems.


Socket unit, consisting of:
- Accessory mounting box, triple, type 71GD9-2
- Protective contact socket, triple, 0° connection direction, colour: see table
- Cover frame AR45, triple, with labelling panel, type AR45-BF.., colour: pure white

Always indicate the item number when ordering.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Preterminated socket units

CEE socket unit, single, 16 A






Type	**71GDCEE16**
Colour	Graphite black
Pack Piece	1
Weight kg/100 pc.	31.100
Item no.	**6119483**

PA Polyamide

Accessory mounting box for the installation of a 3 or 5-pole CEE socket, 16 A or 32 A.
Scope of delivery:
- 1 front-locking accessory mounting box for 4-point fastening track of 52 x 52 mm to 70 x 70 mm
- 1 cover frame in pure white for hiding the fastening technology
- 2 external strain reliefs for jacketed cables of up to Ø 18 mm
- 2 sash locks for optional fastening to trunking bases with C rail
- 1 CEE socket 16 A with mounting accessories

CEE socket unit, single, 32 A





Type	**71GDCEE32**
Colour	Graphite black
Pack Piece	1
Weight kg/100 pc.	37.200
Item no.	**6119485**


PA Polyamide

Accessory mounting box for the installation of a 3 or 5-pole CEE socket, 16 A or 32 A.
Scope of delivery:
- 1 front-locking accessory mounting box for 4-point fastening track of 52 x 52 mm to 70 x 70 mm
- 1 cover frame in pure white for hiding the fastening technology
- 2 external strain reliefs for jacketed cables of up to Ø 18 mm
- 2 sash locks for optional fastening to trunking bases with C rail
- 1 CEE socket 32 A with mounting accessories

Installation unit AR45, for 2 PU

PC





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
IKR-6 RW	Pure white	1	19.000	**6119319**

Installation unit to accept protective units such as miniature circuit breakers of FI protection switches up to max. 2 PUs, suitable for installation in Rapid 80 device installation trunking systems and ISS service poles.


Installation unit, consisting of:
- Accessory mounting box, triple, type 71GD9-2
- Cover, incl. PVC support clamp for 2 PUs, colour: see table
- Cover frame AR45, triple, without labelling panel, colour: pure white

PA

Accessory mounting box 71GD6, single

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD6	Iron grey	5	5.600	6288610

Front locking accessory mounting box for switch systems, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm. Halogen-free version.






PA

Accessory mounting box 71GD7-2, double

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
71GD7-2	Iron grey	2	8.200	6288608

Front locking accessory mounting box for standard switch ranges for the installation of two individual installation devices or a multiple protective contact socket. With unfolding, and also removable, base for time-saving cable connection and with feed openings for cable diameters of up to 14 mm. Halogen-free version.

Vertical fastening track 60 mm.






PA

Accessory mounting box 71GD8-2, single, for Modul 45®

Type	Pack Piece	Weight kg/100 pc.	Item no.
71GD8-2	1	5.900	6288569

Front locking single accessory mounting box for Modul 45® system, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm.






PA

Accessory mounting box 71GD13, double, for Modul 45®

Type	Pack Piece	Weight kg/100 pc.	Item no.
71GD13	1	11.000	6288583

Front locking double accessory mounting box for Modul 45® system, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm.






PA

Accessory mounting box 71GD9, triple, for Modul 45®

Type	Pack Piece	Weight kg/100 pc.	Item no.
71GD9-2	1	11.600	6288579

Front locking triple accessory mounting box for Modul 45® system, with folding, and also removable, base for time-saving cable connection, with feed openings for cable diameters of up to 14 mm.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Device installation solutions for standard installation devices

7ZE strain relief

PA






Type		Pack Piece	Weight kg/100 pc.	Item no.
7ZE		50	0.700	**6288790**

Strain relief with locking clips, suitable for the accessory mounting boxes 7GD... and 71GD... .
Cable clamping range to 14 mm.

Modul 45®, cover frame

Cover frame AR45-F1, for accessory mounting box 71GD8-2, single

PC




Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
AR45-F1 RW	Pure white		1	1.600	**6119322**
AR45-F1 SWGR	Black-grey		1	1.600	**6119324**
AR45-F1 AL	Aluminium-painted		1	1.600	**6119326**

Front locking cover frame for Modul 45 devices, single, without labelling panel for horizontal and vertical device installation, for locking in accessory mounting box 71GD8-2.

Cover frame AR45-F2, for accessory mounting box 71GD13, double

PC




Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
AR45-F2 RW	Pure white		1	2.320	**6119342**
AR45-F2 SWGR	Black-grey		1	2.320	**6119344**
AR45-F2 AL	Aluminium-painted		1	2.320	**6119346**

Front locking cover frame for Modul 45 devices, single, without labelling panel for horizontal and vertical device installation, for locking in accessory mounting box 71GD13 or in mounting support 71MT2 45.

Cover frame AR45-F3, for accessory mounting box 71GD9-2, triple


PC



Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
AR45-F3 RW	Pure white		1	2.800	**6119372**
AR45-F3 SWGR	Black-grey		1	2.800	**6119374**
AR45-F3 AL	Aluminium-painted		1	2.800	**6119376**

Front locking cover frame for Modul 45 devices, triple, without labelling panel for horizontal and vertical device installation, for locking in accessory mounting box 71GD9-2 or in mounting support 71MT3 45-2.

USB charging device










Type	MTG-2UC2.1 RW1	MTG-2UC2.1 SWGR1	MTG-2UC2.1 AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	6.162	5.500	5.500
Item no.	**6105300**	**6105302**	**6105304**

PC Polycarbonate

USB charging device with two USB type A sockets, for charging 1–2 mobile devices, maximum charging current 1x 2,100 mA or 2x 1,050 mA.

Equipotential bonding socket, 1 module, straight outlet









Type	PAD-ID6 RW1	PAD-ID6 SWGR1	PAD-ID6 AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	5.000	5.000	5.000
Item no.	**6120003**	**6120001**	**6120005**

PC Polycarbonate

Equipotential bonding socket to DIN 42801, socket in black with green-yellow colour ring, cable connection to rear with M6 screw bolt, including two nuts, washers and a serrated washer.


Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Strain reliefs

Strain relief for Modul 45® sockets 0°

PC





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ZL-STD 0	Black	1	1.800	6120782


Strain relief for Modul 45 sockets, type STD, connectable at side, for the fastening of a 3-core cable, max. Ø 10 mm, suitable for protective contact sockets at direction of insertion 0° and sockets with earthing pin at direction of insertion 0°.

Encoding pin

Encoding pin

PC





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
CST-STD K	Black-grey	10	0.200	6120797


Encoding pin as socket attachment for the use of encoded sockets, type STD.

Cable outlet

Cable outlet for 3–11 mm cross-section

PC





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KAL-K11 RW1	Pure white	1	3.500	6117420
KAL-K11 SWGR1	Black-grey	1	3.500	6117421
KAL-K11 AL1	Aluminium-painted	1	3.500	6117422


Two-part cable outlet with labelling panel, consisting of a cable support with strain relief and a cover. The strain relief is suited for cable cross-sections of 3 to 11 mm. The locking fastening is suitable for horizontal and vertical installation in the system environment.

Blanking covers

Blanking cover with labelling panel, 1/2 module

PC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ADP-BF RW0.5	Pure white	1	0.400	6117410
ADP-BF SWGR0.5	Black-grey	1	0.400	6117411
ADP-BF AL0.5	Aluminium-painted	1	0.400	6117412

Blanking cover with labelling panel, suited for labelling devices in Rapid 45 device installation trunking systems and ISS service poles with a 45 mm system opening.

Blanking cover, 1/2 module

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ADP-B RW0.5	Pure white	10	0.400	**6117414**
ADP-B SWGR0.5	Black-grey	10	0.400	**6117415**
ADP-B AL0.5	Aluminium-painted	1	0.400	**6117416**

Blanking cover for closing off empty spaces for a half device (1/2 module).






Blanking cover, 1 module

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
ADP-B RW1	Pure white	10	0.800	**6117406**
ADP-B SWGR1	Black-grey	10	0.800	**6117407**
ADP-B AL1	Aluminium-painted	1	0.800	**6117408**

Blanking cover for closing off empty spaces for a device (one module).






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

One-way/changeover switch, 1/2 module










Type	WS-UB RW0.5	WS-UB SWGR0.5	WS-UB AL0.5
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	1.800	1.800	1.800
Item no.	**6120920**	**6120922**	**6120924**

PC Polycarbonate

Changeover switch 1-pin, 10 A, 250 V~, with screwless terminals.

One-way/changeover switch with warning lamp, 1/2 module










Type	WS-UKL RW0.5	WS-UKL SWGR0.5	WS-UKL AL0.5
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	1.800	1.800	1.800
Item no.	**6120926**	**6120928**	**6120930**

PC Polycarbonate

Changeover switch with LED element as a control light, 1-pole, 10 A, 250 V~, with screwless terminals.

One-way/changeover switch, 1 module










Type	WS-UB RW1	WS-UB SWGR1	WS-UB AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	2.600	2.600	2.300
Item no.	**6120932**	**6120934**	**6120936**

PC Polycarbonate

Changeover switch 1-pin, 10 A, 250 V~, with screwless terminals.

One-way/changeover switch with warning lamp, 1 module










Type	WS-UKL RW1	WS-UKL SWGR1	WS-UKL AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	2.300	2.300	2.300
Item no.	**6120938**	**6120940**	**6120942**

PC Polycarbonate

Changeover switch with LED element as a control light, 1-pole, 10 A, 250 V~, with screwless terminals.

Roller blind switch, 1 module










Type	RS-BS RW1	RS-BS SWGR1	RS-BS AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	3.700	3.700	3.700
Item no.	**6120950**	**6120952**	**6120954**

PC Polycarbonate

Roller blind switch with electrical and mechanical lock, 1-pin, 10 A, 250 V~, with screwless terminals.

Roller blind button, 1 module









Type	RT-BS RW1	RT-BS SWGR1	RT-BS AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	3.700	3.700	3.700
Item no.	**6120980**	**6120982**	**6120984**


PC Polycarbonate

Roller blind button with electrical locking, 1-pin, 10 A, 250 V~, with screwless terminals.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Changeover switch, 1/2 module










Type	TA-WB RW0.5	TA-WB SWGR0.5	TA-WB AL0.5
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	1.800	1.800	1.800
Item no.	**6120960**	**6120962**	**6120964**

PC Polycarbonate

Changeover switch, 1-pin, 10 A, 250 V~, with screwless terminals.

Changeover switch, 1 module










Type	TA-WB RW1	TA-WB SWGR1	TA-WB AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	3.300	3.300	3.300
Item no.	**6120966**	**6120968**	**6120970**

PC Polycarbonate

Changeover switch, 1-pin, 10 A , 250 V~, with screwless terminals.

Adapter for switch installation rotated through 90°






Type	AD-90G M45-1
Pack Piece	1
Weight kg/100 pc.	2.200
Item no.	**6120992**

St Steel

The adapter allows switch installation rotated through 90° in, for example, service poles with a 45 mm track or Rapid 45. Suitable for all switches and buttons in one module width (45 x 45 mm).

Data technology support, 1 module, straight outlet, type RM










Type	DTG-2RM RW1	DTG-2RM SWGR1	DTG-2RM AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	1.100	1.100	1.100
Item no.	**6119292**	**6119294**	**6119296**

PC Polycarbonate

The type RM data technology support is suitable for accepting the following data connection modules: Types ASM-C5, ASM-C5 G, ASM-C6 and ASM-C6 G; R&M: Cat. 5 and Cat. 6 modules without support plate.

Data technology support with straight outlet and locking slider to accept two data technology connection modules with RJ45 socket. The locking fastening is suitable for horizontal and vertical installation in the system environment. Type RM has a special module seat and is designed for indirect fastening of the data connection modules in the mounting opening.

Data technology support, 1 module, slanting outlet, type RM










Type	DTS-2RM RW1	DTS-2RM SWGR1	DTS-2RM AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	2.900	2.900	2.900
Item no.	**6119298**	**6119300**	**6119302**

PC Polycarbonate

The type RM data technology support is suitable for accepting the following data connection modules: Types ASM-C5, ASM-C5 G, ASM-C6 and ASM-C6 G; R&M: Cat. 5 and Cat. 6 modules without support plate.

Data technology support with slanting outlet and locking slider to accept two data technology connection modules with RJ45 socket. The locking fastening is suitable for horizontal and vertical installation in the system environment. Type RM has a special module seat and is designed for indirect fastening of the data connection modules in the mounting opening.

Data technology support, 1 module, straight outlet, type C










Type	DTG-2C RW1	DTG-2C SWGR1	DTG-2C AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	1.100	1.100	1.100
Item no.	**6119214**	**6119216**	**6119218**

PC Polycarbonate

The type C data technology support is suitable for accepting the following data connection modules: BTR (Keystone design): Cat. 6A module and UAE module; Corning: modules with Keystone seat; CobiNet: CobiDat KS module; Dätwyler: KS-T, KS-TS, MS-K and KU-T; EKU: E-Stone; Harting: Prelink Keystone Cat. 6A; Fixlink Keystone Cat. 6A; Komos: KDM 500 module; Leoni Kerpen: MegaLine-Connect45 Keystone socket modules; OBO: Type ASM-C6A and ASM-C6A G; R&M: Cat. 6A with Keystone fastening; Rutenbeck: UM and UMflex; SETEC: UKJ and XKJ; Telegärtner: AMJ and UMJ.

Data technology support with straight outlet and locking slider to accept two data technology connection modules with RJ45 socket. The locking fastening is suitable for horizontal and vertical installation in the system environment. Type C has a mounting opening of 19.30 x 14.80 mm and is designed for direct fastening of the data connection modules in the mounting opening.

Data technology support, 1 module, slanting outlet, type C








Type	DTS-2C RW1	DTS-2C SWGR1	DTS-2C AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	1.500	1.500	1.500
Item no.	**6119250**	**6119252**	**6119254**

PC Polycarbonate

The type C data technology support is suitable for accepting the following data connection modules: BTR (Keystone design): Cat. 6A module and UAE module; Corning: modules with Keystone seat; CobiNet: CobiDat KS module; Dätwyler: KS-T, KS-TS, MS-K and KU-T; EKU: E-Stone; Harting: Prelink Keystone Cat. 6A; Fixlink Keystone Cat. 6A; Komos: KDM 500 module; Leoni Kerpen: MegaLine-Connect45 Keystone socket modules; OBO: Type ASM-C6A and ASM-C6A G; R&M: Cat. 6A with Keystone fastening; Rutenbeck: UM and UMflex; SETEC: UKJ and XKJ; Telegärtner: AMJ and UMJ.

Data technology support with slanting outlet and locking slider to accept two data technology connection modules with RJ45 socket. The locking fastening is suitable for horizontal and vertical installation in the system environment. Type C has a mounting opening of 19.30 x 14.80 mm and is designed for direct fastening of the data connection modules in the mounting opening.

Data technology support, 1 module, straight outlet, type A








Type	DTG-2A RW1	DTG-2A SWGR1	DTG-2A AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	1.100	1.100	1.100
Item no.	**6119202**	**6119204**	**6119206**

PC Polycarbonate

The Type A data technology support is suitable for accepting the following data connection modules: AMP TYCO (without dust protection cap): SL Series 110Connect and SL Series Toolless; Brand-Rex: modules with item numbers ending in …JAKS000CR and …JAKU002; Nexans: LANmark RJ45 with blue adapter clip, LANmark GG45 with metal clip.

Data technology support with straight outlet and locking slider to accept two data technology connection modules with RJ45 socket. The locking fastening is suitable for horizontal and vertical installation in the system environment. Type A has a mounting opening of 20.10 x 14.80 mm and is designed for direct fastening of the data connection modules in the mounting opening.

Data technology support, 1 module, slanting outlet, type A







Type	DTS-2A RW1	DTS-2A SWGR1	DTS-2A AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	2.000	1.500	1.500
Item no.	**6119238**	**6119240**	**6119242**

PC Polycarbonate


The Type A data technology support is suitable for accepting the following data connection modules: AMP TYCO (without dust protection cap): SL Series 110Connect and SL Series Toolless; Brand-Rex: modules with item numbers ending in …JAKS000CR and …JAKU002; Nexans: LANmark RJ45 with blue adapter clip, LANmark GG45 with metal clip.

Data technology support with slanting outlet and locking slider to accept two data technology connection modules with RJ45 socket. The locking fastening is suitable for horizontal and vertical installation in the system environment. Type A has a mounting opening of 20.10 x 14.80 mm and is designed for direct fastening of the data connection modules in the mounting opening.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Data technology support, 1 module, straight outlet, type B










Type	DTG-2B RW1	DTG-2B SWGR1	DTG-2B AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	1.100	1.100	1.100
Item no.	**6119208**	**6119210**	**6119212**

PC Polycarbonate

The type B data technology support is suitable for accepting the following data connection modules: BTR (module design): Cat. 6A Modul, E-DAT module and UAE module; Dätwyler: MS and MS-N, Leoni Kerpen: VarioKeystone socket module Cat. 6A and MegaLine-Connect100 socket module Cat. 6A and 8C7A.

Data technology support with straight outlet and locking slider to accept two data technology connection modules with RJ45 socket. The locking fastening is suitable for horizontal and vertical installation in the system environment. Type B has a mounting opening of 19.35/21.55 x 14.85 mm and is designed for direct fastening of the data connection modules in the mounting opening.

Data technology support, 1 module, slanting outlet, type B










Type	DTS-2B RW1	DTS-2B SWGR1	DTS-2B AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	1.500	1.500	1.500
Item no.	**6119244**	**6119246**	**6119248**

PC Polycarbonate

The type B data technology support is suitable for accepting the following data connection modules: BTR (module design): Cat. 6A Modul, E-DAT module and UAE module; Dätwyler: MS and MS-N, Leoni Kerpen: VarioKeystone socket module Cat. 6A and MegaLine-Connect100 socket module Cat. 6A and 8C7A.

Data technology support with slanting outlet and locking slider to accept two data technology connection modules with RJ45 socket. The locking fastening is suitable for horizontal and vertical installation in the system environment. Type B has a mounting opening of 19.35/21.55 x 14.85 mm and is designed for direct fastening of the data connection modules in the mounting opening.

Data technology support, 1 module, straight outlet, type EP










Type	DTG-2EP RW1	DTG-2EP SWGR1	DTG-2EP AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	1.100	1.100	1.100
Item no.	**6119232**	**6119234**	**6119236**

PC Polycarbonate

The type EP data technology support is suitable for accepting the following data connection modules: Leoni Kerpen: MegaLine-Connect45 ELine.

Data technology support with straight outlet and locking slider to accept two data technology connection modules with RJ45 socket. The locking fastening is suitable for horizontal and vertical installation in the system environment. Type EP has a special module seat and is designed for indirect fastening of the data connection modules in the mounting opening.

Data technology support, 1 module, straight outlet, type F










Type	DTG-2F RW1	DTG-2F SWGR1	DTG-2F AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	1.100	1.100	1.100
Item no.	**6119220**	**6119222**	**6119224**

PC Polycarbonate

The type F data technology support is suitable for accepting the following data connection modules: Avaya/Systimax: M series.

Data technology support with straight outlet and locking slider to accept two data technology connection modules. The locking fastening is suitable for horizontal and vertical installation in the system environment.

Data technology support, 1 module, slanting outlet, type F










Type	DTS-2F RW1	DTS-2F SWGR1	DTS-2F AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	1.500	1.500	1.500
Item no.	**6119256**	**6119258**	**6119260**

PC Polycarbonate

The type F data technology support is suitable for accepting the following data connection modules: Avaya/Systimax: M series.

Data technology support with slanting outlet and locking slider to accept two data technology connection modules with RJ45 socket. The locking fastening is suitable for horizontal and vertical installation in the system environment. Type F has a special module seat and is designed for indirect fastening of the data connection modules in the mounting opening.

Data technology support, 1 module, straight outlet, type PA









Type	DTG-2PA RW1	DTG-2PA SWGR1	DTG-2PA AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	1.100	1.100	1.100
Item no.	**6119226**	**6119228**	**6119230**

PC Polycarbonate


The type PA data technology support is suitable for accepting the following data connection modules: Panduit: Mini-Com.

Data technology support with straight outlet and locking slider to accept two data technology connection modules with RJ45 socket. The locking fastening is suitable for horizontal and vertical installation in the system environment. Type PA has a special module seat and is designed for indirect fastening of the data connection modules in the mounting opening.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

USB 2.0/3.0 connection, 1 module, straight outlet, with connection cable










Type	MTG-U3A F RW1	MTG-U3A F SWGR1	MTG-U3A F AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	6.000	6.000	6.000
Item no.	**6104922**	**6104925**	**6104928**

PC Polycarbonate

Multimedia support with one USB 3.0 connection socket, straight cable outlet, with labelling panel, short USB 3.0 type A connection cable, socket-socket version. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.

USB 2.0/3.0 connection, 1 module, slanting outlet, with connection cable









Type	MTS-U3A F RW1	MTS-U3A F SWGR1	MTS-U3A F AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	6.200	6.200	6.200
Item no.	**6104934**	**6104937**	**6104940**

PC Polycarbonate


Multimedia support with one USB 3.0 connection socket, slanting cable outlet, with labelling panel, short USB 3.0 type A connection cable, socket-socket version. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.

Preterminated installation unit for data connection modules

Flush-mount unit for data technology, type A

PC





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
DTE-RW G2A1	Pure white	4	5.000	**6119494**


Installation unit to accommodate two type A data technology modules, suitable for installation in Rapid 80 device installation trunking systems and ISS service poles. The type A data technology support is suitable for accepting the following data connection modules: AMP TYCO (without dust protection cap): SL Series 110Connect and SL Series Toolless; Brand-Rex: modules with item numbers ending in …JAKS000CR and …JAKU002; Nexans: LANmark RJ45 with blue adapter clip, LANmark GG45 with metal clip.

Installation unit, consisting of:
- Mounting support, single, type 71MT1 45
- Data technology support, straight outlet, type DTG-2A, colour: see table
- Cover frame AR45, single, without labelling panel, colour: pure white

Flush-mount unit for data technology, type C

PC





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
DTE-RW G2C1	Pure white	4	5.000	**6119492**


Installation unit to accommodate two type C data technology modules, suitable for installation in Rapid 80 device installation trunking systems and ISS service poles. The type C data technology support is suitable for accepting the following data connection modules: BTR (Keystone design): Cat. 6A module and UAE module; Corning: modules with Keystone seat; CobiNet: CobiDat KS module; Dätwyler: KS-T, KS-TS, MS-K and KU-T; EKU: E-Stone; Harting: Prelink Keystone Cat. 6A; Fixlink Keystone Cat. 6A; Komos: KDM 500 module; Leoni Kerpen: MegaLine Keystone Cat. 6A; OBO: Type ASM-C6A and ASM-C6A G; R&M: Cat. 6A with Keystone fastening; Rutenbeck: UM and UMflex; SETEC: UKJ and XKJ; Telegärtner: AMJ and UMJ.

Installation unit, consisting of:
- Mounting support, single, type 71MT1 45
- Data technology support, straight outlet, type DTG-2C, colour: see table
- Cover frame AR45, single, without labelling panel, colour: pure white

Data technology solution KAT5

RJ45 data connection module, Cat. 5e, shielded






Type	Pack Piece	Weight kg/100 pc.	Item no.
ASM-C5 G	1	2.660	**6117325**

Connection module Cat. 5e shielded, with an RJ 45 slot. Includes an EMC screen hood, a dust cover, a cable tie and mounting instructions. Suitable for installation in data technology supports of type DTG-2RM and DTS-2RM.

RJ45 data connection module, Cat. 5e, unshielded






Type	Pack Piece	Weight kg/100 pc.	Item no.
ASM-C5	1	1.120	**6117337**

Connection module Cat. 5e unshielded, with an RJ 45 slot. Including a dust cover, a cable tie and mounting instructions. Suitable for installation in data technology supports of type DTG-2RM and DTS-2RM.

Connection module Cat. 5, shielded, snap-in

Type		Pack Piece	Weight kg/100 pc.	Item no.
ASM-C5 GS		1	1.920	6117343

Connection module Cat. 5e shielded, with an RJ45 slot. Including an EMC screen hood, a dust cover, a cable tie, a snap-in fastening frame and mounting instructions. Suitable for installation in support plates, type MTM 2C and MTM 3C, mounting plate type MPR2 2C, mounting support type MTGE2 2C, MTGE2 15 2C and MTGE2 F 2C.






Connection module Cat. 5, unshielded, snap-in

Type		Pack Piece	Weight kg/100 pc.	Item no.
ASM-C5 S		1	1.120	6117347

Connection module Cat. 5e unshielded, with a RJ45 slot. Including a dust cover, a cable tie, a snap-in fastening frame and mounting instructions. Suitable for installation in support plates, type MTM 2C and MTM 3C, mounting plate type MPR2 2C, mounting support type MTGE2 2C, MTGE2 15 2C and MTGE2 F 2C.






RJ45 data connection module, Cat. 6, shielded

Type		Pack Piece	Weight kg/100 pc.	Item no.
ASM-C6 G		1	1.850	6117329

Connection module Cat. 6 shielded, with an RJ 45 slot. Includes an EMC screen hood, a dust cover, a cable tie and mounting instructions. Suitable for installation in data technology supports of type DTG-2RM and DTS-2RM.






RJ45 data connection module, Cat. 6, unshielded

Type		Pack Piece	Weight kg/100 pc.	Item no.
ASM-C6		1	1.060	6117341

Connection module Cat. 6 unshielded, with an RJ 45 slot. Including a dust cover, a cable tie and mounting instructions. Suitable for installation in data technology supports of type DTG-2RM and DTS-2RM.






Connection module Cat. 6A, shielded, snap-in

Type		Pack Piece	Weight kg/100 pc.	Item no.
ASM-C6A G		1	1.630	6117346

Connection module Cat. 6A (ISO) shielded, with an RJ45 slot. Including an EMC screen hood, a dust cover, a cable tie, a Keystone fastening frame and mounting instructions. Suitable for installation in the data technology supports of type DTG-2C and DTS-2C, support plate of type MTM 2C and MTM 3C, mounting plate of type MPR2 2C, mounting supports of type MTGE2 2C, MTGE2 15 2C and MTGE2 F 2C.






Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Connection module Cat. 6A, unshielded, snap-in






Type		Pack Piece	Weight kg/100 pc.	Item no.
ASM-C6A		1	1.050	**6117348**

Connection module Cat. 6A (ISO) unshielded, with an RJ45 slot. Including a dust cover, a cable tie, a Keystone fastening frame and mounting instructions. Suitable for installation in the data technology supports of type DTG-2C and DTS-2C, support plate of type MTM 2C and MTM 3C, mounting plate of type MPR2 2C, mounting supports of type MTGE2 2C, MTGE2 15 2C and MTGE2 F 2C.

Connection module Cat. 6, shielded, snap-in






Type		Pack Piece	Weight kg/100 pc.	Item no.
ASM-C6 GS		1	1.850	**6117345**

Connection module Cat. 6 shielded, with an RJ45 slot. Including an EMC screen hood, a dust cover, a cable tie, a snap-in fastening frame and mounting instructions. Suitable for installation in support plates, type MTM 2C and MTM 3C, mounting plate type MPR2 2C, mounting support type MTGE2 2C, MTGE2 15 2C and MTGE2 F 2C.

Connection module Cat. 6, unshielded, snap-in






Type		Pack Piece	Weight kg/100 pc.	Item no.
ASM-C6 S		1	1.060	**6117349**

Connection module Cat. 6 unshielded, with an RJ45 slot. Including a dust cover, a cable tie, a snap-in fastening frame and mounting instructions. Suitable for installation in support plates, type MTM 2C and MTM 3C, mounting plate type MPR2 2C, mounting support type MTGE2 2C, MTGE2 15 2C and MTGE2 F 2C.

VGA connection, 1 module, straight outlet, with connection cable










Type	MTG-VGA F RW1	MTG-VGA F SWGR1	MTG-VGA F AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	5.200	5.200	5.200
Item no.	**6104658**	**6104661**	**6104664**

PC Polycarbonate

Multimedia support with one VGA connection socket, straight cable outlet, with labelling panel, short VGA connection cable (HD15), socket-socket version. Support with locking fastening, suitable for horizontal and vertical installation in the system environment.

VGA connection, 1 module, slanting outlet, with connection cable










Type	MTS-VGA F RW1	MTS-VGA F SWGR1	MTS-VGA F AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	6.063	5.400	5.400
Item no.	**6104670**	**6104673**	**6104676**

PC Polycarbonate

Multimedia support with one VGA connection socket, slanting cable outlet, with labelling panel, short VGA connection cable (HD15), socket-socket version. Support with locking fastening, suitable for horizontal and vertical installation in the system environment.

Mini jack connection, 1 module, straight outlet, as soldered connection






Type	MTG-MK L RW1
Colour	Pure white
Pack Piece	1
Weight kg/100 pc.	1.500
Item no.	**6104946**

PC Polycarbonate

Multimedia support with one mini jack connection socket, straight cable outlet, with labelling panel, mini cinch socket (TRS 3.5 mm) with soldered connection. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.

Video cinch connection, 1 module, straight outlet, as 1:1 coupling








Type	MTG-R F RW1	MTG-R F SWGR1	MTG-R F AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	1.500	1.500	1.500
Item no.	**6104994**	**6104997**	**6105000**

PC Polycarbonate

Multimedia support with one cinch connection socket for composite video, straight cable outlet, with labelling panel, cinch coupling (RCA), socket-socket version, colour coding yellow. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.

Video cinch connection, 1 module, slanting outlet, as 1:1 coupling








Type	MTS-R F RW1	MTS-R F SWGR1	MTS-R F AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	1.700	1.700	1.700
Item no.	**6105006**	**6105009**	**6105012**

PC Polycarbonate

Multimedia support with one cinch connection socket for composite video, slanting cable outlet, with labelling panel, cinch coupling (RCA), socket-socket version, colour coding yellow. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.

Audio cinch connection, 1 module, straight outlet, as 1:1 coupling








Type	MTG-2R F RW1	MTG-2R F SWGR1	MTG-2R F AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	2.500	2.500	2.500
Item no.	**6105066**	**6105069**	**6105072**

PC Polycarbonate

Multimedia support with two cinch connection sockets for audio R/L, straight cable outlet, with labelling panel, two cinch couplings (RCA), socket-socket version, colour coding red/white. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Audio cinch connection, 1 module, slanting outlet, as 1:1 coupling










Type	MTS-2R F RW1	MTS-2R F SWGR1	MTS-2R F AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	2.700	2.700	2.700
Item no.	**6105078**	**6105081**	**6105084**

PC Polycarbonate

Multimedia support with two cinch connection sockets for audio R/L, slanting cable outlet, with labelling panel, two cinch couplings (RCA), socket-socket version, colour coding red/white. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.

Component video connection, 1 module, straight outlet, as 1:1 coupling










Type	MTG-3R F RW1	MTG-3R F SWGR1	MTG-3R F AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	3.200	3.200	3.200
Item no.	**6105138**	**6105141**	**6105144**

PC Polycarbonate

Multimedia support with three cinch connection sockets for component video, straight cable outlet, with labelling panel, three cinch couplings (RCA), socket-socket version, colour coding red/green/blue. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.

Component video connection, 1 module, slanting outlet, as 1:1 coupling










Type	MTS-3R F RW1	MTS-3R F SWGR1	MTS-3R F AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	3.400	3.400	3.400
Item no.	**6105150**	**6105153**	**6105156**

PC Polycarbonate

Multimedia support with three cinch connection sockets for component video, slanting cable outlet, with labelling panel, three cinch couplings (RCA), socket-socket version, colour coding red/green/blue. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.

Audio/video cinch connection, 1 module, straight outlet, as 1:1 coupling










Type	MTG-12R F RW1	MTG-12R F SWGR1	MTG-12R F AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	3.200	3.200	3.200
Item no.	**6105186**	**6105189**	**6105192**

PC Polycarbonate

Multimedia support with three cinch connection sockets for audio/video, straight cable outlet, with labelling panel, three cinch couplings (RCA), socket-socket version, colour coding yellow/red/white. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.

Audio/video cinch connection, 1 module, slanting outlet, as 1:1 coupling










Type	MTS-12R F RW1	MTS-12R F SWGR1	MTS-12R F AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	3.400	3.400	3.400
Item no.	**6105198**	**6105201**	**6105204**

PC Polycarbonate

Multimedia support with three cinch connection sockets for audio/video, slanting cable outlet, with labelling panel, three cinch couplings (RCA), socket-socket version, colour coding yellow/red/white. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.

XLR connection, 1 module, straight outlet, 3-pin socket, as soldered connection





Type	MTG-X3F L RW1
Colour	Pure white
Pack Piece	1
Weight kg/100 pc.	3.000
Item no.	**6105210**

PC Polycarbonate


Multimedia support with one XLR connection socket, straight cable outlet, without labelling panel, 3-pin XLR socket with soldered connection. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

Analogue connection solutions

Antenna connection, 1 module, TV/radio/SAT, antenna socket









Type	ANT-3SD RW1	ANT-3SD SWGR1	ANT-3SD AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	11.596	11.596	11.000
Item no.	**6105282**	**6105284**	**6105286**


PC Polycarbonate

Socket for antenna, BK and satellite reception systems with connection for TV and radio.

Frequency: 5–2150 MHz
Heat attenuation: 5-862 MHz - 1dB
950-2150 MHz - 2 dB
Return channel attenuation: 14 dB
EMC protection class A

Digital connection solutions

DVI-I connection, 1 module, straight outlet, with connection cable










Type	MTG-DVI F RW1	MTG-DVI F SWGR1	MTG-DVI F AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	6.000	6.000	6.000
Item no.	**6104754**	**6104757**	**6104760**

PC Polycarbonate

Multimedia support with one DVI-I connection socket, straight cable outlet, with labelling panel, short DVI-I connection cable, socket-socket version. Support with locking fastening, suitable for horizontal and vertical installation in the system environment.

DVI-I connection, 1 module, slanting outlet, with connection cable










Type	MTS-DVI F RW1	MTS-DVI F SWGR1	MTS-DVI F AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	6.200	6.200	6.200
Item no.	**6104766**	**6104769**	**6104772**

PC Polycarbonate

Multimedia support with one DVI-I connection socket, slanting cable outlet, with labelling panel, short DVI-I connection cable, socket-socket version. Support with locking fastening, suitable for horizontal and vertical installation in the system environment.

HDMI connection, 1 module, straight outlet, with connection cable










Type	MTG-HD F RW1	MTG-HD F SWGR1	MTG-HD F AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	6.000	6.000	6.000
Item no.	**6104826**	**6104829**	**6104832**

PC Polycarbonate

Multimedia support with one HDMI connection socket, straight cable outlet, with labelling panel, short HDMI connection cable, socket-socket version. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.

HDMI connection, 1 module, slanting outlet, with connection cable










Type	MTS-HD F RW1	MTS-HD F SWGR1	MTS-HD F AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	6.200	6.200	6.200
Item no.	**6104838**	**6104841**	**6104844**

PC Polycarbonate

Multimedia support with one HDMI connection socket, slanting cable outlet, with labelling panel, short HDMI connection cable, socket-socket version. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.

Multimedia support for VGA/D-Sub9 plug connection, 1 module, straight outlet






Type	MTG-DB O RW1
Colour	Pure white
Pack Piece	1
Weight kg/100 pc.	0.700
Item no.	**6104706**

PC Polycarbonate

Multimedia support for a VGA / D-Sub9 plug connector, straight cable outlet, with labelling panel, without plug connector. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Multimedia support for VGA/D-Sub9 plug connector, 1 module, slanting outlet








Type	MTS-DB O RW1	MTS-DB O AL1
Colour	Pure white	Aluminium-painted
Pack Piece	1	1
Weight kg/100 pc.	0.900	0.900
Item no.	**6104718**	**6104724**

PC Polycarbonate

Multimedia support for a VGA / D-Sub9 plug connector, slanting cable outlet, with labelling panel, without plug connector. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.

Multimedia support for XLR plug connector, 1 module, straight outlet










Type	MTG-X O RW1	MTG-X O SWGR1	MTG-X O AL1
Colour	Pure white	Black-grey	Aluminium-painted
Pack Piece	1	1	1
Weight kg/100 pc.	0.600	0.600	0.600
Item no.	**6105234**	**6105237**	**6105240**

PC Polycarbonate

Multimedia support for an XLR plug connector, straight cable outlet, without labelling panel, without plug connector. Support plate with locking fastening, suitable for horizontal and vertical installation in the system environment.

Directories



Directories



Test marks 336



Pictogram explanation 338



Numeric directory 342

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Test marks

	American Bureau of Shipping, USA
	AENOR, Producto Certificado, Spain
	STOWARZYSZENIE ELEKTRYKÓW POLSKICH, Poland
	Lightning current-tested
	Lightning current-tested, Class H (100 kA)
	CEBEC, Belgium
	Canadian Standards Association, Canada
	DEMKO, Danmarks Elektriske Materielkontrol, Denmark
DIBt	Deutsches Institut für Bautechnik Berlin, Germany
	Det Norske Veritas
	ENEC Austria
	ATEX certificate for explosive areas
	ELEKTROTECHNICKÝ ZKUŠEBNÌ ÚSTAV, Czech Republic
FI	FIMKO, Finland
	Forschungs- und Materialprüfungsanstalt, Germany
	Russia, GOST The State Committee for Standards
	Test marks for technical resources, VDE Prüf- und Zertifizierungsinstitut Offenbach, Germany
	Halogen-free; without chlorine, fluorine and bromine
	INMETRO, Brazil
	KEMA-KEUR, Netherlands
	Indication of metric products
	MAGYAR ELEKTROTECHNIKAI ELLENŐRZŐ INTÉZET Budapest, Hungary
	NEMKO, Norway
	AFNOR Quality symbol of the French standardisation institute

	Underwriters Laboratories Inc., USA + CSA, Canada
	Österreichischer Verband für Elektrotechnik, Austria
	INSTITUTO ITALIANO DEL MARCHO DI QUALITÁ, Italy
	RINA 1861, Ship Classification, Certification and Services
	Underwriters Laboratories Inc., USA
	SEMKO An Inchcape Testing Services Company, Sweden
	Eidgenössisches Starkstrominspektorat, Switzerland
	South African Bureau of Standards
	Shock-tested, Bundesamt für Zivilschutz, Germany
	Sähkötarkastuskeskus Elinspektionscentralen Electrical Inspectorate, Finland
	Underwriters Laboratories Inc., USA
	Underwriters Laboratories Inc., USA
	Verband der Elektrotechnik, Elektronik, Informationstechnik e.V., Germany
	German Association of Electricians, tested safety
	5-year warranty

Pictogram explanation

Surfaces

FS	Strip galvanised
FSK	Strip galvanised/plastic-coated
DD	Strip galvanised zinc/aluminium, double dip
BK	Bright
2B	Bright, reworked
EL	Anodised
F	Hot-dip galvanised
G	Electrogalvanised
GK	Electrogalvanised/plastic-coated
GCL	Electrogalvanised, yellow-chromated
GGP	Electrogalvanised, yellow passivated
GTP	Electrogalvanised, transparently passivated
GR	Primed
L	Painted
SG	Welding primed
FT	Hot-dip galvanised
FT SO	Hot-dip galvanised 85 µm
Cu	Copper-plated
N	Nickel-plated
ZD	Galvanised, Deltatone 500
ZDM	Galvanised, MAGNI 565
GA	Zinc-aluminium coated, Galfan
ZL	Zinc scale

Conformity symbol

CE	Communautés Européennes, EC declaration of conformity according to EC directives
RoHS conform	RoHS-conformant

Quality marks

	Halogen-free; without chlorine, fluorine and bromine
650°	Flame resistant 650 °C
750°	Flame resistant 750 °C
960°	Flame resistant 960 °C
UV RESISTANT	UV-resistant

Specific product symbols

Ø 60	Diameter 60 mm
Ø 68	Diameter 68 mm
Type 3	Protection device to DIN EN 61643-11 or IEC 61643-11
LPZ 2→3	Transition from LPZ 2 to LPZ 3
AS	Acoustic signalling

Applications

FS	Remote signalling
AS	Acoustic signalling
ISDN	Integrated Service Digital Network, ISDN applications
DSL	Digital Subscriber Line, DSL applications
Analog TK	Analogue telecommunication
Cat 5	Category 5 TwisterPair
Cat 6_A	Channel Performance to American EIA/TIA standard
MSR	Measuring, controlling and regulating systems
TV	TV applications
SAT	SAT-TV applications
Mu	MultiBase base
	LifeControl
EX	Intrinsically safe protection device for potentially explosive areas
Class E_A	Channel Performance to ISO/IEC 11801
PoE	Power over Ethernet
230/ 400 V System	230/400 V system
IP 54	Protection rating IP 54
IP 65	Protection rating IP 65

Lightning protection classes

Type 1	Protection device to DIN EN 61643-11 or IEC 61643-11
Type 1+2	Combination protection device made of type 1 and type 2
Type 2	Protection device to DIN EN 61643-11 or IEC 61643-11

Lightning protection classes

Type 2+3	Protection device to DIN EN 61643-11 or IEC 61643-11
Type 3	Protection device to DIN EN 61643-11 or IEC 61643-11

Lightning protection zone

LPZ 0→1	Transition from LPZ 0 to LPZ 1
LPZ 0→2	Transition from LPZ 0 to LPZ 2
LPZ 0→3	Transition from LPZ 0 to LPZ 3
LPZ 1→2	Transition from LPZ 1 to LPZ 2
LPZ 1→3	Transition from LPZ 1 to LPZ 3
LPZ 2→3	Transition from LPZ 2 to LPZ 3

BSS maintenance of electrical function installation

	Fire-tested systems
	Escape route ceiling mounting with pressure clip
	OBO Grip, wall routing type
	OBO Grip, ceiling routing type
	Pressure clip for maintenance of electrical function, ceiling mounting

BSS anchor

	Fire protection anchor
	Fire protection bolt tie

BSS test marks/material class

E30	Maintenance of electrical function class E30
E90	Maintenance of electrical function class E90

Clamp clip base shapes

N	Clamp clip for C profile rail, slot width 11–12 mm
H	Clamp clip for C profile rail, slot width 16–17 mm
U	Clamp clip for C profile rail, slot width 18–22 mm

Diameter

Ø 60	Diameter 60 mm
Ø 68	Diameter 68 mm
Ø 70	Diameter 70 mm
Ø 74	Diameter 74 mm

Entries

4	4 cable entries
6	6 cable entries
7	7 cable entries
8	8 cable entries
9	9 cable entries
10	10 cable entries
12	12 cable entries
10	10 cable entries ECO
12	12 cable entries ECO
14	14 cable entries ECO
16	16 cable entries
18	18 cable entries ECO
24	24 cable entries

Gland thread

M	Thread metric
Pg	Thread Pg

Entry size

M20	M20 entry
M25	M25 entry
M32	M32 entry
M40	M40 entry

KTS side heights

	Cable tray, side height 35 mm
	Cable tray, side height 60 mm
	Cable tray, side height 85 mm
	Mesh cable tray, side height 35 mm
	Mesh cable tray, side height 55 mm

Materials

	Flat steel
	Angular steel
	U steel
	Round material

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Pictogram explanation

Nominal cross-section

1,5 mm²	Nominal cross-section 1.5 mm²
1,5–2,5 mm²	Nominal cross-section 1.5–2.5 mm²
2,5 mm²	Nominal cross-section 2.5 mm²
2,5–4 mm²	Nominal cross-section 2.5–4 mm²
4 mm²	Nominal cross-section 4 mm²
4-6 mm²	Nominal cross-section 4–6 mm²
6 mm²	Nominal cross-section 6 mm²
10 mm²	Nominal cross-section 10 mm²
16 mm²	Nominal cross-section 16 mm²

Nominal voltage

400 V	Nominal voltage 400 V
500 V	Nominal voltage 500 V
660 V	Nominal voltage 660 V

Polarity

3	3-pole
5	5-pole
7	7-pole
8	8-pole
10	10-pole
12	12-pole

Slot widths

7,5	Slot width 7.5 mm
11	Slot width 11 mm
11-12	Slot width 11–12 mm
12	Slot width 12 mm
15	Slot width 15 mm
16	Slot width 16 mm
16,5	Slot width 16.5 mm
16-17	Slot width 16–17 mm
17	Slot width 17 mm
18	Slot width 18 mm
22	Slot width 22 mm
35	Slot width 35 mm

Screw heads

	Philips screw
	Torx screw
	Phillips screw
	Pozidriv

Firing devices

	Bolt-firing tool
	Nail device

Protection rating

IP 20	Protection rating IP 20
IP 30	Protection rating IP 30
IP 31	Protection rating IP 31
IP 44	Protection rating IP 44
IP 54	Protection rating IP 54
IP 55	Protection rating IP 55
IP 65	Protection rating IP 65
IP 66	Protection rating IP 66
IP 67	Protection rating IP 67
IP 68	Protection rating IP 68

Metals

Alu	Aluminium
Alu/St	Aluminium/steel
A2	Stainless steel, rustproof
A4	Stainless steel, rustproof
A5	Stainless steel, rustproof
Cu	Copper
CuZn 37	Brass
St	Steel
TG	Malleable iron
Zn	Die-cast zinc

Plastics

ABS/ASA	Acrylonitrile butadiene styrene
UF	Duroplast, Aminoplast, type 131.5
MF	Duroplast, melamine resin, type 150
EVA	Ethylene vinyl acetate

Plastics

FA	Fibre-proof material DIN 28091
GFK	Fibreglass-reinforced plastic
NBR SBR	Rubber mixture
NBR	Nitrile rubber
PETR	Petrolatum
PA	Polyamide
PA/ GF	Polyamide, fibre-glass reinforced
PBPT	Polybutylene terephthalate
PC	Polycarbonate
PE	Polyethylene
PP	Polypropylene
PP/GF	Polypropylene, fibre-glass reinforced
PS	Polystyrene
PVC	Polyvinylchloride
ZELL PE	Cellular polyethylene

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Numeric directory

GTIN	Item no.	Page
	/100 pc.	
5669197	**2351056**	121
	price/m	
6362530	**6020801**	248
6016877	**6021018**	41
7005177	**6021023**	41
	price/m	
6016990	**6021034**	43
	/pc.	
6017171	**6021093**	41
6017652	**6021190**	41
6018253	**6021336**	42
6018857	**6021492**	40
6018918	**6021506**	42
6018970	**6021514**	44
6019212	**6021697**	39
6019274	**6021700**	43
6019335	**6021719**	39
6019397	**6021727**	43
6019458	**6021735**	39
6019519	**6021743**	44
	price/m	
6019939	**6021867**	55
6020232	**6022006**	47
6020294	**6022014**	49
6020355	**6022022**	51
6637515	**6022030**	53
6020416	**6022049**	55
6638895	**6022057**	59
6020478	**6022065**	57
	/pc.	
6020539	**6022073**	45
6020713	**6022111**	47
6020836	**6022146**	49
6020959	**6022162**	51
6021079	**6022189**	55
6021130	**6022197**	57
6021253	**6022219**	47
6021376	**6022235**	49
6021499	**6022251**	51
6021611	**6022286**	55
6021673	**6022294**	57
6021796	**6022316**	48
6021918	**6022332**	50
6022038	**6022359**	51
6022151	**6022375**	55
6022212	**6022383**	45
6022274	**6022391**	57
6022519	**6022448**	45
6022694	**6022499**	46
6022755	**6022502**	48
6022816	**6022529**	52
6022878	**6022545**	56
6022939	**6022561**	58
6022991	**6022588**	50
6023837	**6023002**	48
6023950	**6023029**	50
6024070	**6023045**	52
6024193	**6023061**	56
	price/m	
6024315	**6023096**	120
6024377	**6023118**	120
	/pc.	
6024438	**6023126**	58
6024551	**6023142**	42
6025039	**6023223**	46
6025459	**6023312**	40
6025572	**6023339**	44
6638116	**6024432**	53
6639496	**6024440**	59
6638291	**6024521**	53
6639670	**6024548**	59
6638475	**6024599**	53
6639854	**6024602**	60
6638659	**6024769**	54
6640034	**6024777**	59
6637935	**6024823**	54
6639311	**6024831**	60
6028214	**6024858**	61
6028276	**6024874**	62
6028337	**6024882**	63
6651375	**6024904**	64
	price/m	
6667338	**6024947**	19
7005054	**6024949**	19
	price/m	
6642250	**6024955**	19
6642373	**6024971**	19
6332779	**6025005**	20
6332892	**6025021**	20
6794539	**6025048**	20
6667390	**6025102**	24
6028399	**6025110**	24
6028450	**6025129**	24
6028511	**6025137**	22
7005085	**6025155**	24
	price/m	
6028931	**6025420**	37
6028993	**6025447**	37
6029051	**6025617**	39
6029112	**6025633**	39
7005146	**6025638**	39
	price/m	
6029174	**6025668**	45
6029778	**6026176**	61
6029839	**6026184**	61
6029891	**6026192**	62
6030132	**6026273**	63
6030194	**6026281**	63
6642076	**6026311**	64
6642137	**6026338**	64
6667451	**6026354**	26
6642793	**6026362**	26
6667512	**6026400**	29
6030255	**6026419**	29
6030439	**6026443**	31
6794591	**6026486**	31
7005115	**6026488**	31
	price/m	
6667574	**6026796**	33
6332953	**6026818**	33
6333073	**6026834**	33
6667635	**6026842**	35
6640874	**6026850**	35
6030675	**6026982**	120
6030736	**6026990**	121
6667697	**6027016**	37
6667758	**6027024**	39
6667819	**6027032**	41
6667871	**6027040**	43
6667994	**6027105**	45
6668052	**6027113**	47
6668113	**6027121**	49
6668175	**6027148**	51
6668236	**6027156**	53
6668298	**6027164**	55
6668359	**6027172**	57
6668410	**6027180**	59
6668472	**6027229**	61
6668533	**6027237**	62
6668595	**6027245**	63
6668656	**6027253**	64
7005023	**6027321**	15
	/pc.	
5898375	**6104658**	326
5898436	**6104661**	326
5898443	**6104664**	326
5898481	**6104670**	326
5898498	**6104673**	326
5898504	**6104676**	326
5898597	**6104706**	331
5898627	**6104718**	332
5898641	**6104724**	332
5898719	**6104754**	330
5898726	**6104757**	330
5898733	**6104760**	330
5898740	**6104766**	330
5898757	**6104769**	330
5898764	**6104772**	330
5899013	**6104826**	331
5899020	**6104829**	331
5899044	**6104832**	331
5899082	**6104838**	331
5899105	**6104841**	331
5899150	**6104844**	331
5899648	**6104922**	320
5899709	**6104925**	320
5899754	**6104928**	320
5899808	**6104934**	320
5899853	**6104937**	320
5899884	**6104940**	320
5899921	**6104946**	326
5900238	**6104994**	327
5900245	**6104997**	327
5900283	**6105000**	327
5900290	**6105006**	327
5900306	**6105009**	327
5900337	**6105012**	327
5900542	**6105066**	327
5900559	**6105069**	327
5900566	**6105072**	327
5900573	**6105078**	328
5900580	**6105081**	328
5900597	**6105084**	328
5899204	**6105138**	328
5899228	**6105141**	328
5899259	**6105144**	328
5899273	**6105150**	328
5899457	**6105153**	328
5899464	**6105156**	328
5899693	**6105186**	329
5899730	**6105189**	329
5899747	**6105192**	329
5899761	**6105198**	329
5899815	**6105201**	329
5899822	**6105204**	329
5899860	**6105210**	329
5900115	**6105234**	332
5900177	**6105237**	332
5900184	**6105240**	332
6164752	**6105282**	330
6164769	**6105284**	330
6164790	**6105286**	330
6594603	**6105300**	309
6594641	**6105302**	309
6594665	**6105304**	309
5273530	**6108050**	285
5273547	**6108051**	285
5273585	**6108052**	286
5273592	**6108053**	286
5273608	**6108054**	286
5273646	**6108055**	286
5273653	**6108056**	287
5273660	**6108057**	287
6584680	**6108060**	286
6584697	**6108062**	286
6584703	**6108064**	286
6584734	**6108066**	286
5273707	**6108070**	286
5273714	**6108072**	287
6584741	**6108074**	288
5273721	**6108080**	287
5273769	**6108082**	287
5273776	**6108084**	287
6584673	**6108086**	288
5123064	**6108150**	285
5123118	**6108152**	285
5123163	**6108154**	285
5123224	**6108157**	285
5123248	**6108159**	285
5123422	**6108175**	285
5123460	**6108177**	285
5123484	**6108179**	285
5123538	**6108182**	285
5123552	**6108184**	285
5124368	**6108450**	284
5124382	**6108452**	284
5124436	**6108454**	284
5124498	**6108457**	284
5124542	**6108459**	284
5124788	**6108477**	285
5124801	**6108479**	285
5124856	**6108482**	285
5124894	**6108484**	285
6688623	**6108700**	292
6688463	**6108710**	290
6688470	**6108712**	290
6688487	**6108714**	290
6688494	**6108716**	290
6688500	**6108718**	290
6688517	**6108720**	290
6688524	**6108722**	290
6688531	**6108724**	290
6688548	**6108730**	290
6688555	**6108732**	290
6688562	**6108734**	290
6688579	**6108736**	290
6688586	**6108738**	290
6688593	**6108740**	290
6688609	**6108742**	290
6688616	**6108744**	290
6688203	**6108950**	291
6688210	**6108952**	291
6688227	**6108954**	291
6688234	**6108956**	291
6688241	**6108960**	291
6688258	**6108962**	291
6688265	**6108964**	291
6688272	**6108966**	291
6688289	**6108970**	291
6688296	**6108972**	292
6688302	**6108974**	292
	price/m	
6417902	**6112400**	145
6417919	**6112403**	145
6417926	**6112410**	147
6417933	**6112413**	147
	/pc.	
6417964	**6112420**	146
6417971	**6112423**	146
6417995	**6112430**	146
6418008	**6112433**	146
6418022	**6112440**	145
6418039	**6112443**	145
	price/m	
6418213	**6112500**	149
6418251	**6112503**	149
	/pc.	
6418275	**6112510**	150
6418299	**6112513**	150
6418329	**6112520**	150
6418336	**6112523**	150
6418350	**6112530**	149
6418367	**6112533**	149
	price/m	
6418503	**6112600**	153
6418534	**6112603**	153
	/pc.	
6418558	**6112610**	154
6418541	**6112613**	154
6418572	**6112620**	154
6418596	**6112623**	154
6418619	**6112630**	153
6418626	**6112633**	153
	6112970	128
	6112972	127
	6112973	128
	6112974	127
	6112975	128
	6112980	128
	6112982	127
	6112983	128
	6112984	127
	6112985	128
6748211	**6112990**	128
6748242	**6112992**	127
6748259	**6112993**	128
6748266	**6112994**	127
6748730	**6112995**	128
6419036	**6113000**	126
6419074	**6113002**	126
6710980	**6113003**	126
	price/m	
6419081	**6113010**	128
6419104	**6113012**	128
	/pc.	
6419111	**6113020**	126
6419142	**6113022**	126
6417940	**6113024**	145
6419159	**6113030**	142
6419173	**6113040**	127
6419197	**6113042**	127
7264864	**6113045**	141
	/pc.	
6419203	**6113050**	128
6419210	**6113052**	128
6417988	**6113054**	147
6419227	**6113060**	127
6419234	**6113062**	127
7264840	**6113065**	141
	/pc.	
6419258	**6113070**	127
6419265	**6113072**	127
6418015	**6113074**	146
6419272	**6113080**	126
6419289	**6113082**	126
7264888	**6113085**	140
	/pc.	
6419296	**6113090**	127
6419319	**6113092**	127
6418046	**6113094**	146
6419333	**6113100**	128
6419340	**6113102**	128
6418176	**6113104**	147
6419357	**6113110**	128
6419371	**6113112**	128
6418206	**6113114**	147
	price/m	
6419388	**6113200**	130
6419395	**6113202**	130
	/pc.	
6419418	**6113210**	130
6419432	**6113212**	130
6418268	**6113214**	149
6419456	**6113220**	131
6419463	**6113222**	131
6419470	**6113230**	131
6419500	**6113232**	131
6418305	**6113234**	151
6419517	**6113240**	131
6419531	**6113242**	131
6419555	**6113250**	131
6419562	**6113252**	131
6418312	**6113254**	150
6419586	**6113260**	130
6419609	**6113262**	130
6419616	**6113270**	131
6419630	**6113272**	131
6418374	**6113274**	150
6419647	**6113280**	132
6419661	**6113282**	132
6418381	**6113284**	151
	price/m	
6419685	**6113290**	129
	/pc.	
6419814	**6113300**	132
6419821	**6113302**	132
6418411	**6113304**	151
6419845	**6113310**	128
6419869	**6113312**	135
6418398	**6113314**	147
6419876	**6113320**	132
6419883	**6113322**	132
6418428	**6113324**	151
	price/m	
6419913	**6113400**	133
6419920	**6113402**	133
	/pc.	
6419937	**6113410**	134
6419944	**6113412**	134
6419975	**6113420**	134
6419982	**6113422**	134

GTIN	Item no.	Page
	/pc.	
6418565	**6113424**	155
6419999	**6113430**	134
6420001	**6113432**	134
6420032	**6113440**	134
6420049	**6113442**	134
6418602	**6113444**	154
6420056	**6113450**	133
6420063	**6113452**	133
6420094	**6113460**	134
6420100	**6113462**	134
6418633	**6113464**	154
6420117	**6113470**	135
6420124	**6113472**	135
6418657	**6113474**	155
6420155	**6113480**	135
6420162	**6113482**	135
6418664	**6113484**	155
7257545	**6114157**	140
7257538	**6114162**	142
7257521	**6114166**	142
	price/m	
6450824	**6114200**	173
6450831	**6114210**	174
	/pc.	
6450848	**6114220**	174
6450893	**6114230**	174
6450909	**6114240**	174
6450930	**6114250**	175
6451012	**6114260**	175
6451111	**6114270**	175
6451166	**6114280**	175
	price/m	
6451173	**6114290**	176
6451180	**6114300**	177
	/pc.	
6451197	**6114320**	178
6451241	**6114340**	178
6451296	**6114360**	179
6451319	**6114370**	179
6451364	**6114380**	179
	price/m	
5914075	**6115775**	236
	/pc.	
5914211	**6115789**	237
5914297	**6115795**	238
5914150	**6115825**	236
5914174	**6115835**	236
5914198	**6115845**	237
5914235	**6115851**	237
5914259	**6115855**	237
5914273	**6115865**	237
5914310	**6115875**	238
5914334	**6115885**	238
5914358	**6115895**	238
5914372	**6115915**	238
5914396	**6115925**	239
5914419	**6115935**	239
5914433	**6115945**	239
5914457	**6115955**	239
5914471	**6115965**	239
5914495	**6115975**	240
5914501	**6115980**	240
5914518	**6115982**	240
5914525	**6115985**	240
5914532	**6115995**	240
	price/m	
5391630	**6116073**	136
6708970	**6116108**	138
	/pc.	
6176236	**6116116**	138
5481485	**6116152**	136
5391647	**6116163**	136
5391654	**6116193**	138
5428688	**6116201**	137
5391661	**6116203**	137
5428695	**6116261**	137
5391678	**6116263**	137
5391685	**6116403**	138
5391692	**6116493**	137
6211456	**6116752**	148
5670933	**6117196**	284
5670940	**6117197**	284
5438113	**6117198**	284
6235155	**6117325**	322
6235216	**6117329**	323
6235278	**6117337**	322
6235339	**6117341**	323
5402428	**6117343**	323
5402435	**6117345**	324
5887515	**6117346**	323
5402442	**6117347**	323
5887522	**6117348**	324
5402459	**6117349**	324
6117499	**6117406**	311
5701279	**6117407**	311
6214037	**6117408**	311
6164813	**6117410**	310
6164820	**6117411**	310
6164851	**6117412**	310
6117550	**6117414**	311
5701286	**6117415**	311
6215652	**6117416**	311
6133833	**6117420**	310
6133840	**6117421**	310
6133857	**6117422**	310
5696896	**6119202**	317
5696902	**6119204**	317
5696940	**6119206**	317
5696957	**6119208**	318
5696964	**6119210**	318
5696971	**6119212**	318
5696988	**6119214**	316
5696995	**6119216**	316
5697008	**6119218**	316
5697015	**6119220**	319
5697022	**6119222**	319
5697039	**6119224**	319
5697046	**6119226**	319
5697053	**6119228**	319
5697060	**6119230**	319
5697077	**6119232**	318
5697084	**6119234**	318
5697121	**6119236**	318
5697138	**6119238**	317
5697145	**6119240**	317
5697183	**6119242**	317
5697190	**6119244**	318
5697206	**6119246**	318
5697244	**6119248**	318
5697251	**6119250**	317
5697268	**6119252**	317
5697305	**6119254**	317
5697312	**6119256**	319
5697329	**6119258**	319
5697374	**6119260**	319
5887430	**6119292**	316
5887447	**6119294**	316
5887454	**6119296**	316
5888024	**6119298**	316
5887492	**6119300**	316
5887508	**6119302**	316
5889373	**6119319**	306
5888789	**6119322**	308
5888796	**6119324**	308
5888802	**6119326**	308
5888840	**6119342**	308
5888871	**6119344**	308
5888888	**6119346**	308
5888994	**6119372**	308
5889007	**6119374**	308
5889014	**6119376**	308
5889113	**6119401**	304
5889137	**6119403**	304
5889144	**6119407**	304
5889182	**6119409**	304
5889236	**6119413**	304
5889199	**6119414**	304
5889243	**6119421**	305
5889250	**6119422**	305
5889267	**6119423**	305
5889298	**6119427**	305
5889311	**6119429**	305
5889328	**6119433**	305
5889366	**6119435**	305
6609963	**6119483**	306
6609994	**6119485**	306
6410439	**6119492**	322
6439041	**6119494**	322
6049134	**6120001**	309
6049127	**6120003**	309
6049189	**6120005**	309
6046966	**6120008**	300
6046973	**6120010**	300
6047024	**6120012**	300
6047031	**6120014**	300
6047086	**6120016**	300
6047093	**6120018**	300
6047109	**6120022**	300
6047130	**6120024**	300
6047147	**6120026**	300
6047154	**6120028**	300
6047208	**6120030**	300
6047222	**6120032**	300
6047260	**6120042**	300
6047277	**6120044**	300
6047321	**6120046**	300
6047345	**6120048**	300
6047383	**6120050**	300
6047390	**6120052**	300
7255572	**6120073**	302
7255565	**6120075**	302
7255589	**6120077**	302
7255633	**6120079**	302
7255688	**6120081**	302
7255732	**6120083**	302
7255787	**6120103**	302
7255879	**6120105**	302
7255923	**6120107**	302
7256005	**6120109**	302
7256050	**6120111**	302
7256128	**6120114**	302
7256173	**6120123**	302
7256227	**6120125**	302
7256272	**6120127**	302
7256326	**6120129**	302
7256371	**6120131**	302
7256449	**6120133**	302
	/pc.	
6049073	**6120292**	301
6049141	**6120294**	301
6049196	**6120296**	301
6049240	**6120302**	303
6049257	**6120304**	303
6049264	**6120306**	303
6333578	**6120782**	310
6602889	**6120797**	310
6570805	**6120920**	312
6570812	**6120922**	312
6570829	**6120924**	312
6570836	**6120926**	312
6570843	**6120928**	312
6570850	**6120930**	312
6570867	**6120932**	312
6570874	**6120934**	312
6570881	**6120936**	312
6570898	**6120938**	313
6570911	**6120940**	313
6570928	**6120942**	313
6570935	**6120950**	313
6570942	**6120952**	313
6570959	**6120954**	313
6570966	**6120960**	314
6571000	**6120962**	314
6571017	**6120964**	314
6571024	**6120966**	314
6571031	**6120968**	314
6571048	**6120970**	314
6571055	**6120980**	313
6571062	**6120982**	313
6571079	**6120984**	313
6594702	**6120992**	314
	price/m	
6097692	**6150179**	13
	price/m	
6097753	**6150187**	13
6493159	**6150268**	12
6493098	**6150276**	12
6493036	**6150284**	12
6492978	**6150292**	13
6975686	**6150640**	31
6492251	**6150764**	15
6491773	**6150780**	17
	/pc.	
6492138	**6154026**	15
6491650	**6154034**	17
6974481	**6154069**	27
6491957	**6154115**	16
6491476	**6154123**	18
6493272	**6154166**	28
6491896	**6154212**	16
6491414	**6154220**	18
6493333	**6154255**	28
6492077	**6154328**	15
6491599	**6154336**	17
6974542	**6154360**	28
6492015	**6154417**	15
6491537	**6154425**	17
6493210	**6154468**	28
6491834	**6154514**	16
6491353	**6154522**	18
6493395	**6154557**	28
6577576	**6158226**	24
6577750	**6158234**	20
6577934	**6158242**	22
6578115	**6158250**	29
6578290	**6158269**	32
6578658	**6158285**	33
6578832	**6158293**	37
6641352	**6158307**	35
6578955	**6158331**	24
6579136	**6158358**	20
6579310	**6158366**	22
6579495	**6158374**	29
6579679	**6158382**	32
6580033	**6158404**	33
6580217	**6158412**	37
6641536	**6158420**	35
6580392	**6158455**	25
6580576	**6158463**	21
6580750	**6158471**	23
6580934	**6158498**	30
6581115	**6158501**	32
6581474	**6158536**	34
6581658	**6158544**	38
6641895	**6158552**	36
6581832	**6158587**	24
6582013	**6158595**	21
6582198	**6158609**	23
6582372	**6158617**	29
6582556	**6158625**	32
6582914	**6158641**	33
6583096	**6158668**	37
6641710	**6158676**	35
6642618	**6158692**	19
6434473	**6158706**	25
6434534	**6158714**	21
6434596	**6158722**	23
6434657	**6158730**	30
6434718	**6158749**	32
6584178	**6158765**	34
6583270	**6158773**	38
6643158	**6158781**	26
6434831	**6158803**	36
6507559	**6158838**	20
6507498	**6158846**	22
6507436	**6158889**	31
6106516	**6160352**	55
6107414	**6160956**	55
6108312	**6161545**	55
6109210	**6162258**	56
6110117	**6162843**	56
	price/m	
6801671	**6168736**	27
6802159	**6168744**	27
5933779	**6175375**	66
5933984	**6175377**	66
5933953	**6175390**	68
5933991	**6175392**	68
5812456	**6175400**	70
5812463	**6175405**	72
5812470	**6175410**	74
5812487	**6175415**	76
5812494	**6175420**	78
5812500	**6175425**	80
5933977	**6175457**	68
5817789	**6175460**	70
5817796	**6175463**	72
5817802	**6175466**	74
5817833	**6175469**	76
5817840	**6175472**	78
5817857	**6175475**	80
5812517	**6175500**	120
5812524	**6175504**	120
	/pc.	
5933946	**6175540**	67
5934233	**6175546**	69
5813910	**6175550**	71
5813927	**6175554**	73
5813934	**6175558**	75
5813941	**6175562**	77
5813958	**6175566**	79
5813965	**6175570**	81
5933809	**6175572**	66
5934073	**6175578**	68
5922780	**6175581**	70
5814016	**6175590**	72
5814023	**6175594**	74
5814030	**6175598**	76
5814047	**6175602**	78
5814054	**6175606**	80
5933830	**6175612**	67
5934127	**6175618**	69
5922841	**6175624**	70
5814061	**6175626**	72
5814078	**6175630**	74
5814085	**6175634**	76
5814092	**6175638**	78
5814108	**6175642**	80
5933885	**6175648**	67
5934158	**6175654**	69
5922896	**6175658**	70
5814115	**6175662**	72
5814122	**6175666**	74
5814139	**6175670**	76
5814146	**6175674**	78
5814153	**6175678**	80
5933915	**6175684**	67
5934189	**6175690**	69
5922926	**6175694**	71
5814160	**6175698**	73
5814177	**6175702**	75
5814184	**6175706**	77
5814191	**6175710**	79
5814207	**6175714**	81
5814597	**6175928**	71
5814603	**6175932**	73
5814610	**6175936**	75
5814627	**6175940**	77
5814863	**6175944**	79
5814870	**6175948**	81
5922803	**6175964**	70
5814887	**6175968**	72
5814894	**6175972**	74
5814900	**6175976**	76
5814917	**6175980**	78
5814924	**6175984**	80
5922865	**6176000**	70
5814955	**6176004**	72
5814962	**6176008**	74
5814979	**6176012**	76
5814986	**6176016**	78
5815020	**6176020**	80
5922919	**6176036**	70

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Numeric directory

GTIN	Item no.	Page
	/pc.	
5815037	**6176040**	72
5815044	**6176044**	74
5815075	**6176048**	76
5815082	**6176052**	78
5815099	**6176056**	80
5922971	**6176072**	71
5815105	**6176076**	73
5815112	**6176080**	75
5815129	**6176084**	77
5815136	**6176088**	79
5815143	**6176092**	81
6674657	**6182011**	24
6674718	**6182062**	29
6674770	**6182097**	33
6674831	**6182100**	35
6674893	**6182119**	37
6674954	**6182127**	39
6675012	**6182135**	41
6675074	**6182143**	43
6675739	**6182194**	45
6675791	**6182208**	47
6675852	**6182216**	49
6675913	**6182224**	51
6675975	**6182232**	53
6676033	**6182240**	55
6676095	**6182259**	57
6676156	**6182267**	59
6675197	**6182402**	24
6675258	**6182445**	29
6675319	**6182488**	33
6675371	**6182496**	35
6675432	**6182526**	37
6675494	**6182534**	39
6675555	**6182542**	41
6675616	**6182550**	43
6676392	**6182593**	45
6676453	**6182607**	47
6676514	**6182615**	49
6676576	**6182623**	51
6676637	**6182631**	53
6676699	**6182658**	55
6676750	**6182666**	57
6676811	**6182674**	59
6672851	**6182801**	25
6672912	**6182852**	30
6672974	**6182887**	34
6673032	**6182895**	36
6673094	**6182917**	38
6673155	**6182925**	40
6673216	**6182933**	42
6673278	**6182941**	44
6677054	**6183018**	46
6677115	**6183026**	48
6677177	**6183034**	50
6677238	**6183042**	52
6677290	**6183050**	54
6677351	**6183069**	56
6677412	**6183077**	58
6677474	**6183085**	59
6673391	**6183212**	24
6673452	**6183255**	29
6673513	**6183298**	33
6673575	**6183301**	35
6673636	**6183336**	37
6673698	**6183344**	39
6673759	**6183352**	42
6673810	**6183360**	44
6677719	**6183409**	45
6677771	**6183417**	48
6677832	**6183425**	50
6677894	**6183433**	51
6677955	**6183441**	53
6678013	**6183468**	55
6678075	**6183476**	57
6678136	**6183484**	60
6673933	**6183603**	19
6673995	**6183611**	25
6674053	**6183654**	26
6674114	**6183662**	30
6674176	**6183697**	34
6674237	**6183700**	36
6674299	**6183727**	38
6674350	**6183735**	40
6674411	**6183743**	42
6674473	**6183751**	44
6678372	**6183808**	46
6678433	**6183816**	48
6678495	**6183824**	50
6678556	**6183832**	52
6678617	**6183840**	54
6678679	**6183859**	56
6678730	**6183867**	58
6678792	**6183875**	60
6678853	**6183913**	61
6678914	**6183921**	62
6678976	**6183956**	63
6679034	**6183980**	64
	price/m	
6794058	**6191002**	19
6794119	**6191010**	20
6494590	**6191029**	22
6794171	**6191037**	24
6496938	**6191045**	26
6505036	**6191053**	29
6794232	**6191061**	31
6794294	**6191096**	33
6497058	**6191118**	35
6363490	**6191126**	37
6794355	**6191134**	39
6794416	**6191142**	41
6501199	**6191150**	43
6363018	**6191193**	45
6491292	**6191207**	47
6363438	**6191215**	49
6363377	**6191223**	51
6491230	**6191231**	53
6363193	**6191258**	55
6794478	**6191266**	57
6799459	**6191274**	59
5042273	**6191304**	61
5042280	**6191312**	62
5042297	**6191347**	63
5042303	**6191355**	64
	/pc.	
6794652	**6191843**	20
6494651	**6191851**	22
6794713	**6191878**	24
6502219	**6191886**	29
6794775	**6191894**	32
6794836	**6191924**	33
6976829	**6191932**	35
6794898	**6191940**	37
6794959	**6191959**	39
6795017	**6191967**	41
6221110	**6191975**	43
6362950	**6192017**	45
6799879	**6192025**	47
6362776	**6192033**	49
6362479	**6192041**	51
6800056	**6192068**	53
6362233	**6192076**	55
6795079	**6192084**	57
6800896	**6192092**	59
6795253	**6192149**	20
6494712	**6192157**	22
6795314	**6192165**	24
6504855	**6192173**	29
6795376	**6192181**	32
6795437	**6192211**	33
6497171	**6192238**	35
6795499	**6192246**	37
6795550	**6192254**	39
6795611	**6192262**	41
6220878	**6192270**	43
6360970	**6192319**	45
6801558	**6192327**	47
6354559	**6192335**	49
6353057	**6192343**	51
6492312	**6192351**	53
6351855	**6192378**	55
6795673	**6192386**	57
6492374	**6192394**	59
6796212	**6192459**	21
6494774	**6192467**	23
6796274	**6192475**	25
6504978	**6192483**	30
6796335	**6192491**	32
6796397	**6192513**	34
6497232	**6192521**	36
6796458	**6192548**	38
6796519	**6192556**	40
6796571	**6192564**	42
6500833	**6192572**	44
6351794	**6192610**	46
6492435	**6192629**	48
6712519	**6192637**	50
6712571	**6192645**	52
6492497	**6192653**	54
6712632	**6192661**	56
6796632	**6192688**	58
6492558	**6192696**	59
6796694	**6192750**	21
6494835	**6192769**	23
6796755	**6192777**	24
6504916	**6192785**	29
6796816	**6192793**	32
6796878	**6192815**	33
6497294	**6192823**	35
6796939	**6192831**	37
6796991	**6192858**	39
6797059	**6192866**	42
6496990	**6192874**	44
6712694	**6192912**	45
6492619	**6192920**	48
6712755	**6192939**	50
6712816	**6192947**	51
6492671	**6192955**	53
6712878	**6192963**	55
6797110	**6192971**	57
6492732	**6192998**	60
6797172	**6193099**	19
6797233	**6193102**	21
6975624	**6193110**	23
6797295	**6193129**	25
6976768	**6193137**	26
6504794	**6193145**	30
6797356	**6193153**	32
6797417	**6193188**	34
6497355	**6193196**	36
6712939	**6193218**	38
6797479	**6193226**	40
6797530	**6193234**	42
6974788	**6193242**	44
6712991	**6193285**	46
6492794	**6193293**	48
6713059	**6193307**	50
6713110	**6193315**	52
6492855	**6193323**	54
6713172	**6193331**	56
6797592	**6193358**	58
6492916	**6193366**	60
5042518	**6193387**	61
5042587	**6193391**	62
5042655	**6193395**	63
5042723	**6193399**	64
6223695	**6193501**	20
6975266	**6193528**	22
6507313	**6193560**	31
5461814	**6193580**	41
5461821	**6193586**	43
5461838	**6193590**	47
5461845	**6193596**	49
	price/m	
6651672	**6246966**	85
6118878	**6246974**	87
6746866	**6246985**	89
	price/m	
6651733	**6246990**	91
6311897	**6247016**	95
6977369	**6247091**	99
6312139	**6247113**	103
6312191	**6247148**	107
6312252	**6247164**	111
5691006	**6247194**	115
	/pc.	
6652754	**6247431**	85
6118991	**6247434**	87
6315253	**6247458**	91
6315314	**6247466**	99
5699019	**6247472**	115
6652518	**6247490**	93
6312313	**6247504**	97
6652273	**6247563**	92
6312733	**6247571**	96
6652150	**6247652**	92
6313150	**6247660**	96
6652396	**6247725**	92
6317592	**6247733**	96
6652631	**6247881**	93
6575114	**6247903**	97
6503476	**6247989**	101
6312559	**6248004**	105
6312610	**6248012**	109
6312672	**6248020**	113
6977062	**6248047**	100
6312979	**6248063**	104
6313037	**6248071**	108
6313099	**6248098**	112
6977185	**6248128**	100
6313396	**6248144**	104
6313457	**6248152**	108
6313518	**6248160**	112
6503599	**6248187**	100
6317837	**6248209**	105
6317899	**6248217**	108
6317950	**6248225**	112
6503353	**6248284**	101
6575596	**6248306**	105
6575657	**6248314**	109
6575718	**6248322**	113
5699026	**6248328**	117
5699033	**6248332**	116
5699040	**6248336**	116
5699057	**6248340**	116
5699064	**6248344**	117
5699095	**6248428**	117
5699101	**6248432**	116
5699118	**6248436**	116
5699125	**6248450**	117
5699156	**6248454**	117
	price/m	
6651795	**6248462**	85
6119059	**6248470**	87
6746873	**6248489**	89
	price/m	
6651856	**6248497**	91
6313570	**6248519**	95
6977307	**6248608**	99
6313815	**6248624**	103
6313877	**6248640**	107
6313938	**6248667**	111
5691013	**6248694**	115
	/pc.	
6652570	**6248993**	93
6313990	**6249000**	97
6652334	**6249086**	92
6314232	**6249094**	96
6652211	**6249167**	92
6314478	**6249175**	96
6652457	**6249256**	93
6318018	**6249264**	97
6652693	**6249418**	93
6575350	**6249426**	97
6503414	**6249485**	101
6314713	**6249507**	105
6314775	**6249515**	109
6314836	**6249523**	113
6503650	**6249558**	100
6314898	**6249574**	104
6314959	**6249582**	108
6315017	**6249590**	112
6977123	**6249612**	100
6315079	**6249639**	104
6315130	**6249647**	108
6315192	**6249655**	112
6503537	**6249671**	101
6318254	**6249701**	105
6318315	**6249728**	109
6318377	**6249736**	113
6503292	**6249795**	101
6575770	**6249817**	106
6575831	**6249825**	109
6575893	**6249833**	113
6018598	**6249842**	86
6018710	**6249844**	88
6018833	**6249846**	94
6863686	**6249847**	90
	/pc.	
6018956	**6249848**	98
6019076	**6249850**	102
5020325	**6249852**	106
5020387	**6249854**	110
5020394	**6249856**	114
5691037	**6249865**	118
6678006	**6249871**	121
	price/m	
6644896	**6249876**	121
5762898	**6249880**	121
	/pc.	
5685081	**6249881**	103
6316632	**6270727**	244
5846390	**6274210**	161
5846406	**6274211**	161
5846413	**6274212**	161
5846574	**6274220**	161
5846581	**6274221**	161
5846598	**6274222**	161
5846475	**6274240**	162
5846482	**6274241**	162
5846512	**6274282**	162
	price/m	
5655473	**6274300**	160
5656333	**6274301**	160
5656340	**6274302**	160
5656371	**6274306**	160
	/pc.	
5656401	**6274310**	161
5656432	**6274311**	161
5656449	**6274312**	161
5656456	**6274316**	161
5655664	**6274320**	162
5656463	**6274321**	162
5656494	**6274322**	162
5656500	**6274326**	162
5656517	**6274340**	162
5656524	**6274341**	162
5656555	**6274342**	162
5656562	**6274346**	162
5656579	**6274360**	162
5656586	**6274361**	162
5656616	**6274362**	162
5656623	**6274366**	162
5656630	**6274370**	163
5656647	**6274371**	163
5656678	**6274372**	163
5842705	**6274374**	218
5656685	**6274376**	163
5846666	**6274410**	165
5846673	**6274411**	165
5846680	**6274412**	165
5846819	**6274420**	165
5846826	**6274421**	165
5846833	**6274422**	165
5846727	**6274440**	166
5846765	**6274441**	166
5846772	**6274442**	166
5656692	**6274490**	162
5656708	**6274491**	162
5656715	**6274492**	162
5656722	**6274496**	162
	price/m	
5656739	**6274500**	164
5656753	**6274502**	164
5656760	**6274506**	164

GTIN	Item no.	Page
	/pc.	
5656791	**6274510**	165
5656807	**6274511**	165
5656814	**6274512**	165
5656821	**6274516**	165
5656838	**6274520**	166
5656845	**6274521**	166
5656852	**6274522**	166
5656869	**6274526**	166
5656876	**6274540**	166
5656883	**6274541**	166
5656890	**6274542**	166
5656906	**6274546**	166
5656913	**6274560**	166
5656920	**6274561**	166
5656937	**6274562**	166
5656944	**6274566**	166
5656951	**6274570**	167
5656968	**6274571**	167
5656975	**6274572**	167
5656982	**6274576**	167
5846901	**6274610**	169
5846918	**6274611**	169
5846925	**6274612**	169
5847052	**6274620**	170
5847069	**6274621**	170
5847076	**6274622**	170
5846963	**6274640**	170
5847007	**6274641**	170
5847014	**6274642**	170
	price/m	
5657040	**6274700**	168
5657057	**6274701**	168
5657064	**6274702**	168
5657071	**6274706**	168
	/pc.	
5657101	**6274710**	169
5657118	**6274711**	169
5657125	**6274712**	169
5657132	**6274716**	169
5657149	**6274720**	170
5657156	**6274721**	170
5657163	**6274722**	170
5657170	**6274726**	170
5657187	**6274740**	170
5657194	**6274741**	170
5657200	**6274742**	170
5657217	**6274746**	170
5657224	**6274760**	171
5657231	**6274761**	171
5657248	**6274762**	171
5657255	**6274766**	171
5657262	**6274770**	171
5657279	**6274771**	171
5657286	**6274772**	171
5657293	**6274776**	171
5657309	**6274790**	161
5657347	**6274791**	161
5657354	**6274792**	161
5657361	**6274796**	161
5657408	**6274810**	244
5657477	**6274820**	244
	price/m	
5658122	**6274900**	163
5897071	**6276900**	221
5897064	**6276903**	221
	/pc.	
5897224	**6276970**	222
5897187	**6276973**	222
	price/m	
5658726	**6277000**	183
5658740	**6277002**	183
5658788	**6277003**	183
	/pc.	
5659044	**6277040**	185
	price/m	
5659334	**6277090**	185
5659341	**6277095**	186
5660002	**6277200**	187
5660057	**6277202**	187
	/pc.	
5660484	**6277270**	190

GTIN	Item no.	Page
	price/pac	
5660590	**6277290**	183
5700852	**6277294**	193
	price/m	
5660606	**6277300**	188
	/pc.	
5661023	**6277370**	190
	price/m	
5661139	**6277400**	192
5661740	**6277500**	193
5662174	**6277600**	197
	/pc.	
5662464	**6277670**	199
	price/m	
5664666	**6278200**	204
5665557	**6278400**	210
5666400	**6278680**	161
5666417	**6278681**	161
5666424	**6278682**	161
5666486	**6278686**	161
5842552	**6279100**	225
5842545	**6279103**	225
5768050	**6279200**	217
5768067	**6279203**	217
	/pc.	
5768302	**6279270**	218
5768340	**6279273**	218
	price/m	
5768364	**6279300**	220
5768401	**6279303**	220
	/pc.	
5768654	**6279370**	222
5768661	**6279373**	222
	price/m	
5768715	**6279400**	228
5768722	**6279403**	228
	/pc.	
5769002	**6279470**	226
5818885	**6279473**	226
	price/m	
5769064	**6279500**	231
5769071	**6279503**	231
	/pc.	
5769361	**6279570**	231
5769378	**6279573**	231
	price/m	
5769491	**6279600**	232
5769507	**6279603**	232
	/pc.	
5769804	**6279670**	233
5769798	**6279673**	233
	price/pac	
5769989	**6279701**	217
5770022	**6279704**	221
	price/m	
5770039	**6279711**	219
5770046	**6279714**	223
5770084	**6279720**	218
5770091	**6279723**	218
	/pc.	
5680680	**6279800**	242
5680734	**6279806**	242
	price/m	
5695813	**6279850**	184
5695868	**6279852**	184
	/pc.	
5143888	**6286700**	272
5143918	**6286702**	272
5144090	**6286810**	272
	price/m	
5146575	**6287700**	242
	/pc.	
5146797	**6287810**	243
5676140	**6288001**	242
5676188	**6288003**	242
5676195	**6288005**	242
5676201	**6288007**	242
5147152	**6288100**	242
5914990	**6288569**	280

GTIN	Item no.	Page
	/pc.	
5915003	**6288579**	280
5889083	**6288583**	280
6789146	**6288608**	280
	/pc.	
5148678	**6288610**	160
5148777	**6288640**	163
5149088	**6288700**	184
5149101	**6288704**	148
5149460	**6288790**	160
5160663	**6288930**	253
5160670	**6288933**	253
5160731	**6288940**	258
5160908	**6288963**	260
6770472	**6289405**	271
	/pc.	
5773863	**6289970**	267
5773870	**6289972**	267
5773887	**6289974**	269
5773924	**6289976**	269
5811787	**6289980**	278
5811794	**6289982**	278
5161202	**6290010**	255
5161219	**6290013**	255
5161226	**6290020**	273
5161264	**6290023**	273
5161288	**6290030**	274
5161325	**6290033**	274
5161349	**6290040**	275
5161387	**6290043**	275
5161561	**6290073**	276
5428091	**6290086**	262
5428107	**6290087**	262
5428138	**6290090**	277
5428145	**6290091**	277
5459095	**6290095**	264
5459101	**6290097**	264
5161691	**6290120**	254
5161707	**6290124**	254
5161813	**6290150**	256
5161868	**6290160**	254
5161936	**6290174**	254
5428152	**6290178**	263
5459231	**6290196**	265
5459248	**6290197**	265
5459279	**6290198**	265
5162063	**6290200**	254
5418566	**6290260**	257
5428169	**6290264**	263
5448792	**6290269**	265
5817055	**6290372**	268
5817062	**6290382**	270
5817079	**6290387**	268

Gebäude Baltikum 3 / en / 2022/04/07 11:41:01 11:41:01 (LLExport_02988) / 2022/04/07 11:41:21 11:41:21

Always indicate the item number when ordering.

© OBO Bettermann 04/2022 EN

OBO Bettermann OÜ
Läike tee 20
75312 Rae vald
Estonia
Tel.: +372 6519870
E.mail: obo@obo.ee
Web: www.obo.ee

OBO Bettermann SIA
Piedrujas iela 7c
LV-1073 Riga
Latvia
Tel.: +371 67802050
E.mail: obo@obo.lv
Web: www.obo.lv

OBO Bettermann UAB
Jankiškių g. 52
02300 Vilnius
Lithuania
Tel.: +370 52375912
E.mail: obo@obo.lt
Web: www.obo.lt

Building Connections