BUILDING INSTALLATIONS



Cable routing systems

OBO BETTERMANN



Building Connections

Digitalisation, the Energiewende (energy transition), mobility – the future is gathering speed. At OBO Bettermann, we're proud to be a driving force. And as a facilitator, we make connections. Today, we are already developing the innovative electrical infrastructure systems and solutions of tomorrow. Reliably, flexibly, sustainably.

Already today, OBO is one of the leading manufacturers of installation systems for the electrical infrastructure in buildings and plants. When it comes to the friction-free flow of power, energy and data, engineers and tradespeople worldwide rely on the comprehensive range from OBO.





OBO applies its slogan "Building Connections" to around 30,000 high-quality branded electrical products and services, which are used in application solutions for projects in industry, business and infrastructure.

OBO operates a global network and employs more than 4,200 people in more than 60 countries. The headquarters of the family company, which was founded in 1911, is located in Menden, Germany. In addition, more than 40 subsidiaries are present in markets on all continents.



Gebäudetechnik Edition - Leitungsführungssysteme / en / 2023/05/02 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Improved structure, sharpened profile



Each of our products carries a benefit which only the OBO brand can offer. Products are developed, manufactured and tested with a high level of competence – from the idea through to the final check. From flawless logistics through to practical information – we can provide support at every level. We can offer additional security through certificates on the conformity of our products with the most important standards and directives. In a nutshell – OBO helps you more. In every location and in every phase of a project.

To maintain this, we continually challenge ourselves. Not as an end in itself but for the better processing of each customer's requests – fast, reliably and future-oriented. That is the reason we have not only established our three central application areas, but also reworked our catalogue structure. In this way, we can display our service offers more clearly, highlight the product benefits more effectively and illustrate the respective application areas more tangibly.

OBO Product Worlds



Industrial installations

- Cable support systems
- Connection and routing systems
- Fastening material



Building installations

- Cable routing systems
- Device installation ducts, trunking and poles
- Floor installation systems and underfloor applications
- Installation systems



Safety and protection installations


- Surge protection
- External lightning protection
- Equipotential bonding and earthing
- Insulation and cable bandages
- Fire-tested support and routing systems
- Fire protection ducts



It's your choice – from now on there's a catalogue for each OBO product category. Simply select the catalogues and order together with a collection case.

Gebäudeinstallation - Leitungsführungssysteme_/ en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

OBO Support *& contact*



You have a problem? We have the solution!

OBO Bettermann is more than the sum of its products. In any situation, we are the reliable partner right buy your side. You have a problem? We have the solution!

It doesn't matter in which area of industry our support is needed – from industrial and plant engineering to private, public and administrative buildings, as well as in the areas of mobility and renewable energies – we have everything that you need.

OBO can not only provide the entire electro-technical infrastructure with the best possible products. We can also support you with sound expert knowledge and more than 100 years of experience, right from the planning phase through to the realisation of your projects. OBO – solutions you can rely on.

What is OBO Support?

Every OBO product carries a plus inside it, which only a branded product can offer. It is developed, manufactured and tested with a high level of competence, from the idea right through to the final check. In addition, our specialists are available for consultation and can offer you assistance and training courses for products at any time.

Together with you, we plan your project and help you choose the right products, and are also available to you at any time should you need us. From flawless logistics through to practical information – we can provide support at every level. We can offer security through certificates on the conformity of our products with the most important standards and directives.

We are as flexible as you are – because we know how practical people work and what is important to them. Each step is a plus – that is the OBO Support concept.

Customer Service
Tel.:+49 23 73 89 - 17 00

Monday–Thursday
07.30–17.00

Friday
07.30–15.00

export@obo.de



Service – OBO can help
Everywhere and in every project phase:
- Highly competent hotline
- Product and system information, digitally or printed
- Selection and planning aids on the web, as an app, as a CAD application or in printed form
- 2D and 3D product data for planning
- Field service, branch offices and subsidiaries in 60 countries
- Engineering services for major projects

Training courses from OBO
- Seminars and workshops
- Local consultation and training courses
- Planner days

Handling – OBO delivers reliably
With optimised delivery processes:
- Reliable logistics
- Practical transport systems and packaging
- Loading gear handling and disposal concepts

Certification and guarantee
OBO offers safety. Our products fulfil the most important country-specific regulations:
- Conformity (e.g. IEC, VDE, CE, KEMA, KEUR, UL)
- Certification (e.g. DIN EN, DGNB)
- 5-year guarantee for surge protection products
- Guarantee management

Gebäudeinstalltion - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58





Planning aids Page 10



Plastic cable routing trunking Page 30



Plastic cable routing trunking, halogen-free Page 120



Metal cable routing trunking Page 142



Skirting trunking Page 170



Wiring trunking Page 202



Directories Page 256



Gebäudeinstalltion - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58



Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10101:36 (LLExport_03294) / 2023/05/02 10:01:36 10101:55

Planning aids

Inclusion of the cable routing systems and metal service poles in the service measures	12
Who needs to observe which standards?	14
How can I work out the cable volume?	15
Basic values for the calculation of the cable volume	16
Processing materials with the correct tool	17
Halogen-free cable routing systems	18
Individual special colours	20
Powder coatings for indoor use	21
Plastic materials	22
European classification according to EN 50085-1	25
Chemical resistances of hard PVC	28

Gebäudeinstalltion - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Inclusion of the cable routing systems and metal service poles in the service measures



Specifications for safety measures
If there is a fault, touchable metallic parts must not carry voltage. For this reason, it is necessary to carry out appropriate safety measures. These are specified in the currently valid standards. For the creation of cable routing systems the standards DIN EN 50085-1 and DIN EN 50085-2-1 apply, for the installation itself the erecter regulations DIN VDE 0100 Part 410 and 540 (safety measure against dangerous shock currents) are applicable.

Different installation types in the European standard
The European standard DIN EN 50085-1 takes different installation types into account, as they are used in different countries within the EU. While only equipotential bonding testing was previously required for installation trunking systems, now the listed component standards also require protective conductor functions. This is because, in some countries, it is possible to route insulated cable in trunking.

All metallic components must be included
DIN EN 50085-1 requires that all the metallic components can be included in the protective measures. The manufacturers must carry out the appropriate tests and document them. OBO installation trunking is also tested and certified by an external testing office – that of the VDE.

Testing the effectiveness by the installation engineers
The erection engineer (installation engineer) must test the effectiveness of the protection measures in accordance with DIN VDE 0100 Part 610 after completion. The tightening torque of the contact screws on the earthing terminals and the proper mounting of the couplings must be ensured.




Continuous protection measures
If the trunking is interrupted at a wall penetration, then continuation of the protective measures is required, as the trunking forms a foreign, conductive part in this case, which spreads through different areas of a building.


With the LKM metallic cable routing trunking, the connection between the cover and base is made without an additional earthing cable. Joint connectors guarantee equipotential bonding between the bases.

Important: Powder-coated metallic covers do not count as mixed construction and are thus not considered as insulating! They should therefore be included in the protection measures. The sheet steel partition is self-contacting. The shielding measure reduces electro-smog and generally achieves improved EMC protection. Protective conductor connections should be created permanently. If there is a change to the system, e.g. for retro-installations, it is important to guarantee the maintenance of the protective functions.

Gebäudeinstalltion - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Who needs to observe which standards?






OBO as a manufacturer

Standard	Title	OBO system
DIN EN 50085-1 Device testing directive	Installation trunking systems for electrical installations – Part 1: General requirements.	All systems
DIN EN 50085-2-1	Special requirements for electrical installation trunking systems on walls or ceilings.	WDK, LKM, SKL, GEK-K, GEK-S, GEK-A
DIN EN 50085-2-2	Special requirements for electrical installation systems for underfloor, flushfloor or on-floor mounting.	Underfloor systems
DIN EN 50085-2-3	Special requirements for wiring trunking systems for installation in switchgear cabinets.	Wiring trunking systems
DIN EN 50085-2-4	Special requirements for free-standing installation units.	Service pole systems

The installation engineer as systems engineer

Standard	Title	OBO system
VDE 0100 Part 410	Set-up of electrical systems with rated voltages of up to 1,000 V. Protection against electric shock.	All systems
VDE 0100 Part 520	Set-up of electrical systems with rated voltages of up to 1,000 V. Cables.	All systems
VDE 0100 Part 540	Set-up of electrical systems with rated voltages of up to 1,000 V. Equipotential bonding.	All systems
VDE 0100 Part 610	Set-up of electrical systems with rated voltages of up to 1,000 V. First testing of electrical systems before handover to the operator.	All systems
VDE 0298	Set-up of electrical systems with rated voltages of up to 1,000 V. Insulated cables in heavy current systems.	All systems
DIN EN 50310	Application of equipotential bonding and earthing in buildings with information technology equipment.	All systems

How can I work out the cable volume?



Cable diameter and space required; 1 = diameter in mm, 2 = space required in cm²


An important criterion for the selection of the right trunking size of the underfloor system is the cable volume. As the cables are never packed tightly together or are absolutely parallel, it is not enough to base the volume calculation solely on the cable diameter. A realistic calculation is provided by the formula $(2r)^2$. To simplify your work, we have listed the diameters and space requirements of the most important cable types on this double page. Important: the values are average values, which may vary between manufacturers. Please refer to the manufacturer's specifications for the exact values.

The right choice
The table on the next pages will help you to select the correct trunking size. Besides the usable cross-section of the appropriate trunking, please observe the current DIN/VDE standards for the fill factor and the approved cable heating.

Calculation with the formula $(2r)^2$
The diameter says little about the actual space required by a cable. Calculate: $(2r)^2$. This value reflects the realistic space requirements, including the compartments.


Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Basic values for the calculation of the cable volume



Insulated power cables

Type	Diameter mm	Usable cross-section cm²
1 x 4	6.5	0.42
1 x 6	7	0.49
1 x 10	8	0.64
1 x 16	9.5	0.9
1 x 25	12.5	1.56
3 x 1.5	8.5	0.72
3 x 2.5	9.5	0.9
3 x 4	11	1.21
4 x 1.5	9	0.81
4 x 2.5	10.5	1.1
4 x 4	12.5	1.56
4 x 6	13.5	1.82
4 x 10	16.5	2.72
4 x 16	19	3.61
4 x 25	23.5	5.52
4 x 35	26	6.76
5 x 1.5	9.5	0.9
5 x 2.5	11	1.21
5 x 4	13.5	1.82
5 x 6	14.5	2.1
5 x 10	18	3.24
5 x 16	21.5	4.62
5 x 25	26	6.76
7 x 1.5	10.5	1.1
7 x 2.5	13	1.69



Insulated power cables

Type	Diameter mm	Usable cross-section cm²
1 x 10	10.5	1.1
1 x 16	11.5	1.32
1 x 25	12.5	1.56
1 x 35	13.5	1.82
1 x 50	15.5	2.4
1 x 70	16.5	2.72
1 x 95	18.5	3.42
1 x 120	20.5	4.2
1 x 150	22.5	5.06
1 x 185	25	6.25
1 x 240	28	7.84
1 x 300	30	9
3 x 1.5	11.5	1.32
3 x 2.5	12.5	1.56
3 x 10	17.5	3.06
3 x 16	19.5	3.8
3 x 50	26	6.76
3 x 70	30	9
3 x 120	36	12.96
4 x 1.5	12.5	1.56
4 x 2.5	13.5	1.82
4 x 6	16.5	2.72
4 x 10	18.5	3.42
4 x 16	21.5	4.62
4 x 25	25.5	6.5
4 x 35	28	7.84
4 x 50	30	9
4 x 70	34	11.56
4 x 95	39	15.21
4 x 120	42	17.64
4 x 150	47	22
4 x 185	52	27
4 x 240	58	33.6
5 x 1.5	13.5	1.82
5 x 2.5	14.5	2.1
5 x 6	18.5	3.42
5 x 10	20.5	4.2
5 x 16	22.5	5.06
5 x 25	27.5	7.56
5 x 35	34	11.56
5 x 50	40	16



Telecommunications cables

Type	Diam-eter mm	Usable cross-section cm²
2 x 2 x 0.6	5	0.25
4 x 2 x 0.6	5.5	0.3
6 x 2 x 0.6	6.5	0.42
10 x 2 x 0.6	7.5	0.56
20 x 2 x 0.6	9	0.81
40 x 2 x 0.6	11	1.12
60 x 2 x 0.6	13	1.69
100 x 2 x 0.6	17	2.89
200 x 2 x 0.6	23	5.29
2 x 2 x 0.8	6	0.36
4 x 2 x 0.8	7	0.49
6 x 2 x 0.8	8.5	0.72
10 x 2 x 0.8	9.5	0.9
20 x 2 x 0.8	13	1.69
40 x 2 x 0.8	16.5	2.72
60 x 2 x 0.8	20	4
100 x 2 x 0.8	25.5	6.5
200 x 2 x 0.8	32	10.24



Coax cable (Standard)

Type	Diameter mm	Usable cross-section cm²
SAT/BK cable	6.8	0.48



IT cables type Cat...

Type	Diameter mm	Usable cross-section cm²
Cat. 5	8	0.64
Cat. 6	8	0.64

Processing materials with the correct tool

Different materials must be processed differently. Chop saws have proved to be very useful when laying device installation trunking. This allows exact cutting.
For trunking made of PVC and PC/ABS:
- Hand saw, fine-tooth (iron saw)
- Piercing saw with iron or plastic saw blade with fine teeth
- Circular saw with plastic saw blade, 350 mm diameter, 80–108 teeth/inch and 2,800 rpm

For ducts and trunking made of sheet steel and aluminium:
- Ribbon saw with saw ribbon for hard metals
- Circular saw with saw blade for hard metals, 350 mm diameter, 80–108 teeth/inch and 2,800 rpm
- Angle grinder with metal separating disc

Thermal expansion coefficient:
- Steel: 14 x 10^{-6} 1/K
- Aluminium: 23.1 x 10^{-6} 1/K
- Hard PVC: 71 x 10^{-6} 1/K

Take the length expansion of the materials into account
Different materials expand differently and this must be taken into account. The expansion of the materials PVC, steel and aluminium can be calculated using the formula below.
$\Delta L = L \cdot \alpha \cdot \Delta T$
L = Length m
α = Thermal expansion co-efficient
ΔT = Temperature change

Examples
At a temperature difference ΔT of 20 °C, the 2,000 mm standard length changes as follows:
- For hard PVC, 2.84 mm
- For steel, 0.56 mm
- For aluminium, 0.924 mm

Perfect interplay for more efficient working
Faster and better installation sequences – this is the aim of both ourselves and the manufacturers of electrical devices. Previously used bolt-firing devices have thus become modern nail guns. With its Pulsa 700E, Spit can offer devices of the highest quality for this area of the electrical industry. Many OBO products can be processed particularly efficiently using the devices. This is proved by tests for mounting cable and device installation trunking, carried out with Spit devices.

Properties of the hard PVC used

Property	Value	DIN
Material designation	PVC-U-E-D-08-04-28	to DIN 7748
Tensile strength	min. 40 N/mm²	to DIN 53 455
Crack expansion	min. 85%	to DIN 53 455
Breakdown voltage	min. 20 KV/mm	to DIN 53 481
Surface resistance	min. 1010 Ohm	to DIN 53 455
Shape heat resistance	min. 75 °C	to DIN 53 400/B
Temperature resistance in the application	max. 65 °C	
Flammability	Level V0	to UL 94

You can find more details in the chapter "Chemical resistance of hard PVC" in the "Additional information" part.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Halogen-free cable routing systems



This is what it's all about:

- If there is a fire, halogen-free materials reduce the amount of toxic smoke gases. They do not create any corrosive substances.
- In many public buildings, insurance companies require halogen-free materials to protect people and property.
- Particularly in public areas, halogen-free OBO cable routing systems are a safe choice.

Low smoke gas production, low corrosion, safe. Halogen-free installation materials belong in any fire protection plan.

Dangerous smoke gases from plastics
Plastics have good insulating properties and can be processed easily. However, during a fire they can create aggressive gases. A danger to people and property.

Heavy smoke creation
Flame-protection agents, based on halogen compounds such as fluorine, iodine, chlorine and bromine, are used to keep the flammability of PVC low. If there is a fire, this safety aspect becomes a dangerous disadvantage: toxic smoke gases, such as carbon dioxide and carbon monoxide, are created. These usually endanger people far faster than flames and heat. For example, in the fire catastrophe at Düsseldorf Airport in 1996 or in the Tauern Tunnel in 1999, considerable quantities of burned plastics contributed to the formation of smoke and hazardous substances. A highly toxic mixture, which can be lethal after just a few breaths.

Protecting existing buildings better
To ensure increased protection of properties in the event of fire and to prevent subsequent fire damage and costs, halogen-free cable routing systems (made of PC/ABS) must be installed in many public buildings. Standard PVC releases corrosive hydrogen chloride gas, which, in conjunction with the moisture of the extinguishing water, produces hydrochloric acid. Hydrochloric acid presents a wealth of risks: On the one hand, it is harmful to health, as it irritates the respiratory passages and, on the other hand, it attacks buildings because it eats its way through metals and, as an electrically conductive substance, can lead to short circuits. This is why all the halogen-free cable routing systems meet the requirements of DIN EN 50085.



OBO halogen-free cable routing systems protect people, the environment and property. All the products are made from high-quality PC/ABS (polycarbonate/acrylonitrile butadiene styrene). This material is one of the self-extinguishing plastics.
For safe cable routing, OBO offers halogen-free WDKH wall and ceiling trunking and Rapid 80 device installation trunking. Both cable routing systems are available in all the standard dimensions. They are easy to mount, and are stable, are produced to a high level of quality and are dimensionally stable.


The safety aspects
- Low smoke creation
- Low toxicity of the smoke gases
- Scarcely any release of corrosive gases
- Perfectly suitable for public areas

Rapid 80 GKH halogen-free
Rapid 80 device installation trunking allows flexible and quick access to energy and data on the wall. It is primarily used in public facilities and offices.

WDKH halogen-free
OBO wall and ceiling trunking ensures safe cable routing. It can be used as wall or ceiling trunking.

Gebäudeinstalltion - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Individual special colours




Plastic trunking
The wide range of standard colours and the many possible special colours mean that it is possible to integrate the colour of the cable routing systems into any office landscape. The plastic cable routing trunking and device installation trunking systems are available in the RAL colours pure white (RAL 9010), light grey (RAL 7035), grey (RAL 7030) and cream (RAL 9001) as standard.

Sheet steel and aluminium trunking
The device installation trunking systems and service poles are made of sheet steel or aluminium and are available in the standard colours pure white, light grey and cream. Powder coating means that all the other RAL colours are possible on sheet steel and aluminium trunking. Alternatively to the RAL standard, both NCS and DB colours can be applied on request.

Colour deviations
Material-dependent colour deviations may occur on PVC trunking and fittings. This is caused by the differences in gloss on each individual surface. They only absorb a part of the light. “Silky matt” painted surfaces and “matted” surfaces on moulded parts have different structures and thus different levels of gloss. Absolute evenness is impossible. With a shiny surface, a colour appears lighter (greater reflection) and, with a matt surface, darker (greater absorption). Measurement of the differences is therefore extremely difficult.

Powder coatings for indoor use



Versatile. Attractive. Robust.
Powdered surface coatings offer a wide range of options. They turn a standard product into an individual solution, whose colour and function are matched exactly to your requirements. The colour and structure ensure a decorative exterior, whilst the coating properties offer high resistance to chemicals, very good corrosion protection and the best possible insulation properties.

Basic	Sheet steel or aluminium
Coating	Epoxy powder-coating
Standard colours	RAL 9010, pure white RAL 9001, cream white RAL 7035, light grey RAL 9016, traffic white
Special colours	RAL, NCS and DB colours Metallic colours
Surface structure	Standard structure: Smooth transitions, different variants from fine to coarse
Surface shine level	Standard gloss level: Approx. 22% diverse variants from matt to high-gloss
Variants	Anti-bacterial High resistance to abrasion

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Plastic materials

ABS/ ASA	Acrylonitrile butadiene styrene
Temperature resistance:	To about minus 40 °C*, permanently up to 70 °C, briefly up to 85 °C
Resistant to:	Formic acid, citric acid, lactic acid
Unstable with:	Acetone, petrol, benzene, solvents for paints and butyric acid, chlorine, acetic acid, nitric acid.
Conditionally resistant to:	Hydrochloric acid, sulphuric acid.
Risk of stress cracks:	Relatively high, similar to polystyrene.

PA	Polyamide
Temperature resistance:	Permanently up to approx. 90 °C, briefly up to around 130 °C, and to around minus 40 °C*
Resistant to:	Petrol, benzene, diesel oil, acetone, solvents for paints and lacquers, oils and greases
Unstable with:	Bleach, most acids, chlorine.
Risk of stress cracks:	Low in humid conditions; only with some aqueous salt solutions. Highly desiccated parts (high temperature and extremely low air humidity) are highly sensitive to fuels and various solvents.

PA/ GF	Polyamide, fibreglass reinforced
Temperature resistance:	Permanently up to approx. 100–110 °C, briefly up to around 160 °C, and to around minus 40 °C*
Resistant to:	Petrol, benzene, diesel oil, acetone, solvents for paints and lacquers, oils and greases. Slightly susceptible to stress cracking.
Unstable with:	Bleach, most acids, chlorine.
Risk of stress cracks:	Low in humid conditions; only with some aqueous salt solutions. Highly desiccated parts (high temperature and extremely low air humidity) are highly sensitive to fuels and various solvents.

PBPT	Polybutylene terephthalate
Temperature resistance:	Permanently up to approx. 120 °C, briefly up to around 140 °C and to around minus 40 °C*.
Resistant to:	Petrol, diesel oil, most weak acids, oils and greases.
Unstable with:	Strong acids, chlorine, fluorine, bromine vapour, bleach, trichloroethylene, methylene chloride.
Conditionally resistant to:	Acetone, ammonia, benzene.

PE	Polyethylene
Temperature resistance:	Hard types permanently up to approx. 90 °C, briefly up to approx. 105 °C, soft types permanently up to approx. 80 °C, briefly up to approx. 100 °C and to approx. minus 40 °C*.
Resistant to:	Alkalis and inorganic acids.
Unstable with:	Chlorine, hydrocarbons, oxidising acids.
Conditionally resistant to:	Acetone, organic acids, petrol, benzene, diesel oil, most oils.
Risk of stress cracks:	Stress cracks can be caused by, among other things, acetone, various alcohols, formic acid, ethanol, petrol, benzene, butyric acid, acetic acid, formaldehyde, various oils, petroleum, propanol, nitric acid, hydrochloric acid, sulphuric acid, soap solutions, turpentine, trichloroethylene, citric acid.

PP/GF	Polypropylene, fibreglass reinforced
Temperature resistance:	Permanently up to approx. 90 °C, briefly up to around 110 °C, and to around minus 30 °C. Chem. resistance generally as for polyethylene
Resistant to:	Alkalis and inorganic structures
Unstable with:	Chlorine, hydrocarbons, oxidising acids.
Risk of stress cracks:	Low, only with some acids such as chromic acid, hydrofluoric acid and hydrochloric acid, as well as nitrogen oxide.

PC	Polycarbonate
Temperature resistance:	Permanently up to approx. 110 °C (in water 60 °C), briefly up to 125 °C, and to below minus 35 °C*
Resistant to:	Petrol, turpentine, most weak acids.
Unstable with:	Acetone, benzene, chlorine, methylene chloride, most concentrated acids.
Risk of stress cracks:	Relatively low, media which can cause tension cracking include petrol, aromatic hydrocarbons, methanol, butanol, acetone, turpentine.

PC / ABS	Polycarbonate/acrylonitrile butadiene styrene
Temperature resistance:	–30 °C to + 90 °C, briefly up to approx. 105 °C, melting range at approx. 200 °C, thermal decomposition at 300 °C. Material thicknesses of 1.5 mm or more can achieve UL94 V-0. At material thicknesses of 1 mm of more, the glow wire temperature of 960 °C according to IEC 60695-2-12 is achieved.
Resistant to:	Mineral acids, organic acids and aqueous salt solutions
Conditionally resistant to:	Alkalis, hydrocarbons, aromatics and (in trace form) a series of greases and oils.

POM	Polyacetal
Temperature resistance:	Permanently up to approx. 100 °C, briefly up to around 130 °C and to around minus 40 °C*
Resistant to:	Acetone, ether, petrol, weak acetic acid, benzene, heating oil, oils and greases, toluene.
Unstable with:	Methylene chloride, trichloroethylene, hydrochloric acid, nitric acid, sulphuric acid.
Risk of stress cracks:	Low

PP	Polypropylene
Temperature resistance:	Permanently up to approx. 90 °C, briefly up to around 110 °C, and to around minus 30 °C. Chemical resistance generally as for polyethylene.
Resistant to:	Alkalis and inorganic acids.
Unstable with:	Chlorine, hydrocarbons, oxidising acids.
Conditionally resistant to:	Acetone, organic acids, petrol, benzene, diesel oil, most oils.
Risk of stress cracks:	Low, only with some acids such as chromic acid, hydrofluoric acid and hydrochloric acid, as well as nitrogen oxide.

PS	Polystyrene
Temperature resistance:	Because of its relatively high sensitivity to the effects of chemicals, its use is not recommended at temperatures above normal room temperature, about 25 °C. Resistance to cold: to about minus 40 °C*.
Resistant to:	Alkalis, most acids, alcohol.
Unstable with:	Butyric acid, concentrated nitric acid, concentrated acetic acid, acetone, ether, petrol and benzene, solvents for paints and lacquers, chlorine, diesel fuel.
Conditionally resistant to:	Oils and greases.
Risk of stress cracks:	Relatively high. Stress cracks can be caused by, among other things, acetone, ether, petrol, cyclohexane, heptane, methanol, propanol and the softeners of some mixes used in PVC cables.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

PVC	Polyvinyl chloride
Temperature resistance:	Permanently up to approx. 65 °C, briefly up to around 75 °C and to around minus 30 °C.
Resistant to:	Weak acids, alkalis, oils and greases, petrol
Unstable with:	Strong acids, benzene, acetone, iodine, toluene, trichloroethylene.
Risk of stress cracks:	Low, only with some solvents such as benzene and acetone.
Material designation according to DIN 7748:	PVC-U-E-D-080-04-28
Tensile strength to DIN 53 455:	Min. 40 N/mm²
Elongation at tear according to DIN 53 455:	Min. 65%
Impact resistance according to DIN 53 481:	Min. 20 KV/mm
Surface resistance according to DIN 5 3 482:	Min. 10 10
Thermoforming resistance according to DIN 53 460/B:	Min. 75 °C
Flammability according to UL 94:	Level V0
Fire behaviour according to EN 13501-1	B-s3, d0

The minus values apply only for parts in the idle condition with no severe impact stress. There is no plastic that is resistant to every chemical. The agents listed are only a small selection. Plastic parts are especially at risk in the presence of chemicals and high temperatures. Stress cracks may occur. If in doubt, please consult us and/or ask for a detailed chemical resistance table. Stress crack formation: Stress cracks may occur if plastic parts under tension are exposed to chemicals at the same time. Parts made of polystyrene and polyethylene are particularly susceptible. Stress cracks may even be caused by agents to which the plastic in question is resistant in the absence of stress. Typical examples of parts under constant stress when used as intended: grip clips, intermediate connectors of cable glands, ribbon clips.

European classification according to EN 50085-1

Classification to EN 50085-1

		WDK cable duct	WDKH cable duct	LKM cable routing trunking	SKL skirting duct	VK wiring duct	VKH wiring duct	Rapid 45-2 GK PVC device installation duct	Rapid 45-2 GA aluminium device installation duct	Rapid 80 GK PVC device installation duct	Rapid 80 GKH PC/ABS device installation duct	Rapid 80 GS steel device installation duct	Rapid 80 GA aluminium device installation duct	ISS industrial service pole
6.1	According to material	*2	*2	*2	*2	*2	*2	*2	*2	*2	*2	*2	*2	*2
6.2	According to impact resistance for installation and application			*1										
6.2.1	Electrical installation duct systems for impact energy 0.5 J	x		*1				x						
6.2.2	Electrical installation duct systems for impact energy 1 J			*1										
6.2.3	Electrical installation trunking systems for impact energy 2 J		X	*1	x									
6.2.4	Electrical installation trunking systems for impact energy 5 J			*1					*1	x	x			
6.2.5	Electrical installation trunking systems for impact energy 20 J			*1					x			x	x	x
6.3	According to temperature, as specified in the Tables 1, 2 and 3													
	Table 1: Minimum storage and transport temperatures ± 2 °C													
	-45													
	–25 °C		x	x			x	x	x			x	x	x
	–15 °C				x					x	x			
	-5	x				x								
	Table 2: Minimum installation and application temperatures ± 2 °C													
	–25 °C			x								x	x	x
	–15 °C							x	x	x	x			
	-5	x	x		x									
	+5													
	+15													
	Table 3: Maximum application temperatures ± 2 °C													
	+60	x			x	x		x	x	x		x	x	x
	+90		x				x			x				
	+105													
	+120													
6.4	According to the resistance against fire spread													
6.4.1	Electrical installation duct systems which permit the spread of fire													
6.4.2	Electrical installation trunking systems which do not permit the spread of fire	x	x	x		x	x	x	x	x	x	x	x	x

x appropriate classification, *1 in test, *2 in consultation * 5 Joules for accessories made from PC/ABS

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Classification to EN 50085-1

		WDK cable duct	WDKH cable duct	LKM cable routing trunking	SKL skirting duct	VK wiring duct	VKH wiring duct	Rapid 45-2 GK PVC device installation duct	Rapid 45-2 GA aluminium device installation duct	Rapid 80 GK PVC device installation duct	Rapid 80 GKH PC/ABS device installation duct	Rapid 80 GS steel device installation duct	Rapid 80 GA aluminium device installation duct	ISS industrial service pole
6.5	According to the electrical conductivity													
6.5.1	Electrical installation duct system with electrical conductivity			x					x			x	x	x
6.5.2	Electrical installation duct system without electrical conductivity	x	x		x	x	x	x		x	x			
6.6	According to the electrical insulation property													
6.6.1	Electrical installation duct system without electrical insulation property			x					x			x	x	x
6.6.2	Electrical installation duct system with electrical insulation property	x	x		x	x	x	x		x	x			
6.7	According to the protection ratings offered by the housing or casing to EN 60529:1991													
6.7.1	According to protection against ingress of solid foreign bodies	IP 30	IP 30	IP 30	IP 41			IP* 40	IP* 40	IP 30	IP 30	IP 30	IP 30	IP 30
6.7.2	According to protection against ingress of water													
6.7.3	According to protection against contact with dangerous parts													
6.8	According to protection against corrosive or contaminating substances	-	-	-	-	-	-	-	2	-	-	2	2	3
6.9	According to the fastening type of the system duct cover													
6.9.1	Open the duct cover of the electrical installation duct system without tools	x	x	x		x	x							
6.9.2	Only open the duct cover of the electrical installation duct system with tools						x	x	x	x	x	x	x	x
6.10	According to the electrical protection separation													
6.10.1	Electrical installation duct systems without internal protection separation element	x		x		x	x					x	x	x
6.10.2	Electrical installation duct systems with internal protection separation element		x		x			x	x	x	x			

x appropriate classification, *2 medium protection, *3 high protection, * in the system with accessories made from PVC/ABS, otherwise IP 30, 2 medium protection, 3 high protection

Classification to EN 50085-2-1

		WDK cable duct	WDKH cable duct	LKM cable routing trunking	SKL skirting duct	VK wiring duct	VKH wiring duct	Rapid 45-2 GK PVC device installation duct	Rapid 45-2 GA aluminium device installation duct	Rapid 80 GK PVC device installation duct	Rapid 80 GKH PC/ABS device installation duct	Rapid 80 GS steel device installation duct	Rapid 80 GA aluminium device installation duct	ISS industrial service pole
6.101.3	Depending on the type of floor care. Service poles for dry floor cleaning.													
6.101.3.1	Concealed/surface-mounded electrical installation trunking on the wall.	x	x	x				x	x	x	x	x	x	
6.101.3.2	Concealed/surface-mounded electrical installation trunking on the ceiling.	x	x	x				x	x	x	x	x	x	
6.101.3.3	Electrical installation duct on the wall and supported by the base.													
6.101.3.4	Electrical installation duct on the wall and supported by a different horizontal surface than the floor.				x									
6.101.4	Electrical installation duct system, mounted at a distance to the wall or ceiling with fastenings							x	x					
6.102	According to the protection against contact between liquids, insulated cables and parts carrying voltage in the case of skirting ducts and wet cleaning of the floor													
6.102.1	No data													
6.102.2	Add to the instructions of the manufacturer, which limit the installation position of the electrical installation trunking system.													
6.102.3	Build to the instructions of the manufacturer, which allow all the installations of the electrical installation duct system, but limits the layers of insulated cables and parts carrying voltage in the electrical installation duct system.													
6.102.4	Build to the instructions of the manufacturer, which allow all the installations of the electrical installation duct system and allows the layers of insulated cables and parts carrying voltage in the electrical installation duct system.													
6.103	According to type													
6.103.1	Type 1 Electrical installation duct system		x	x	x									
6.103.2	Type 2 Electrical installation duct system (distribution electrical installation duct system)													
6.103.3	Type 3 Electrical installation duct system (installation electrical installation duct system)	x				x	x	x	x	x	x	x	x	

x appropriate classification

Gebäudeinstalltion - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

A = very good resistance
B = average resistance
C = not resistant

Medium	Temp. °C	Resistance
1.3-benzole disulphonic acid	20	A
1.3-butadiene	20	A
2.4-chlorobenzoyl chloride	20	A
2-amino-2.2-diphenylacetic acid	20	A
4-chlorine-2-nitroaniline	20	C
4-chlorobenzaldehyde-2-sulphonic acid	20	A
5-amino-2-hydroxybenzoic acid	20	A
Abietic acid	20	A
Acetaldehyde 100%	20	C
Acetaldehyde 40%	20	A
Acetaldehyde 40%	40	B
Acetaldehyde, acetic acid ratio 90:10	20	B
Acetanilide 100%	20	A
Acetates (ammonium-, Na- and others)	50	A
Acetic acid 10%	60	A
Acetic acid 100%	20	A
Acetic acid 100%	60	B
Acetic acid 25%	40	A
Acetic acid 25–70%	40	A
Acetic anhydride	20	C
Acetone	20	C
Acetophenone (methyl phenyl ketone)	20	C
Acetylacetone (2.4-pentanedione)	20	C
Acetylene 100%	20	B
Acetylsalicylic acid	20	A
Adipic acid	20	A
Adipic acid	60	B
Alcoholic drinks	< 40	A
Alizarin 100%	20	A
Alkanoic sulphonic acids	50	A
Allyl alcohol 100%	20	B
Allyl alcohol 100%	60	C
Allyl chloride	20	C
Aminobenzene (p-)	20	A
Aminobenzenesulphonic acid (m-, o-, p-)	20	A
Aminosalicylic acid (p-)	20	A
Ammonia (vapours of all concentrations)	40	A
Ammonia (vapours of all concentrations)	60	B
Ammonia, anhydrous, liquid	< 60	B
Ammonium hydroxide	60	A
Aniline 100%	20	A
Aniline chloride, saturated solution	20	C
Apple juice	60	A
Ascorbic acid	20	A
Aspartic acid	20	A
Beer	60	A
Benzine, containing benzole	20	C
Benzine, free from aromatic hydrocarbons	60	A
Benzoic acid	40	A
Benzoic anhydride	30	A
Benzole	20	C
Benzophenone 100%	20	C
Benzosulphonic acid	60	A
Benzotrichloride	20	C
Benzotrifluoride	20	C
Benzoylbenzoic acid	20	A
Benzyl chloride	20	C
Betene	20	A
Bleaching liquor, 12% active chlorine	40	A
Bleaching liquor, 12% active chlorine	60	B
Blood	40	A
Boiled oil	60	C
Borates (NA-)	20	A
Borax	40	A
Boric acid	20	A
Brewer's wort	20	A
Brine	60	A
Bromates (K-, Na-)	40	A
Bromic acid	20	A
Bromides (K-, Na- and others)	60	A
Bromine water	20	A
Bromine, gaseous, dry	20	A
Bromine, liquid	20	C
Bromobenzene	20	C
Bromochloromethane	20	C
Bromochloropropane	20	C
Bromoform 100%	20	C
Butane, gaseous, 30%	20	A
Butanediol over 60%	40	B
Butanediol over 60%	20	C
Butanediol to 10%	20	A
Butanol	60	A
Buttermilk	20	A
Butyl acetate	20	C
Butyl butyrate	20	C
Butyl chloride	20	C
Butyl glycolate	20	C

A = very good resistance
B = average resistance
C = not resistant

Medium	Temp. °C	Resistance
Butyl phenols	20	C
Butyric acid 100%	20	C
Butyric acid 20%	20	A
Butyric acid 20%	60	C
Carbon dioxide	60	A
Carbon disulphide 100%	20	B
Carbon monoxide	60	A
Castor oil	60	A
Chlorates (K-, Na- and others)	20	A
Chlorates (K-, Na- and others)	60	B
Chlorates (K-, Na- and others)	60	A
Chloric acid to 20%	40	A
Chloric acid to 20%	60	B
Chlorides (ammonium-, Na- and others)	20	A
Chlorine cyanide	20	A
Chlorine water (saturated solution)	20	B
Chlorine, gaseous, dry 0.5%	20	A
Chlorine, gaseous, dry 100%	20	B
Chlorine, gaseous, moist 5%	20	B
Chlorine, liquid	20	C
Chloro nitrobenzoic acid	20	A
Chloroacetaldehyde	20	C
Chloroacetic acid	20	A
Chloroacetones	20	C
Chloroacetyl chloride	20	C
Chloroaniline	20	C
Chlorobenzaldehyde	20	C
Chlorobenzene	20	C
Chlorobenzotrifluoride	20	C
Chlorobenzoyl chloride	20	C
Chlorocresole	20	C
Chloroethylbenzene	20	C
Chloroform	20	C
Chloronaphthaline	20	C
Chromates (K-, Na- to 50%)	50	A
Chrome alum	60	A
Chromic acid	30	A
Chromic acid to 50%	40	A
Citrates (ammonium-, Na)	20	A
Citric acid	20	A
Citric acid	60	B
Cresol	20	C
Cumene	20	C
Cyanamide	20	A
Cyanides (K-, Na- to 50%)	60	A
Cyanoacetic acid	20	C
Cyclohexanol	20	C
Cyclohexanone	20	C
Developer	40	A
Dextrose	50	A
Dibromomethylene	20	C
Dibutyl oxalate	20	C
Dibutyl phthalate	20	C
Dichloroethylene	20	C
Dichloropropylene	20	C
Dichromates (K-, Na-)	50	C
Diethyl ether	20	C
Diethylamine 100%	20	C
Diethylene glycol	60	C
Dimethyl ether	20	C
Di-n-butyl ether	20	C
Diotyl phthalate	20	C
Dioxan	20	C
Diphenyl	20	C
Diphenylamine	20	C
Ethane	20	A
Ethanol	40	A
Ethanolamine	20	B
Ethyl acetate	20	C
Ethyl acrylate	20	C
Ethyl chloride	20	C
Ethylbenzene	20	C
Ethylene glycol	20	A
Fish oil	20	A
Fixing bath	60	A
Fluorides (ammonium-, K-, Na- and others)	60	A
Fluorine	20	B
Fluorine	60	C
Formaldehyde	60	A
Formamide 100%	20	C
Formates (ammonium- and others)	20	A
Formic acid 100%	20	B
Formic acid 100%	60	C
Formic acid 50%	40	A
Furfural	20	C
Furfuryl alcohol	20	C
Gelatine	60	A

A = very good resistance
B = average resistance
C = not resistant

Medium	Temp. °C	Resistance
Gluconic acid	20	A
Glucose	60	A
Glutamic acid	20	A
Glycerine	60	A
Glycine	40	A
Glycol	60	A
Heptanes	20	A
Hexachloroethane	20	C
Hexacyanoferrates-II (Na-)	40	A
Hexacyanoferrates-III (K-)	40	A
Hexafluorosilicates (ammonium-, K- and others)	60	A
Hexafluorosilicic acid 32%	60	A
Hexamethylenetetramine (urotropine) 40% aqueous solution	60	A
Humic acids	20	A
Hydrazine, diluted solution 100%	20	C
Hydrazine, diluted solution 30%	20	A
Hydrobromic acid to 40%	60	A
Hydrochloric acid to 30%	20	A
Hydrochloric acid to 30%	60	B
Hydrochloric acid to 37%	20	A
Hydrochloric acid to 37%	40	B
Hydrofluoric acid to 40%	40	A
Hydrofluoric acid to 60%	60	B
Hydrogen bromide 100%	20	A
Hydrogen bromide 100%	60	B
Hydrogen chloride (gaseous, dry and moist)	40	A
Hydrogen cyanide	40	A
Hydrogen peroxide to 30%	60	A
Hydrogen peroxide to 90%	20	A
Hydrogen sulphide	60	A
Hydroxides (alkaline-earth metal)	60	A
Hydroxides (K-, Na-)	60	A
Hypochlorites (K-, Na- and others)	60	A
Hypochlorous acid	60	A
Illuminating gas	20	A
Iodates (K-, Na- and others)	60	A
Iodides (K-, Na-)	60	A
Iodine	20	C
Isobutyl phosphate	20	C
Lactic acid 10%	20	A
Lactic acid 10%	60	C
Lactic acid 100%	20	C
Lard	20	A
Linoleic acid	60	A
Linseed oil	60	A
Malic acid	20	A
Methanol 100%	40	A
Methanol 100%	60	B
Methyl bromide	20	C
Methyl chloride	20	C
Methyl methacrylate	20	C
Methylamine	20	B
Methylene dichloride	20	C
Milk	20	A
Mineral oils	60	C
N,N-diethyl aniline	20	C
Naphthalene	20	C
Nitrates (ammonium-, K-, Na- and others)	60	A
Nitric acid 25%	20	A
Nitric acid 25%	60	B
Nitric acid 50%	20	A
Nitric acid 50%	50	B
Nitric acid 95%	20	C
Nitrites (K-, Na- and others)	60	A
Nitrobenzene	20	C
Nitrogen oxide	20	C
Nitroglycerine	20	B
Nitrous acid to 50%	50	A
Nitrous acid to 98%	20	C
Oleic acid	60	A
Oxalates (ammonium-, K-, Na- and others)	60	A
Oxalic acid	40	A
Oxygen	60	A
Ozone 10%	30	A
Ozone 10%	60	B
Palmitic acid	20	A
Paraffin	40	A
Pentyl acetate	20	C
Pentyl alcohol	60	A
Pentyl chloride	20	C
Pentyl laurate	20	C
Perbonate (K-)	60	A
Perchlorate	40	A
Perchloric acid 70%	20	A
Permanganate (K-) 6 to 15%	40	A

A = very good resistance
B = average resistance
C = not resistant

Medium	Temp. °C	Resistance
Permanganate (K-) 6 to 15%	60	B
Permanganate (K-) to 6%	60	A
Peroxymonosulphuric acid (Caro's acid)	20	A
Persulphate (Ammonium-, K-, Na- and others)	40	A
Petroleum	60	A
Phenol 1%	20	A
Phenol 90%	45	B
Phenylhydrazine	20	C
Phenylhydrazine chloride	20	B
Phenylhydrazine chloride	60	C
Phosgene, gaseous	20	A
Phosgene, gaseous	60	B
Phosgene, liquid	20	C
Phosphates (ammonium-, K-, Na- and others)	60	A
Phosphoric acid	40	A
Phosphoric acid	60	B
Phosphorus pentoxide	20	A
Propane	20	A
Propanol	60	A
Pyridine	20	A
Rhodanides (ammonium-, K-, Na- and others)	60	A
Salicylic acid	20	A
Silicates (K-)	20	A
Soap solution	40	A
Stearic acid	60	A
Sulphates (ammonium-, K-, Na- and others)	60	A
Sulphites (ammonium-, K-, Na- and others)	60	A
Sulphur dioxide, gaseous, dry and moist 100%	60	A
Sulphuric acid to 40%	20	C
Sulphuric acid to 50%	50	A
Sulphuric acid to 50%	60	A
Sulphuric acid to 80%	40	C
Sulphuric acid to 80%	60	B
Sulphuric acid to 96%	20	A
Sulphuric acid to 96%	60	B
Sulphuric acid, fuming (10% oleum)	20	C
Sulphurous acid	60	A
Tallow	60	A
Tan bark	20	A
Tar, free from aromatic hydrocarbons	20	A
Tartaric acid	60	A
Tetraethyl lead	60	A
Tetrafluoroboric acid	20	A
Tetrahydrofuran	20	C
Thickness	60	A
Toluene	20	A
Transformer oil	60	A
Trichloroethylene	20	C
Turpentine	20	A
Urea	60	C
Vegetable oils	40	A
Vinyl acetate	20	C
Viscose spinning solutions	60	A
Water	40	A
Water	60	B
Wine	40	A
Wine vinegar	50	A
Wood tar	20	C
Xylenes	20	C

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58



Plastic cable routing trunking


Mini trunking 32


Nominal height 10 40


Nominal height 12 42


Nominal height 13 46


Nominal height 15 50


Nominal height 18 56


Nominal height 20 58


Nominal height 25 66


Nominal height 30 70


Nominal height 40 74


Nominal height 60 82


Nominal height 80 98


Nominal height 100 102


Accessories, plastic cable routing trunking 106


Universal trunking 116


Corner trunking 118

Gebäudeinstalltion - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

System description



WDK trunking is particularly suited for areas in which appearance is not a key factor – for example, workshops, production facilities and residential cellars. Devices of width 60110 to 60210 can be installed in the PVC wall and ceiling trunking. All the standard devices of all manufacturers fit the device installation sockets. A wide range of fittings guarantees solutions for all kinds of applications. The trunking, made of halogen-free material, guarantees compliance with the highest safety standards.


Installation principle




1	Trunking
2	Joint cover
3	Internal corner hood
4	External corner cover
5	T and cross piece cover
6	Flat angle cover
7	End piece
8	Partition
9	Cover for single accessory mounting box
10	Accessory mounting box

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Mounting aid



Mounting of mini trunking
Remove the protective film. Stick the trunking to a dust-free, adherent substrate.



Cut mini trunking
The OBO shears can be used to create an exact straight cut for the WDK trunking. The shears can be used for trunking sizes of up to 25 x 45 mm.



WDK for workshops
Together with accessory mounting boxes, WDK cable trunking of 60 mm trunking height can be used as device installation trunking.



WDK with nail strip
The nail strip means that WDK trunking can be mounted with steel nails. At the same time, it prevents nail damage to the cables. Of course, the nail strip can also be used as a separating retainer for routing different voltage levels.




Mounting of cover clip
The cover clip is locked into the cover contour. To insert the cables, move it forward through 30°. The clip stabilises the WDK trunking and keeps the cables in the trunking.



Internal corner cover mounting
The cover fitting is placed over the mounted WDK trunking and locks into the cover contour.



External corner hood mounting
The bases of the WDK trunking are mounted on the wall up to the corner.



External corner hood mounting
After the cables have been routed, the external hood fitting is placed on the bases.



Mounting of accessory mounting box
The accessory mounting box is locked onto the floor connectors.




Mounting of accessory mounting box
Then the accessory mounting box is fixed to the WDK trunking using the bolt located in the base.




Mounting with nail device
Mounting of the cable trunking is fast and efficient with a Spit nail device.



RK universal trunking
The universal trunking hides the cables inserted in distributors and counter cabinets.



RK clip mounting
The clips (OBO Quick Clip Pg16) are mounted using knock-in anchors on the left and right of the distributor cabinets. They are contained in the scope of delivery.



RK end piece mounting
The end pieces are fastened by locking them in the clips.



Cut RK cover
The covers are cut to the appropriate length using a standard coping saw.



RK cover mounting
Simply lock the cover in the end pieces.



RK front cover mounting
Attach the front cover to the cover clips.




RK complete mounting
The universal trunking allows tidy laying, even if a lot of cables need to be hidden.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Mini trunking with hinged cover

Mini trunking with adhesive film and hinged cover MD4






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD4RW	Pure white	2000	2	3.300	**6150268**

Mini trunking with adhesive film and hinged cover.

Mini trunking with adhesive film and hinged cover MD7






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD7RW	Pure white	2000	2	5.000	**6150276**

Mini trunking with adhesive film and hinge cover.

Mini trunking with adhesive film and hinged cover MD12






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD12RW	Pure white	2000	2	7.000	**6150284**

Mini trunking with adhesive film and hinged cover.

Mini trunking with adhesive film and hinged cover MD17





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD17RW	Pure white	2000	2	9.000	**6150292**


Mini trunking with adhesive film and hinged cover.

PVC

Mini trunking with adhesive film and hinge cover MD4

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD4CW	Cream	2000	224	3.300	6150152

Mini trunking with adhesive film and hinged cover.






PVC

Mini trunking with adhesive film and hinge cover MD7

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD7CW	Cream	2000	100	5.000	6150160
WDKMD7S	Pure white	2000	100	5.000	6150326

Mini trunking with adhesive film and hinge cover.






PVC

Mini trunking with adhesive film and hinge cover MD12

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD12CW	Cream	2000	80	7.000	6150179
WDKMD12S	Pure white	2000	80	7.000	6150330

Mini trunking with adhesive film and hinged cover.







PVC

Mini trunking with adhesive film and hinge cover MD12

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD12S	Pure white	2000	80	7.000	6150330

Mini trunking with adhesive foam film and hinge cover.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Mini trunking with hinged cover

Mini trunking with adhesive film and hinge cover MD17







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD17CW	Cream	2000	56	9.000	**6150187**

Mini trunking with adhesive film and hinged cover.

Mini trunking with adhesive film and hinge cover MD17






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD17S	Pure white	2000	48	9.000	**6150334**

Mini trunking with adhesive foam film and hinge cover.

Trunking height 10 mm, trunking width 30 mm

Trunking, type WDK 10030






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK10030RW	Pure white	2000	2	13.000	6150780
WDK10030CW	Cream	2000	64	13.000	6150772

Trunking cover and base with base perforation.

Joint cover, for trunking, type WDK 10030







Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS10030RW	Pure white	32	14	10	0.115	6154034
WDK HS10030CW	Cream	32	14	10	0.115	6152015

Joint cover for smooth connection of trunking segments.

Internal corner cover, trunking type WDK 10030






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI10030RW	Pure white	30	4	0.330	6154336
WDK HI10030CW	Cream	30	4	0.330	6153011

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, trunking type WDK 10030






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA10030RW	Pure white	30	4	0.450	6154425
WDK HA10030CW	Cream	30	4	0.450	6153305

External corner cover for changing the direction of the WDK trunking.

Flat angle cover, trunking type WDK 10030



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF10030RW	Pure white	50	4	0.555	6154220
WDK HF10030CW	Cream	50	4	0.555	6152619


Flat angle hood for changing the direction of the WDK trunking.


PVC

T piece cover, for trunking type WDK 10030

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT10030RW	Pure white	55	44	4	0.455	**6154123**
WDK HT10030CW	Cream	55	44	4	0.455	**6152317**

T piece cover for changing the direction of the WDK trunking.






PVC

End piece, trunking type WDK 10030

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE10030RW	Pure white	32	11	10	0.139	**6154522**
WDK HE10030CW	Cream	32	11	10	0.139	**6153607**

End piece to close the WDK trunking.







Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 12 mm, trunking width 22 mm

Trunking, type WDK 12022

PVC







Type	Colour	Length mm		Pack m	Weight kg/100 m	Item no.
WDK12022RW	Pure white	2000		84	10.000	**6150702**

Trunking cover and base.

Trunking, type WDK 12022

PVC






Type	Colour	Length mm		Pack Piece	Weight kg/100 pc.	Item no.
WDK12022RW 2100	Pure white	2100		42	22.050	**6150703**

Trunking cover and base.

PVC

Trunking, type WDK 12022, with adhesive film





Trunking cover and base with adhesive film.


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK12022TRW	Pure white	2000	72	11.000	6027300
WDK12022TRW 2100	Pure white	2100	36	23.100	6027301

PC / ABS

Joint cover, for trunking type WDK 12022

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS12022RW	Pure white	10	0.084	6154042

Joint cover for smooth connection of trunking segments.




PC / ABS

Internal corner cover, for trunking type WDK 12022

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI12022RW	Pure white	33	4	0.286	6154342

Internal corner cover for changing the direction of the WDK trunking. The fitting can be adjusted variably.




PC / ABS

External corner cover, for trunking type WDK 12022

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA12022RW	Pure white	27	4	0.260	6154432

External corner cover for changing the direction of the WDK trunking. The fitting can be adjusted variably.




Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 12 mm, trunking width 22 mm

T piece cover, for trunking type WDK 12022

PC/ABS






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT12022RW	Pure white	60	42	4	0.374	**6154132**

T piece cover for changing the direction of the WDK trunking.

Flat angle cover, for trunking type WDK 12022

PC/ABS






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF12022RW	Pure white	39	4	0.278	**6154232**

Flat angle cover for changing the direction of the WDK trunking. The fitting can be adjusted variably.

End piece, for trunking type WDK 12022

PC/ABS




Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE12022RW	Pure white	–	–	10	0.107	**6154532**


End piece to close the WDK trunking.

Trunking height 13 mm, trunking width 25 mm, raised base

Trunking, type WDK 13025

PVC






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK13025	Pure white	2000	24	16.400	6187704
WDK13025	Oyster white	2000	24	16.400	6187714

Trunking cover and base with base perforation. The heads of the fastening screws are hidden in the raised floor of the trunking. Assignment with cables with basic isolation is permitted. Please note the delivery lengths of 2 m and 4 m. Pure white = similar to RAL 9010, pearl white = similar to RAL 1013.

Joint cover, for trunking, type WDK 13025

PC / ABS







Type	Colour	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS13025RW	Pure white	27.4	14.7	20	0.556	6193498
WDK HS13025PW	Oyster white	27.4	14.7	20	0.556	6193496

Joint cover for perfect connection of the WDK trunking segments, type 13025. Incl. coupling for the raised trunking floor.

Internal corner cover, for duct type WDK 13025

PC / ABS






Type	Colour	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI13025RW	Pure white	25	13	10	0.604	6191835
WDK HI13025PW	Oyster white	25	13	10	0.604	6191833

Internal corner hood for changing the direction of the WDK raised floor trunking, type 13025. Incl. coupling for the raised floor.

External corner cover, for trunking type WDK 13025

PC / ABS





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA13025RW	Pure white	10	0.707	6192141


External corner cover for changing the direction of the WDK raised floor trunking, type 13025. Incl. coupling for the raised floor.

PC / ABS

External corner cover, for trunking type WDK 13025

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA13025PW	Oyster white	10	0.707	**6192139**

External corner cover for changing the direction of the WDK raised floor trunking, type 13025. Incl. coupling for the raised floor.






PC / ABS

Flat angle cover, for duct type WDK 13025

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF13025PW	Oyster white	50	10	0.800	**6192740**

Flat angle hood for changing the direction of the WDK trunking.




PC / ABS

CE DVE

Flat angle cover, for duct type WDK 13025

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF13025RW	Pure white	50	10	0.800	**6192742**

Flat angle hood for changing the direction of the WDK trunking.




PC / ABS

T piece cover, for trunking type WDK 13025

Type	Colour	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT13025RW	Pure white	25	13	10	1.013	**6192451**
WDK HT13025PW	Oyster white	25	13	10	1.059	**6192449**

T piece cover for changing the direction of the WDK trunking.






PC / ABS

T piece cover, for trunking type WDK 13025

Type	Colour	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HTCW13025PW	Oyster white	25	13	10	1.035	**6192448**
WDK HTCW13025RW	Pure white	25	13	10	1.035	**6192450**

T piece cover for changing the direction of the WDK trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 13 mm, trunking width 25 mm, raised base

End piece, for trunking type WDK 13025

PC/ ABS




Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
WDK HE13025PW	Oyster white		10	0.385	**6193088**

End piece to close the WDK trunking.

End piece, for trunking type WDK 13025

PC/ ABS




Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
WDK HE13025RW	Pure white		10	0.385	**6193093**

End piece to close the WDK trunking.

Pipe adapter, trunking to pipe, 16 mm

PC/ ABS






Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
WDK HPC13025RW16	Pure white		10	0.461	**6193710**
WDK HPC13025PW16	Oyster white		10	0.461	**6193708**

Pipe adapter for transferring an installation pipe to the WDK trunking.

Pipe adapter, trunking to pipe, 19 mm

PC/ ABS




Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
WDK HPC13025RW19	Pure white		10	0.436	**6193730**
WDK HPC13025PW19	Oyster white		10	0.436	**6193728**

Pipe adapter for transferring an installation pipe to the WDK trunking.

Pipe adapter, trunking to pipe, 20 mm

PC/ ABS



Type	Colour		Pack Piece	Weight kg/100 pc.	Item no.
WDK HPC13025RW20	Pure white		10	0.431	**6193729**
WDK HPC13025PW20	Oyster white		10	0.431	**6193731**


Pipe adapter for transferring an installation pipe to the WDK trunking.

Trunking height 15 mm, trunking width 15 mm

Trunking, type WDK 15015

PVC






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK15015RW	Pure white	2000	56	9.000	**6191002**
WDK15015CW	Cream	2000	56	9.000	**6024963**
WDK15015LGR	Light grey	2000	56	9.000	**6024947**
WDK15015GR	Stone grey	2000	56	9.000	**6024955**
WDK15015BR	Sepia brown	2000	56	9.000	**6024971**
WDK15015SW	Jet black	2000	56	9.000	**6024949**

Trunking cover and base with base perforation.

End piece, trunking type WDK 15015

PVC





Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE15015RW	Pure white	15	15	10	0.082	**6193099**
WDK HE15015CW	Cream	15	15	10	0.081	**6162495**
WDK HE15015LGR	Light grey	15	15	10	0.081	**6183603**
WDK HE15015GR	Stone grey	15	15	10	0.081	**6158692**


End piece to close the WDK trunking.

PVC

Trunking, type WDK 15030

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK15030RW	Pure white	2000	32	19.500	6191010
WDK15030CW	Cream	2000	32	19.500	6025013
WDK15030GR	Stone grey	2000	32	19.500	6025005
WDK15030BR	Sepia brown	2000	32	19.500	6025021
WDK15030LGR	Light grey	2000	32	19.500	6025048
WDK15030RW2500	Pure white	2000	798	48.750	6191013

Trunking cover and base with base perforation.






PVC

Trunking, type WDK 15030

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK15030SRW	Pure white	2000	32	19.500	6027325

Trunking cover and base with adhesive film.






PVC

Joint cover, for trunking, type WDK 15030

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS15030RW	Pure white	32	14	10	0.136	6193501
WDK HS15030CW	Cream	32	14	10	0.136	6152031
WDK HS15030GR	Stone grey	32	14	10	0.136	6158838

Joint cover for smooth connection of trunking segments.







PVC

Internal corner cover, trunking type WDK 15030

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI15030RW	Pure white	38.5	4	0.789	6191843
WDK HI15030CW	Cream	38.5	4	0.790	6160026
WDK HI15030GR	Stone grey	38.5	4	0.790	6158234

Internal corner cover for changing the direction of the WDK trunking.






PVC

External corner cover, trunking type WDK 15030

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA15030RW	Pure white	38.5	4	1.114	6192149
WDK HA15030CW	Cream	38.5	4	1.096	6160611
WDK HA15030GR	Stone grey	38.5	4	1.114	6158358

External corner cover for changing the direction of the WDK trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 15 mm, trunking width 30 mm

Flat angle cover, trunking type WDK 15030

PVC






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF15030RW	Pure white	53	4	0.965	6192750
WDK HF15030CW	Cream	53	4	0.965	6161219
WDK HF15030GR	Stone grey	53	4	0.965	6158595

Flat angle hood for changing the direction of the WDK trunking.

T piece cover, for trunking type WDK 15030

PVC






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT15030RW	Pure white	73	53	4	1.119	6192459
WDK HT15030CW	Cream	73	53	4	1.119	6161928
WDK HT15030GR	Stone grey	73	53	4	1.119	6158463

T piece cover for changing the direction of the WDK trunking.

End piece, trunking type WDK 15030

PVC





Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE15030RW	Pure white	30	17	10	0.230	6193102
WDK HE15030CW	Cream	30	17	10	0.235	6162517
WDK HE15030GR	Stone grey	30	17	10	0.230	6158714


End piece to close the WDK trunking.


PVC

Trunking, type WDK 15040

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK15040RW	Pure white	2000	36	23.000	6191029
WDK15040CW	Cream	2000	36	23.000	6025161
WDK15040GR	Stone grey	2000	36	23.000	6025137

Trunking cover and base with base perforation.






PVC

Trunking, type WDK 15040

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK15040SRW	Pure white	2000	36	27.000	6027335

Trunking cover and base with adhesive film.






PVC

Joint cover, for trunking, type WDK 15040

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS15040RW	Pure white	42	14	10	0.190	6193528
WDK HS15040CW	Cream	42	14	20	0.190	6152058
WDK HS15040GR	Stone grey	42	14	10	0.190	6158846

Joint cover for smooth connection of trunking segments.







PVC

Internal corner hood, for trunking type WDK 15040

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI15040RW	Pure white	42	4	1.070	6191851
WDK HI15040CW	Cream	42	4	1.064	6160034
WDK HI15040GR	Stone grey	42	4	1.064	6158242

Internal corner cover for changing the direction of the WDK trunking.






PVC

External corner cover, for trunking type WDK 15040

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA15040RW	Pure white	42	4	1.429	6192157
WDK HA15040CW	Cream	42	4	1.400	6160638
WDK HA15040GR	Stone grey	42	4	1.400	6158366

External corner hood for changing the direction of the WDK trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 15 mm, trunking width 40 mm

Flat angle cover, for trunking type WDK 15040

PVC






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF15040RW	Pure white	63	4	1.471	**6192769**
WDK HF15040CW	Cream	63	4	1.500	**6161227**
WDK HF15040GR	Stone grey	63	4	1.500	**6158609**

Flat angle hood for changing the direction of the WDK trunking.

T piece cover, for trunking type WDK 15040

PVC







Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT15040RW	Pure white	83	74	4	1.746	**6192467**
WDK HT15040CW	Cream	83	74	4	1.746	**6161936**
WDK HT15040GR	Stone grey	83	74	4	1.746	**6158471**

T piece cover for changing the direction of the WDK trunking.

End piece, trunking type WDK 15040

PVC





Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE15040RW	Pure white	40	17	10	0.299	**6193110**
WDK HE15040CW	Cream	40	17	10	0.299	**6162525**
WDK HE15040GR	Stone grey	40	17	10	0.299	**6158722**

End piece to close the WDK trunking.

Cable routing duct, duct height 18

Cable routing trunking MKS 18, trunking width 45

PVC

CE




Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
MKS 1845 rws	Pure white	2500	45	18	20	57.500	**6131377**
MKS MFS 1845 KB	Pure white	2500	45	18	23	57.500	**6131380**

MKS mini trunking for covered cable routing in internal areas.

Trunking height 20 mm, trunking width 20 mm

Trunking, type WDK 20020 with base perforation






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK20020RW	Pure white	2000	48	11.100	6191037
WDK20020CW	Cream	2000	48	11.100	6025153
WDK20020LGR	Light grey	2000	48	11.100	6025102
WDK20020GR	Stone grey	2000	48	11.100	6025110
WDK20020BR	Sepia brown	2000	48	11.100	6025129
WDK20020SW	Jet black	2000	48	11.000	6025155

Trunking cover and base with base perforation.

Trunking, type WDK 20020S with adhesive film







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK20020SRW	Pure white	2000	48	12.000	6027360

Trunking cover and base with base perforation.

Internal corner cover, trunking type WDK 20020






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI20020RW	Pure white	38.5	4	0.619	6191878
WDK HI20020CW	Cream	38.5	4	0.623	6160018
WDK HI20020LGR	Light grey	38.5	4	0.623	6182011
WDK HI20020GR	Stone grey	38.5	4	0.623	6158226

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, trunking type WDK 20020






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA20020RW	Pure white	38.5	4	0.678	6192165
WDK HA20020CW	Cream	38.5	4	0.678	6160603
WDK HA20020LGR	Light grey	38.5	4	0.678	6182402
WDK HA20020GR	Stone grey	38.5	4	0.678	6158331

External corner cover for changing the direction of the WDK trunking.

PVC

Flat angle cover, trunking type WDK 20020

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF20020RW	Pure white	38	4	0.588	6192777
WDK HF20020CW	Cream	38	4	0.596	6161200
WDK HF20020LGR	Light grey	38	4	0.596	6183212
WDK HF20020GR	Stone grey	38	4	0.596	6158587






Flat angle cover for changing the direction of the WDK trunking.

PVC

T piece cover, for trunking type WDK 20020

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT20020RW	Pure white	57	39	4	0.751	6192475
WDK HT20020CW	Cream	57	39	4	0.751	6161901
WDK HT20020LGR	Light grey	57	39	4	0.751	6182801
WDK HT20020GR	Stone grey	57	39	4	0.751	6158455






T piece cover for changing the direction of the WDK trunking.

PVC

End piece, trunking type WDK 20020

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE20020RW	Pure white	17	17	10	0.103	6193129
WDK HE20020CW	Cream	17	17	10	0.101	6162509
WDK HE20020LGR	Light grey	17	17	10	0.101	6183611
WDK HE20020GR	Stone grey	17	17	10	0.101	6158706






End piece to close the WDK trunking.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 20 mm, trunking width 35 mm

Trunking, type WDK 20035







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK20035RW	Pure white	2000	32	23.900	**6191045**
WDK20035CW	Cream	2000	32	23.900	**6026370**
WDK20035LGR	Light grey	2000	32	23.900	**6026354**
WDK20035GR	Stone grey	2000	32	23.900	**6026362**

Trunking cover and base with base perforation.

End piece, trunking type WDK 20035





Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE20035RW	Pure white	35	20	10	0.334	**6193137**
WDK HE20035CW	Cream	35	20	10	0.334	**6162487**
WDK HE20035LGR	Light grey	35	20	10	0.334	**6183654**
WDK HE20035GR	Stone grey	35	20	10	0.334	**6158781**


End piece to close the WDK trunking.

PVC

Trunking, type WDK 20050

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK20050RW	Pure white	2000	42	30.700	**6168736**
WDK20050CW	Cream	2000	42	30.700	**6168701**

Trunking cover and base with base perforation.






PVC

Trunking, type WDK-N 20050

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK-N20050RW	Pure white	2000	2	37.000	**6168744**
WDK-N20050CW	Cream	2000	2	37.000	**6168728**

Trunking cover and base with base perforation.






PVC

Joint cover, for trunking, type WDK 20050

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS20050RW	Pure white	53	14	10	0.267	**6154069**
WDK HS20050CW	Cream	53	14	10	0.267	**6152104**

Joint cover for smooth connection of trunking segments.







PVC

Internal corner cover, trunking type WDK 20050

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI20050RW	Pure white	45	4	1.277	**6154360**
WDK HI20050CW	Cream	45	4	2.500	**6153089**

Internal corner cover for changing the direction of the WDK trunking.






PVC

External corner cover, trunking type WDK 20050

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA20050RW	Pure white	45	4	1.765	**6154468**
WDK HA20050CW	Cream	45	4	3.000	**6153372**

External corner hood for changing the direction of the WDK trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 20 mm, trunking width 50 mm

Flat angle cover, trunking type WDK 20050







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF20050RW	Pure white	73	4	1.948	6154255
WDK HF20050CW	Cream	73	4	1.948	6152686

Flat angle hood for changing the direction of the WDK trunking.

T piece cover, for trunking type WDK 20050







Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT20050RW	Pure white	93	73	4	2.146	6154166
WDK HT20050CW	Cream	93	73	4	2.146	6152384

T piece cover for changing the direction of the WDK trunking.

End piece, trunking type WDK 20050






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE20050RW	Pure white	50	20	10	0.425	6154557
WDK HE20050CW	Cream	50	20	10	0.600	6153674

End piece to close the WDK trunking.

Trunking height 10 mm, trunking width 20 mm

Trunking, type WDK 10020





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK10020RW	Pure white	2000	2	10.000	6150764
WDK10020CW	Cream	2000	2	10.000	6150756
WDK10020SW	Jet black	2000	96	10.000	6027321


Trunking cover and base with base perforation.

PVC

Joint cover, trunking type WDK 10020

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS10020RW	Pure white	22	14	10	0.090	6154026

Joint cover for smooth connection of trunking segments.







PVC

Internal corner cover, trunking type WDK 10020

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI10020RW	Pure white	30	4	0.285	6154328

Internal corner cover for changing the direction of the WDK trunking.






PVC

External corner cover, trunking type WDK 10020

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA10020RW	Pure white	30	4	0.344	6154417

External corner cover for changing the direction of the WDK trunking.






PVC

Flat angle cover, trunking type WDK 10020

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF10020RW	Pure white	40	4	0.365	6154212

Flat angle hood for changing the direction of the WDK trunking.






PVC

End piece, trunking type WDK 10020

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE10020RW	Pure white	22	11	10	0.106	6154514
WDK HE10020CW	Cream	22	11	10	0.106	6153593

End piece for closing the WDK trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Duct height 10 mm, duct width 20 mm

Trunking, type WDK 10020 with adhesive film






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK10020SRW	Pure white	2000	84	12.000	**6027318**
WDK10020SSW	Jet black	2000	84	12.000	**6027374**

Trunking cover and base with base perforation and adhesive film.

Joint cover, for trunking, type WDK 10020







Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS10020CW	Cream	22	14	10	0.103	**6152007**

Joint cover for smooth connection of trunking segments.

Internal corner hood, for trunking type WDK 10020






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI10020CW	Cream	30	4	0.285	**6153003**

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, for trunking type WDK 10020






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA10020CW	Cream	30	4	0.600	**6153291**

External corner cover for changing the direction of the WDK trunking.

Flat angle hood, for trunking type WDK 10020






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF10020CW	Cream	40	4	0.365	**6152600**


Flat angle hood for changing the direction of the WDK trunking.

PVC

T piece cover, for trunking type WDK 10020

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT10020RW	Pure white	45	4	0.334	**6154115**
WDK HT10020CW	Cream	45	4	0.334	**6152309**





T piece hood for changing the direction of the WDK trunking.


Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 25 mm, trunking width 25 mm

Trunking, type WDK 25025

PVC







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK25025RW	Pure white	2000	30	24.500	6191053
WDK25025CW	Cream	2000	30	24.500	6026427
WDK25025LGR	Light grey	2000	30	24.500	6026400
WDK25025GR	Stone grey	2000	30	24.500	6026419
WDK25025SRW	Pure white	2000	30	37.710	6027372

Trunking cover and base with base perforation.

Internal corner cover, trunking type WDK 25025

PVC







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI25025RW	Pure white	50	4	1.150	6191886
WDK HI25025CW	Cream	50	4	1.669	6160042
WDK HI25025LGR	Light grey	50	4	1.669	6182062
WDK HI25025GR	Stone grey	50	4	1.669	6158250

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, for trunking type WDK 25025

PVC







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA25025RW	Pure white	52	4	1.424	6192173
WDK HA25025CW	Cream	52	4	1.424	6160646
WDK HA25025LGR	Light grey	52	4	1.424	6182445
WDK HA25025GR	Stone grey	52	4	1.424	6158374

External corner hood for changing the direction of the WDK trunking.

Flat angle cover, trunking type WDK 25025

PVC






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF25025RW	Pure white	48	4	1.055	6192785
WDK HF25025CW	Cream	48	4	1.000	6161235
WDK HF25025LGR	Light grey	48	4	1.000	6183255
WDK HF25025GR	Stone grey	48	4	1.000	6158617


Flat angle cover for changing the direction of the WDK trunking.

PVC

T piece cover, for trunking type WDK 25025

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT25025RW	Pure white	68	48	4	1.171	**6192483**
WDK HT25025CW	Cream	68	48	4	1.171	**6161944**
WDK HT25025LGR	Light grey	68	48	4	1.171	**6182852**
WDK HT25025GR	Stone grey	68	48	4	1.171	**6158498**







T piece cover for changing the direction of the WDK trunking.

PVC

End piece, trunking type WDK 25025

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE25025RW	Pure white	25	25	10	0.303	**6193145**
WDK HE25025CW	Cream	25	25	10	0.303	**6162533**
WDK HE25025LGR	Light grey	25	25	10	0.303	**6183662**
WDK HE25025GR	Stone grey	25	25	10	0.303	**6158730**






End piece to close the WDK trunking.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 25 mm, trunking width 40 mm

Trunking, type WDK 25040






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK25040RW	Pure white	2000	24	30.000	6191061
WDK25040CW	Cream	2000	24	30.000	6026451
WDK25040GR	Stone grey	2000	24	30.000	6026443
WDK25040LGR	Light grey	2000	24	30.000	6026486
WDK25040SW	Jet black	2000	24	30.000	6026488

Trunking cover and base with base perforation.

Trunking, type WDK-N 25040






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK-N25040RW	Pure white	2000	2	36.000	6150640
WDK-N25040CW	Cream	2000	2	36.000	6150632

Trunking cover and base with base perforation.

Joint cover, for trunking, type WDK 25040







Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS25040RW	Pure white	42	14	10	0.231	6193560
WDK HS25040CW	Cream	42	14	10	0.231	6152082
WDK HS25040GR	Stone grey	42	14	10	0.231	6158889

Joint cover for smooth connection of trunking segments.

Internal corner cover, trunking type WDK 25040





Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI25040RW	Pure white	50	4	1.502	6191894
WDK HI25040CW	Cream	50	4	1.489	6160050
WDK HI25040GR	Stone grey	50	4	1.489	6158269


Internal corner cover for changing the direction of the WDK trunking.

PVC

External corner cover, for trunking type WDK 25040

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA25040RW	Pure white	52	4	2.052	**6192181**
WDK HA25040CW	Cream	52	4	2.052	**6160654**
WDK HA25040GR	Stone grey	52	4	2.052	**6158382**

External corner hood for changing the direction of the WDK trunking.






PVC

Flat angle cover, trunking type WDK 25040

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF25040RW	Pure white	63	4	1.905	**6192793**
WDK HF25040CW	Cream	63	4	1.905	**6161243**
WDK HF25040GR	Stone grey	63	4	1.905	**6158625**

Flat angle hood for changing the direction of the WDK trunking.







PVC

T piece cover, for trunking type WDK 25040

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT25040RW	Pure white	83	63	4	1.994	**6192491**
WDK HT25040CW	Cream	83	63	4	1.994	**6161952**
WDK HT25040GR	Stone grey	83	63	4	1.994	**6158501**

T piece cover for changing the direction of the WDK trunking.







PVC

End piece, trunking type WDK 25040

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE25040RW	Pure white	40	25	10	0.404	**6193153**
WDK HE25040CW	Cream	40	25	10	0.404	**6162541**
WDK HE25040GR	Stone grey	40	25	10	0.404	**6158749**

End piece to close the WDK trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 30 mm, trunking width 30 mm

Trunking, type WDK 30030







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK30030RW	Pure white	2000	40	24.900	**6191096**
WDK30030CW	Cream	2000	40	24.900	**6026826**
WDK30030LGR	Light grey	2000	40	24.900	**6026796**
WDK30030GR	Stone grey	2000	40	24.900	**6026818**
WDK30030BR	Sepia brown	2000	40	24.900	**6026834**

Trunking cover and base with base perforation.

Internal corner cover, trunking type WDK 30030







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI30030RW	Pure white	52	4	1.345	**6191924**
WDK HI30030CW	Cream	52	4	1.200	**6160077**
WDK HI30030LGR	Light grey	52	4	1.349	**6182097**
WDK HI30030GR	Stone grey	52	4	1.200	**6158285**

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, trunking type WDK 30030






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA30030RW	Pure white	57	4	1.776	**6192211**
WDK HA30030CW	Cream	57	4	1.809	**6160670**
WDK HA30030LGR	Light grey	57	4	1.809	**6182488**
WDK HA30030GR	Stone grey	57	4	1.809	**6158404**

External corner hood for changing the direction of the WDK trunking.

Flat angle cover, trunking type WDK 30030






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF30030RW	Pure white	53	4	1.370	**6192815**
WDK HF30030CW	Cream	53	4	1.370	**6161278**
WDK HF30030LGR	Light grey	53	4	1.370	**6183298**
WDK HF30030GR	Stone grey	53	4	1.370	**6158641**


Flat angle hood for changing the direction of the WDK trunking.

PVC

T piece cover, for trunking type WDK 30030

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT30030RW	Pure white	50	39	4	1.542	**6192513**
WDK HT30030CW	Cream	50	39	4	1.485	**6161979**
WDK HT30030LGR	Light grey	50	39	4	1.485	**6182887**
WDK HT30030GR	Stone grey	50	39	4	1.485	**6158536**







T piece hood for changing the direction of the WDK trunking.

PVC

End piece, trunking type WDK 30030

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE30030RW	Pure white	30	30	10	0.363	**6193188**
WDK HE30030CW	Cream	30	30	10	0.365	**6162576**
WDK HE30030LGR	Light grey	30	30	10	0.365	**6183697**
WDK HE30030GR	Stone grey	30	30	10	0.365	**6158765**





End piece to close the WDK trunking.


Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 30 mm, trunking width 45 mm

Trunking, type WDK 30045

PVC







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK30045RW	Pure white	2000	48	32.000	6191118
WDK30045CW	Cream	2000	48	32.000	6026869
WDK30045LGR	Light grey	2000	48	32.000	6026842
WDK30045GR	Stone grey	2000	48	32.000	6026850

Trunking cover and base with base perforation.

Internal corner cover, trunking type WDK 30045

PVC






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI30045RW	Pure white	52	4	1.295	6191932
WDK HI30045CW	Cream	52	4	1.295	6160085
WDK HI30045LGR	Light grey	52	4	1.295	6182100
WDK HI30045GR	Stone grey	52	4	1.295	6158307

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, trunking type WDK 30045

PVC






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA30045RW	Pure white	57	4	2.319	6192238
WDK HA30045CW	Cream	57	4	2.319	6160689
WDK HA30045LGR	Light grey	57	4	2.319	6182496
WDK HA30045GR	Stone grey	57	4	2.319	6158420

External corner hood for changing the direction of the WDK trunking.

Flat angle cover, trunking type WDK 30045

PVC






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF30045RW	Pure white	68	4	1.922	6192823
WDK HF30045CW	Cream	68	4	1.922	6161286
WDK HF30045GR	Stone grey	68	4	1.922	6158676
WDK HF30045LGR	Light grey	68	4	1.922	6183301


Flat angle hood for changing the direction of the WDK trunking.

PVC

T piece cover, for trunking type WDK 30045

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT30045RW	Pure white	88	68	4	2.003	**6192521**
WDK HT30045CW	Cream	88	68	4	2.003	**6161987**
WDK HT30045LGR	Light grey	88	68	4	2.003	**6182895**
WDK HT30045GR	Stone grey	88	68	4	2.003	**6158552**







T-piece cover for changing the direction of the WDK trunking.

PVC

End piece, trunking type WDK 30045

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE30045RW	Pure white	45	30	10	0.514	**6193196**
WDK HE30045CW	Cream	45	30	10	0.509	**6162584**
WDK HE30045LGR	Light grey	45	30	10	0.509	**6183700**
WDK HE30045GR	Stone grey	45	30	10	0.509	**6158803**






End piece to close the WDK trunking.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 40 mm, trunking width 40 mm

Trunking, type WDK 40040







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK40040RW	Pure white	2000	36	42.100	**6191126**
WDK40040CW	Cream	2000	36	42.100	**6025412**
WDK40040LGR	Light grey	2000	36	42.100	**6027016**
WDK40040GR	Stone grey	2000	36	42.100	**6025447**
WDK40040BR	Sepia brown	2000	36	42.100	**6025420**

Trunking cover and base with base perforation.

Internal corner cover, trunking type WDK 40040






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI40040RW	Pure white	65	4	2.502	**6191940**
WDK HI40040CW	Cream	65	4	2.502	**6160093**
WDK HI40040LGR	Light grey	65	4	2.502	**6182119**
WDK HI40040GR	Stone grey	65	4	2.502	**6158293**

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, trunking type WDK 40040






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA40040RW	Pure white	66	4	3.139	**6192246**
WDK HA40040CW	Cream	66	4	3.139	**6160697**
WDK HA40040LGR	Light grey	66	4	3.139	**6182526**
WDK HA40040GR	Stone grey	66	4	3.139	**6158412**

External corner hood for changing the direction of the WDK trunking.

Flat angle cover, trunking type WDK 40040






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF40040RW	Pure white	63	4	2.534	**6192831**
WDK HF40040CW	Cream	63	4	2.534	**6161294**
WDK HF40040LGR	Light grey	63	4	2.534	**6183336**
WDK HF40040GR	Stone grey	63	4	2.534	**6158668**


Flat angle cover for changing the direction of the WDK trunking.

PVC

T and intersection cover, for trunking type WDK 40040

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT40040RW	Pure white	83	43	4	2.681	**6192548**
WDK HT40040CW	Cream	83	43	4	2.681	**6161995**
WDK HT40040LGR	Light grey	83	43	4	2.681	**6182917**
WDK HT40040GR	Stone grey	83	43	4	2.681	**6158544**







T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

PVC

End piece, trunking type WDK 40040

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE40040RW	Pure white	40	40	10	0.602	**6193218**
WDK HE40040CW	Cream	40	40	10	0.615	**6162592**
WDK HE40040LGR	Light grey	40	40	10	0.602	**6183727**
WDK HE40040GR	Stone grey	40	40	10	0.602	**6158773**





End piece to close the WDK trunking.


Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 40 mm, trunking width 60 mm

Trunking, type WDK 40060

PVC







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK40060RW	Pure white	2000	32	56.200	**6191134**
WDK40060CW	Cream	2000	32	56.200	**6020887**
WDK40060LGR	Light grey	2000	32	56.200	**6027024**
WDK40060GR	Stone grey	2000	32	56.200	**6025633**
WDK40060BR	Sepia brown	2000	32	56.200	**6025617**
WDK40060SW	Jet black	2000	32	56.200	**6025638**

Trunking cover and base with base perforation.

Internal corner cover, trunking type WDK 40060

PVC







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI40060RW	Pure white	110	2	7.363	**6191959**
WDK HI40060CW	Cream	110	2	7.363	**6160107**
WDK HI40060LGR	Light grey	110	2	7.363	**6182127**
WDK HI40060GR	Stone grey	110	2	7.363	**6021719**

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, trunking type WDK 40060

PVC






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA40060RW	Pure white	100	2	8.653	**6192254**
WDK HA40060CW	Cream	100	2	8.653	**6160700**
WDK HA40060LGR	Light grey	100	2	8.653	**6182534**
WDK HA40060GR	Stone grey	100	2	8.653	**6021697**

External corner hood for changing the direction of the WDK trunking.

Flat angle cover, trunking type WDK 40060

PVC






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF40060RW	Pure white	101	2	6.271	**6192858**
WDK HF40060CW	Cream	101	2	6.271	**6161308**
WDK HF40060GR	Stone grey	101	2	6.271	**6021735**
WDK HF40060LGR	Light grey	101	2	6.271	**6183344**

Flat angle hood for changing the direction of the WDK trunking.

PVC

T and intersection cover, for trunking type WDK 40060

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK40060RW	Pure white	190	63	2	9.801	**6192556**
WDK HK40060CW	Cream	190	63	2	9.801	**6162002**
WDK HK40060LGR	Light grey	190	63	2	9.801	**6182925**
WDK HK40060GR	Stone grey	190	63	2	9.801	**6023312**






T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

PVC

End piece, trunking type WDK 40060

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE40060RW	Pure white	60	40	10	1.136	**6193226**
WDK HE40060CW	Cream	60	40	10	1.147	**6162606**
WDK HE40060LGR	Light grey	60	40	10	1.148	**6183735**
WDK HE40060GR	Stone grey	60	40	10	1.144	**6021492**






End piece to close the WDK trunking.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 40 mm, trunking width 90 mm

Trunking, type WDK 40090






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK40090RW	Pure white	2000	32	77.300	6191142
WDK40090CW	Cream	2000	32	77.300	6020895
WDK40090LGR	Light grey	2000	32	77.300	6027032
WDK40090GR	Stone grey	2000	32	77.300	6021018
WDK40090SW	Jet black	2000	32	78.100	6021023

Trunking cover and base with base perforation.

Joint cover, for trunking, type WDK 40090







Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS40090RW	Pure white	90	39	20	0.857	6193580
WDK HS40090CW	Cream	90	39	20	0.857	6193582

Joint cover for hiding cut edges and for smooth connection of trunking segments.

Internal corner cover, trunking type WDK 40090






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI40090RW	Pure white	109	2	9.468	6191967
WDK HI40090CW	Cream	109	2	9.468	6160115
WDK HI40090LGR	Light grey	109	2	9.468	6182135
WDK HI40090GR	Stone grey	109	2	9.468	6021190

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, trunking type WDK 40090






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA40090RW	Pure white	100	2	9.638	6192262
WDK HA40090CW	Cream	100	2	9.638	6160719
WDK HA40090LGR	Light grey	100	2	9.638	6182542
WDK HA40090GR	Stone grey	100	2	9.638	6021093

External corner hood for changing the direction of the WDK trunking.

PVC

Flat angle cover, trunking type WDK 40090

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF40090RW	Pure white	129	2	11.246	6192866
WDK HF40090CW	Cream	129	2	11.246	6161316
WDK HF40090LGR	Light grey	129	2	11.246	6183352
WDK HF40090GR	Stone grey	129	2	11.246	6021336






Flat angle hood for changing the direction of the WDK trunking.

PVC

T and intersection cover, for trunking type WDK 40090

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK40090RW	Pure white	230	91	2	13.986	6192564
WDK HK40090CW	Cream	230	91	2	13.986	6162010
WDK HK40090LGR	Light grey	230	91	2	13.986	6182933
WDK HK40090GR	Stone grey	230	91	2	13.986	6023142






T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

PVC

End piece, trunking type WDK 40090

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE40090RW	Pure white	90	40	10	1.576	6193234
WDK HE40090CW	Cream	90	40	10	1.576	6162614
WDK HE40090LGR	Light grey	90	40	10	1.566	6183743
WDK HE40090GR	Stone grey	90	40	10	1.576	6021506






End piece to close the WDK trunking.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 40 mm, trunking width 110 mm

Trunking, type WDK 40110






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK40110RW	Pure white	2000	24	111.800	6191150
WDK40110CW	Cream	2000	24	111.800	6020909
WDK40110LGR	Light grey	2000	24	111.800	6027040
WDK40110GR	Stone grey	2000	24	111.800	6021034

Trunking cover and base with base perforation.

Joint cover, for trunking, type WDK 40110







Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS40110RW	Pure white	110	39	20	0.974	6193586
WDK HS40110CW	Cream	110	39	20	0.974	6193588

Joint cover for hiding cut edges and for smooth connection of trunking segments.

Internal corner cover, trunking type WDK 40110







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI40110RW	Pure white	110.5	2	9.726	6191975
WDK HI40110CW	Cream	110.5	2	9.726	6160123
WDK HI40110LGR	Light grey	110.5	2	9.726	6182143
WDK HI40110GR	Stone grey	110.5	2	9.726	6021727

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, trunking type WDK 40110






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA40110RW	Pure white	100	2	13.500	6192270
WDK HA40110CW	Cream	100	2	13.500	6160727
WDK HA40110LGR	Light grey	100	2	13.500	6182550
WDK HA40110GR	Stone grey	100	2	13.500	6021700

External corner hood for changing the direction of the WDK trunking.

PVC

Flat angle cover, trunking type WDK 40110

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF40110RW	Pure white	110	2	13.000	6192874
WDK HF40110CW	Cream	110	2	13.000	6161324
WDK HF40110LGR	Light grey	110	2	13.000	6183360
WDK HF40110GR	Stone grey	110	2	11.751	6021743






Flat angle hood for changing the direction of the WDK trunking.

PVC

T and intersection cover, for trunking type WDK 40110

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK40110RW	Pure white	272	112	2	18.882	6192572
WDK HK40110CW	Cream	272	112	2	18.882	6162029
WDK HK40110LGR	Light grey	272	112	2	18.882	6182941
WDK HK40110GR	Stone grey	272	112	2	18.882	6023339






T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

PVC

End piece, trunking type WDK 40110

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE40110RW	Pure white	110	40	10	1.919	6193242
WDK HE40110CW	Cream	110	40	10	1.859	6162622
WDK HE40110LGR	Light grey	110	40	10	1.859	6183751
WDK HE40110GR	Stone grey	110	40	10	1.859	6021514






End piece to close the WDK trunking.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 60 mm, trunking width 60 mm

Trunking, type WDK 60060







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60060RW	Pure white	2000	32	81.600	6191193
WDK60060CW	Cream	2000	32	81.600	6021948
WDK60060LGR	Light grey	2000	32	81.600	6027105
WDK60060GR	Stone grey	2000	32	81.600	6025668

Trunking cover and base with base perforation.

Internal corner cover, trunking type WDK 60060






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60060RW	Pure white	130	2	10.932	6192017
WDK HI60060CW	Cream	130	2	10.932	6160301
WDK HI60060LGR	Light grey	130	2	10.932	6182194
WDK HI60060GR	Stone grey	130	2	10.932	6022383

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, trunking type WDK 60060






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60060RW	Pure white	100	2	9.931	6192319
WDK HA60060CW	Cream	100	2	9.931	6160905
WDK HA60060LGR	Light grey	100	2	9.931	6182593
WDK HA60060GR	Stone grey	100	2	9.931	6022073

External corner hood for changing the direction of the WDK trunking.

Flat angle cover, trunking type WDK 60060






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60060RW	Pure white	101	2	7.846	6192912
WDK HF60060CW	Cream	101	2	8.016	6161502
WDK HF60060LGR	Light grey	101	2	8.243	6183409
WDK HF60060GR	Stone grey	101	2	8.016	6022448

Flat angle hood for changing the direction of the WDK trunking.

PVC

T and intersection cover, for trunking type WDK 60060

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60060RW	Pure white	190	65	2	12.876	**6192610**
WDK HK60060CW	Cream	190	65	2	12.876	**6162207**
WDK HK60060LGR	Light grey	190	65	2	12.876	**6183018**
WDK HK60060GR	Stone grey	190	65	2	12.876	**6023223**






T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

PVC

End piece, trunking type WDK 60060

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60060RW	Pure white	60	60	10	1.551	**6193285**
WDK HE60060CW	Cream	60	60	10	1.551	**6162800**
WDK HE60060LGR	Light grey	60	60	10	1.551	**6183808**
WDK HE60060GR	Stone grey	60	60	10	1.544	**6022499**






End piece to close the WDK trunking.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 60 mm, trunking width 90 mm

Trunking, type WDK 60090






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60090RW	Pure white	2000	24	110.000	6191207
WDK60090CW	Cream	2000	24	110.000	6021913
WDK60090LGR	Light grey	2000	24	110.000	6027113
WDK60090GR	Stone grey	2000	24	110.000	6022006

Trunking cover and base with base perforation.

Joint cover, for trunking, type WDK 60090







Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS60090RW	Pure white	94	18	20	1.002	6193590
WDK HS60090CW	Cream	94	18	20	1.008	6193592

Joint cover for hiding cut edges and for smooth connection of trunking segments.

Internal corner cover, trunking type WDK 60090







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60090RW	Pure white	130	2	12.989	6192025
WDK HI60090CW	Cream	130	2	12.989	6160328
WDK HI60090LGR	Light grey	130	2	12.989	6182208
WDK HI60090GR	Stone grey	130	2	12.989	6022219

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, trunking type WDK 60090






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60090RW	Pure white	100	2	10.965	6192327
WDK HA60090CW	Cream	100	2	10.965	6160913
WDK HA60090LGR	Light grey	100	2	10.965	6182607
WDK HA60090GR	Stone grey	100	2	10.965	6022111

External corner hood for changing the direction of the WDK trunking.

PVC

Flat angle cover, trunking type WDK 60090

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60090RW	Pure white	129	2	11.454	6192920
WDK HF60090CW	Cream	129	2	11.454	6161510
WDK HF60090LGR	Light grey	129	2	11.454	6183417
WDK HF60090GR	Stone grey	129	2	11.454	6022316






Flat angle hood for changing the direction of the WDK trunking.

PVC

T and intersection cover, for trunking type WDK 60090

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60090RW	Pure white	230	94	2	16.992	6192629
WDK HK60090CW	Cream	230	94	2	16.992	6162215
WDK HK60090LGR	Light grey	230	94	2	16.992	6183026
WDK HK60090GR	Stone grey	230	94	2	16.992	6023002






T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

PVC

End piece, trunking type WDK 60090

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60090RW	Pure white	90	60	10	2.315	6193293
WDK HE60090CW	Cream	90	60	10	2.337	6162819
WDK HE60090LGR	Light grey	90	60	10	2.337	6183816
WDK HE60090GR	Stone grey	90	60	10	2.337	6022502






End piece to close the WDK trunking.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 60 mm, trunking width 110 mm, device installation

Trunking, type WDK 60110






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60110RW	Pure white	2000	16	117.000	6191215
WDK60110CW	Cream	2000	16	117.000	6021840
WDK60110LGR	Light grey	2000	16	117.000	6027121
WDK60110GR	Stone grey	2000	16	117.000	6022014

Trunking cover and base with base perforation.

Joint cover, for trunking, type WDK 60110







Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS60110RW	Pure white	113	18	20	1.142	6193596
WDK HS60110CW	Cream	113	18	20	1.142	6193598

Joint cover for hiding cut edges and for smooth connection of trunking segments.

Internal corner cover, trunking type WDK 60110






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60110RW	Pure white	130	2	13.254	6192033
WDK HI60110CW	Cream	130	2	13.312	6160336
WDK HI60110LGR	Light grey	130	2	13.102	6182216
WDK HI60110GR	Stone grey	130	2	13.312	6022235

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, trunking type WDK 60110






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60110RW	Pure white	100	2	13.226	6192335
WDK HA60110CW	Cream	100	2	13.017	6160921
WDK HA60110LGR	Light grey	100	2	13.226	6182615
WDK HA60110GR	Stone grey	100	2	13.049	6022146

External corner hood for changing the direction of the WDK trunking.

PVC

Flat angle cover, trunking type WDK 60110

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60110RW	Pure white	149	2	14.273	**6192939**
WDK HF60110CW	Cream	149	2	14.399	**6161529**
WDK HF60110LGR	Light grey	149	2	14.399	**6183425**
WDK HF60110GR	Stone grey	149	2	14.399	**6022332**






Flat angle hood for changing the direction of the WDK trunking.

PVC

T and intersection cover, for trunking type WDK 60110

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60110RW	Pure white	272	114	2	22.905	**6192637**
WDK HK60110CW	Cream	272	114	2	22.905	**6162223**
WDK HK60110LGR	Light grey	272	114	2	22.905	**6183034**
WDK HK60110GR	Stone grey	272	114	2	22.905	**6023029**






T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

PVC

End piece, trunking type WDK 60110

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60110RW	Pure white	110	60	10	2.937	**6193307**
WDK HE60110CW	Cream	110	60	10	2.934	**6162827**
WDK HE60110LGR	Light grey	110	60	10	2.912	**6183824**
WDK HE60110GR	Stone grey	110	60	10	2.951	**6022588**






End piece for closing the WDK trunking.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 60 mm, trunking width 130 mm, device installation

Trunking, type WDK 60130







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60130RW	Pure white	2000	16	135.000	6191223
WDK60130CW	Cream	2000	16	135.000	6021859
WDK60130LGR	Light grey	2000	16	135.000	6027148
WDK60130GR	Stone grey	2000	16	135.000	6022022

Trunking cover and base with base perforation.

Internal corner cover, trunking type WDK 60130







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60130RW	Pure white	130	2	13.526	6192041
WDK HI60130CW	Cream	130	2	13.526	6160344
WDK HI60130LGR	Light grey	130	2	13.526	6182224
WDK HI60130GR	Stone grey	130	2	13.526	6022251

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, trunking type WDK 60130






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60130RW	Pure white	100	2	14.327	6192343
WDK HA60130CW	Cream	100	2	14.327	6160948
WDK HA60130LGR	Light grey	100	2	14.327	6182623
WDK HA60130GR	Stone grey	100	2	14.327	6022162

External corner hood for changing the direction of the WDK trunking.

Flat angle cover, trunking type WDK 60130






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60130RW	Pure white	170	2	17.118	6192947
WDK HF60130CW	Cream	170	2	17.272	6161537
WDK HF60130LGR	Light grey	170	2	17.272	6183433
WDK HF60130GR	Stone grey	170	2	17.272	6022359

Flat angle hood for changing the direction of the WDK trunking.

PVC

T and intersection cover, for trunking type WDK 60130

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60130RW	Pure white	272	65	2	23.968	**6192645**
WDK HK60130CW	Cream	272	65	2	23.968	**6162231**
WDK HK60130LGR	Light grey	272	65	2	23.968	**6183042**
WDK HK60130GR	Stone grey	272	65	2	23.968	**6023045**







T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

PVC

End piece, trunking type WDK 60130

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60130RW	Pure white	130	61	10	3.610	**6193315**
WDK HE60130CW	Cream	130	61	10	3.596	**6162835**
WDK HE60130LGR	Light grey	130	61	10	3.655	**6183832**
WDK HE60130GR	Stone grey	130	61	10	3.578	**6022529**






End piece to close the WDK trunking.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 60 mm, trunking width 150 mm, device installation

Trunking, type WDK 60150






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60150RW	Pure white	2000	8	175.000	**6191231**
WDK60150CW	Cream	2000	8	175.000	**6021883**
WDK60150LGR	Light grey	2000	8	175.000	**6027156**
WDK60150GR	Stone grey	2000	8	175.000	**6022030**

Trunking cover and base with base perforation.

Internal corner cover, trunking type WDK 60150






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60150RW	Pure white	130	2	14.449	**6192068**
WDK HI60150CW	Cream	130	2	14.449	**6160379**
WDK HI60150LGR	Light grey	130	2	14.449	**6182232**
WDK HI60150GR	Stone grey	130	2	14.449	**6024432**

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, trunking type WDK 60150






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60150RW	Pure white	100	2	17.452	**6192351**
WDK HA60150CW	Cream	100	2	17.452	**6160972**
WDK HA60150LGR	Light grey	100	2	17.452	**6182631**
WDK HA60150GR	Stone grey	100	2	17.452	**6024521**

External corner hood for changing the direction of the WDK trunking.

Flat angle cover, trunking type WDK 60150






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60150RW	Pure white	190	2	19.910	**6192955**
WDK HF60150CW	Cream	190	2	19.910	**6161561**
WDK HF60150LGR	Light grey	190	2	19.910	**6183441**
WDK HF60150GR	Stone grey	190	2	19.910	**6024599**

Flat angle hood for changing the direction of the WDK trunking.

PVC

T and intersection cover, for trunking type WDK 60150

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60150RW	Pure white	291	155	2	26.831	**6192653**
WDK HK60150CW	Cream	291	155	2	26.831	**6162274**
WDK HK60150LGR	Light grey	291	155	2	26.831	**6183050**
WDK HK60150GR	Stone grey	291	155	2	26.831	**6024769**






T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

PVC

End piece, trunking type WDK 60150

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60150RW	Pure white	150	60	10	4.118	**6193323**
WDK HE60150CW	Cream	150	60	10	4.223	**6162878**
WDK HE60150LGR	Light grey	150	60	10	4.827	**6183840**
WDK HE60150GR	Stone grey	150	60	10	4.223	**6024823**






End piece to close the WDK trunking.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 60 mm, trunking width 170 mm, device installation

Trunking, type WDK 60170







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60170RW	Pure white	2000	8	178.000	6191258
WDK60170CW	Cream	2000	8	178.000	6021867
WDK60170LGR	Light grey	2000	8	178.000	6027164
WDK60170GR	Stone grey	2000	8	178.000	6022049

Trunking cover and base with base perforation.

Internal corner cover, trunking type WDK 60170






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60170RW	Pure white	130	2	12.472	6192076
WDK HI60170CW	Cream	130	2	12.472	6160352
WDK HI60170LGR	Light grey	130	2	12.472	6182240
WDK HI60170GR	Stone grey	130	2	12.472	6022286

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, trunking type WDK 60170






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60170RW	Pure white	100	2	17.750	6192378
WDK HA60170CW	Cream	100	2	17.750	6160956
WDK HA60170LGR	Light grey	100	2	17.750	6182658
WDK HA60170GR	Stone grey	100	2	17.750	6022189

External corner hood for changing the direction of the WDK trunking.

Flat angle cover, trunking type WDK 60170






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60170RW	Pure white	211	2	22.774	6192963
WDK HF60170CW	Cream	211	2	22.774	6161545
WDK HF60170LGR	Light grey	211	2	22.774	6183468
WDK HF60170GR	Stone grey	211	2	22.774	6022375

Flat angle hood for changing the direction of the WDK trunking.

PVC

T and intersection cover, for trunking type WDK 60170

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60170RW	Pure white	291	66	2	32.600	**6192661**
WDK HK60170CW	Cream	291	66	2	32.600	**6162258**
WDK HK60170LGR	Light grey	291	66	2	32.600	**6183069**
WDK HK60170GR	Stone grey	291	66	2	32.600	**6023061**






T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

PVC

End piece, trunking type WDK 60170

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60170RW	Pure white	170	60	10	4.859	**6193331**
WDK HE60170CW	Cream	170	60	10	4.859	**6162843**
WDK HE60170LGR	Light grey	170	60	10	4.859	**6183859**
WDK HE60170GR	Stone grey	170	60	10	4.859	**6022545**






End piece to close the WDK trunking.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 60 mm, trunking width 210 mm, device installation

Trunking, type WDK 60210






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60210RW	Pure white	2000	8	258.000	6191266
WDK60210CW	Cream	2000	8	258.000	6021875
WDK60210LGR	Light grey	2000	8	258.000	6027172
WDK60210GR	Stone grey	2000	8	258.000	6022065

Trunking cover and base with base perforation.

Internal corner cover, trunking type WDK 60210






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60210RW	Pure white	130	2	17.594	6192084
WDK HI60210CW	Cream	130	2	17.594	6160360
WDK HI60210LGR	Light grey	130	2	17.594	6182259
WDK HI60210GR	Stone grey	130	2	17.594	6022294

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, trunking type WDK 60210






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60210RW	Pure white	100	2	20.357	6192386
WDK HA60210CW	Cream	100	2	20.357	6160964
WDK HA60210LGR	Light grey	100	2	20.357	6182666
WDK HA60210GR	Stone grey	100	2	20.357	6022197

External corner hood for changing the direction of the WDK trunking.

Flat angle cover, trunking type WDK 60210






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60210RW	Pure white	250	2	30.182	6192971
WDK HF60210CW	Cream	250	2	38.000	6161553
WDK HF60210LGR	Light grey	250	2	38.000	6183476
WDK HF60210GR	Stone grey	250	2	38.000	6022391


Flat angle hood for changing the direction of the WDK trunking.

PVC

T and intersection cover, for trunking type WDK 60210

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60210RW	Pure white	291	66	2	35.280	**6192688**
WDK HK60210CW	Cream	291	66	2	35.280	**6162266**
WDK HK60210LGR	Light grey	291	66	2	35.280	**6183077**
WDK HK60210GR	Stone grey	291	66	2	35.280	**6023126**






T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

PVC

End piece, trunking type WDK 60210

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60210RW	Pure white	210	60	10	5.475	**6193358**
WDK HE60210CW	Cream	210	60	10	5.674	**6162851**
WDK HE60210LGR	Light grey	210	60	10	5.646	**6183867**
WDK HE60210GR	Stone grey	210	60	10	5.479	**6022561**





End piece to close the WDK trunking.


Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 60 mm, trunking width 230 mm

Trunking, type WDK 60230

PVC






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60230RW	Pure white	2000	8	298.000	6191274
WDK60230CW	Cream	2000	8	298.000	6021891
WDK60230LGR	Light grey	2000	8	298.000	6027180
WDK60230GR	Stone grey	2000	8	298.000	6022057

Trunking cover and base with base perforation.
Four cover fixing devices included.

Internal corner cover, trunking type WDK 60230

PVC






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60230RW	Pure white	130	2	22.509	6192092
WDK HI60230CW	Cream	130	2	22.509	6160395
WDK HI60230LGR	Light grey	130	2	22.509	6182267
WDK HI60230GR	Stone grey	130	2	22.509	6024440

Internal corner cover for changing the direction of the WDK trunking.

External corner cover, trunking type WDK 60230

PVC







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60230RW	Pure white	100	2	24.645	6192394
WDK HA60230CW	Cream	100	2	24.645	6160980
WDK HA60230LGR	Light grey	100	2	24.645	6182674
WDK HA60230GR	Stone grey	100	2	24.645	6024548

External corner hood for changing the direction of the WDK trunking.

T and intersection cover, for trunking type WDK 60210

PVC






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60230RW	Pure white	291	235	2	39.600	6192696
WDK HK60230CW	Cream	291	235	2	39.600	6162290
WDK HK60230LGR	Light grey	291	235	2	39.600	6183085
WDK HK60230GR	Stone grey	291	235	2	39.600	6024777

T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

PVC

Flat angle cover, trunking type WDK 60230

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60230RW	Pure white	270	2	47.856	**6192998**
WDK HF60230CW	Cream	270	2	47.856	**6161596**
WDK HF60230LGR	Light grey	270	2	47.856	**6183484**
WDK HF60230GR	Stone grey	270	2	47.856	**6024602**






Flat angle hood for changing the direction of the WDK trunking.

PVC

End piece, trunking type WDK 60230

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60230RW	Pure white	230	60	10	6.283	**6193366**
WDK HE60230CW	Cream	230	60	10	6.283	**6162886**
WDK HE60230LGR	Light grey	230	60	10	6.283	**6183875**
WDK HE60230GR	Stone grey	230	60	10	6.283	**6024831**






End piece to close the WDK trunking.
The end pieces are pushed onto the trunking and kept in place by the spring action.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 80 mm, trunking width 170 mm

Trunking, type WDK 80170







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK80170RW	Pure white	2000	8	214.000	6191304
WDK80170CW	Cream	2000	8	214.000	6026176
WDK80170LGR	Light grey	2000	8	214.000	6027229
WDK80170GR	Stone grey	2000	8	214.000	6026184

Wall installation trunking as trunking base with base perforation and matching trunking cover.

End piece, trunking type WDK 80170






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE80170RW	Pure white	150	170	10	11.900	6193387
WDK HE80170CW	Cream	150	170	10	11.900	6163009
WDK HE80170LGR	Light grey	150	170	10	11.900	6183913
WDK HE80170GR	Stone grey	150	170	10	11.900	6024858

End piece to close the WDK trunking.

T piece, for trunking type WDK 80170






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK T80170RW	Pure white	400	2	120.000	6183994

T piece to change the direction of the WDK trunking.

External corner, trunking type WDK 80170






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK A80170GR	Stone grey	331	1	130.000	6024689
WDK A80170CW	Cream	331	1	130.000	6024654
WDK A80170LGR	Light grey	331	1	130.000	6160485
WDK A80170RW	Pure white	331	1	130.000	6160493
WDK A80210GR	Stone grey	329	1	160.000	6161104
WDK A80210CW	Cream	329	1	160.000	6160550
WDK A80210LGR	Light grey	329	1	160.000	6161112
WDK A80210RW	Pure white	329	1	160.000	6161155

External corner hood for changing the direction of the WDK trunking.

PVC

T piece, for trunking type WDK 80170

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK T80170GR	Stone grey	400	2	120.000	**6193414**
WDK T80170CW	Cream	400	2	120.000	**6193404**
WDK T80170LGR	Light grey	400	2	120.000	**6163094**
WDK T80210GR	Stone grey	400	2	130.000	**6193415**
WDK T80210CW	Cream	400	2	130.000	**6193406**
WDK T80210LGR	Light grey	400	2	130.000	**6163096**






T piece to change the direction of the WDK trunking.

PVC

Flat angle, trunking type WDK 80170

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK F80170GR	Stone grey	470	1	170.000	**6182764**
WDK F80170CW	Cream	470	1	170.000	**6182748**
WDK F80170LGR	Light grey	470	1	170.000	**6183523**
WDK F80170RW	Pure white	470	1	170.000	**6183531**
WDK F80210CW	Cream	560.5	1	220.000	**6183574**







Flat angle for changing the direction of the WDK trunking.

PVC

Internal corner cover, trunking type WDK 80170

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK I80170GR	Stone grey	329	1	100.000	**6193080**
WDK I80170CW	Cream	329	1	100.000	**6193078**
WDK I80170LGR	Light grey	329	1	100.000	**6193825**
WDK I80170RW	Pure white	329	1	100.000	**6193827**






Internal corner cover for changing the direction of the WDK trunking.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 80 mm, trunking width 210 mm

Trunking, type WDK 80210







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK80210RW	Pure white	2000	8	240.000	6191312
WDK80210CW	Cream	2000	8	240.000	6026206
WDK80210LGR	Light grey	2000	8	240.000	6027237
WDK80210GR	Stone grey	2000	8	240.000	6026192

Wall installation trunking as trunking base with base perforation and matching trunking cover.

Four cover fixing devices included.

End piece, trunking type WDK 80210






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE80210RW	Pure white	150	80	10	14.500	6193391
WDK HE80210CW	Cream	150	210	10	14.500	6163017
WDK HE80210LGR	Light grey	150	210	10	14.500	6183921
WDK HE80210GR	Stone grey	150	210	10	14.500	6024874

End piece to close the WDK trunking.

Flat angle, trunking type WDK 80210






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK F80210GR	Stone grey	560.5	1	220.000	6192107
WDK F80210LGR	Light grey	560.5	1	220.000	6192111
WDK F80210RW	Pure white	560.5	1	220.000	6192115

Flat angle for changing the direction of the WDK trunking.

T piece, for trunking type WDK 80210







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK T80210RW	Pure white	400	2	130.000	6183996

T piece to change the direction of the WDK trunking.

Internal corner cover, trunking type WDK 80210






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK I80210GR	Stone grey	329	1	120.000	6193860
WDK I80210CW	Cream	329	1	120.000	6193831
WDK I80210LGR	Light grey	329	1	120.000	6193864
WDK I80210RW	Pure white	329	1	120.000	6193866

Internal corner cover for changing the direction of the WDK trunking.

Trunking height 100 mm, trunking width 130 mm

Trunking, type WDK 100130






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK100130RW	Pure white	2000	8	214.000	6191347
WDK100130CW	Cream	2000	8	214.000	6026273
WDK100130LGR	Light grey	2000	8	214.000	6027245
WDK100130GR	Stone grey	2000	8	214.000	6026281

Wall installation trunking as trunking base with base perforation and matching trunking cover.

Four cover fixing devices included.

T piece, for trunking type WDK 100130






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK T100130RW	Pure white	400	1	120.000	6183990

T piece to change the direction of the WDK trunking.

End piece, trunking type WDK 100130






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE100130RW	Pure white	150	130	10	8.200	6193395
WDK HE100130CW	Cream	150	130	10	8.200	6163041
WDK HE100130LGR	Light grey	150	130	10	8.200	6183956
WDK HE100130GR	Stone grey	150	130	10	8.200	6024882

End piece to close the WDK trunking.

External corner, trunking type WDK 100130






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK A100130GR	Stone grey	348	1	136.100	6024476
WDK A100130CW	Cream	348	1	136.100	6024468
WDK A100130LGR	Light grey	348	1	136.100	6024484
WDK A100130RW	Pure white	348	1	136.100	6024506
WDK A100230GR	Stone grey	348	1	193.200	6024581
WDK A100230CW	Cream	348	1	193.200	6024573
WDK A100230LGR	Light grey	348	1	193.200	6024611
WDK A100230RW	Pure white	348	1	193.200	6024630

External corner hood for changing the direction of the WDK trunking.

PVC

T piece, for trunking type WDK 100130

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK T100130GR	Stone grey	400	1	120.000	6193410
WDK T100130CW	Cream	400	1	120.000	6193400
WDK T100130LGR	Light grey	400	1	120.000	6163090
WDK T100230GR	Stone grey	600	1	248.800	6193412
WDK T100230CW	Cream	600	1	248.800	6193402
WDK T100230LGR	Light grey	600	1	248.800	6163092






T piece to change the direction of the WDK trunking.

PVC

Flat angle, trunking type WDK 100130

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK F100130GR	Stone grey	300	1	109.900	6161716
WDK F100130CW	Cream	300	1	109.900	6161708
WDK F100130LGR	Light grey	300	1	109.900	6161759
WDK F100130RW	Pure white	300	1	109.900	6161775
WDK F100230GR	Stone grey	400	1	188.500	6182349
WDK F100230CW	Cream	400	1	188.500	6182314
WDK F100230LGR	Light grey	400	1	188.500	6182365
WDK F100230RW	Pure white	400	1	188.500	6182713







Flat angle for changing the direction of the WDK trunking.

PVC

Internal corner cover, trunking type WDK 100130

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK I100130GR	Stone grey	250	2	79.300	6192421
WDK I100130CW	Cream	250	2	79.300	6192417
WDK I100130LGR	Light grey	250	2	79.300	6192425
WDK I100130RW	Pure white	250	2	79.300	6192429






Internal corner cover for changing the direction of the WDK trunking.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 100 mm, trunking width 230 mm

Trunking, type WDK 100230






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK100230RW	Pure white	2000	4	338.000	6191355
WDK100230CW	Cream	2000	4	338.000	6026338
WDK100230LGR	Light grey	2000	4	338.000	6027253
WDK100230GR	Stone grey	2000	4	338.000	6026311

Wall installation trunking as trunking base with base perforation and matching trunking cover.

Four cover fixing devices included.

End piece, trunking type WDK 100230






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE100230RW	Pure white	230	100	5	10.409	6193399
WDK HE100230CW	Cream	230	100	5	10.237	6163076
WDK HE100230LGR	Light grey	230	100	5	10.237	6183980
WDK HE100230GR	Stone grey	230	100	5	10.237	6024904

End piece to close the WDK trunking.

T piece, for trunking type WDK 100230







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK T100230RW	Pure white	600	1	248.800	6183992

T piece to change the direction of the WDK trunking.

Internal corner cover, trunking type WDK 100230





Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK I100230GR	Stone grey	250	2	109.000	6193030
WDK I100230CW	Cream	250	2	109.000	6193026
WDK I100230LGR	Light grey	250	2	109.000	6193034
WDK I100230RW	Pure white	250	2	109.000	6193081


Internal corner cover for changing the direction of the WDK trunking.

Device boxes

WDK device socket, type 2390

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
2390	Light grey	5	4.398	**6023207**

Accessory mounting box for the installation of devices with support rings and support clamps in WDK cable routing trunking of 60 mm trunking height. The device socket is placed on the floor connectors and fastened in the centre with a bolt.

WDK CEE device socket

PA/GF







Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
2392	Light grey	5	10.500	**6024009**

Underfloor box for mounting CEE sockets in WDK trunking. Also suitable as concealed installation box for CEE sockets.

WDK CEE adapter flange 16 A

PA







Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2393 16	Light grey	110	96	5	2.401	**6024025**

Adapter flange for mounting CEE 16 A sockets. During the mounting of the CEE mounting box, the adapter flange is mounted behind the trunking cover for accessory mounting boxes. Suitable for 400 V CEE 16 A 5-pin 6h, art. no. 6109874.

WDK CEE adapter flange 32 A

PVC






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2393 32	Stone grey	110	96	5	4.000	**6024033**

Adapter flange for CEE 32 A sockets.

Device support, Modul 45

PC





Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
WDK GT1M45RW	Pure white	1	6.000	**6154893**


Single device support for mounting on WDK wall and ceiling trunking of the types WDK 12022, WDK 15030, WDK 15040 and WDK 20050. The device is only suitable for accepting Modul 45 devices.

PA

CEE adapter flange 16 A, concealed

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
2393 UP	Light grey	5	4.416	6024106

The cover plate, together with the concealed installation box, allows tidy wall closure.






PVC

Partition for WDK trunking, trunking height 40 mm

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2371 40	Light grey	2000	2	13.500	6023096

Partition to divide the WDK trunking, with 40 mm trunking height, and various ISS service poles for the installation of different voltage levels.






PVC

Partition for WDK trunking, trunking height 60 mm

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2371 60	Light grey	2000	2	17.000	6023118

Partition to divide the WDK trunking, with 60 mm trunking height for the installation of different voltage levels.





PVC

Partition for WDK trunking, trunking height 80 mm

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2371 80	Light grey	2000	2	33.000	6026982

Partition to divide the WDK trunking, with 80 mm trunking height for the installation of different voltage levels.






PVC

Partition for WDK trunking, trunking height 100 mm

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2371 100	Light grey	2000	2	40.000	6026990

Partition to divide the WDK trunking, with 100 mm trunking height for the installation of different voltage levels.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Covers

Cover for single accessory mounting box for WDK trunking, trunking height 110 mm

PVC






Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-1 110RW	Pure white	300	1	8.000	**6194036**
D2-1 110CW	Cream	300	10	8.000	**6169309**

Cover section, single, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.

Cover for single accessory mounting box for WDK trunking, trunking height 130 mm

PVC







Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-1 130RW	Pure white	300	1	9.000	**6194044**
D2-1 130CW	Cream	300	10	9.000	**6169317**

Cover section, single, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.

Cover for single accessory mounting box for WDK trunking, trunking height 150 mm

PVC






Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-1 150RW	Pure white	300	1	10.000	**6194052**

Cover section, single, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.

Cover for single accessory mounting box for WDK trunking, trunking height 170 mm

PVC






Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-1 170RW	Pure white	300	1	13.400	**6194060**

Cover section, single, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.

Cover for double accessory mounting box for WDK trunking, trunking height 110 mm

PVC





Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-2 110RW	Pure white	300	1	6.500	**6194109**
D2-2 110CW	Cream	300	10	6.500	**6169376**
D2-2 110GR	Stone grey	300	10	6.500	**6159370**


Cover section, double, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.


PVC

Cover for double accessory mounting box for WDK trunking, trunking height 130 mm

Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-2 130RW	Pure white	300	1	7.500	**6194117**
D2-2 130CW	Cream	300	10	7.500	**6169384**

Cover section, double, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.







PVC

Cover for double accessory mounting box for WDK trunking, trunking height 150 mm

Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-2 150RW	Pure white	300	1	9.000	**6194125**
D2-2 150CW	Cream	300	10	9.000	**6169368**

Cover section, double, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.







PVC

Cover for double accessory mounting box for WDK trunking, trunking height 170 mm

Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-2 170RW	Pure white	300	1	12.000	**6194133**

Cover section, double, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.







PVC

Cover for double accessory mounting box for WDK trunking, trunking height 210 mm

Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-2 210RW	Pure white	300	1	17.700	**6194141**

Cover section, double, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.







PVC

Cover for triple accessory mounting box for WDK trunking, trunking height 110 mm

Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-3 110RW	Pure white	300	1	5.000	**6194184**
D2-3 110CW	Cream	300	10	5.000	**6169430**

Cover section, triple, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Covers

Cover for triple accessory mounting box for WDK trunking, trunking height 130 mm






Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-3 130RW	Pure white	300	1	6.200	**6194192**
D2-3 130CW	Cream	300	10	6.200	**6169449**

Cover section, triple, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.

Cover for triple accessory mounting box for WDK trunking, trunking height 150 mm







Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-3 150RW	Pure white	300	10	9.500	**6194206**
D2-3 150CW	Cream	300	10	9.500	**6169422**

Cover section, triple, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.

Cover for triple accessory mounting box for WDK trunking, trunking height 170 mm






Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-3 170RW	Pure white	300	1	10.300	**6194214**

Cover section, triple, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.

Cover for WDK trunking, trunking width 40 mm






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 40GR	Stone grey	2000	2	11.300	**6022669**
2410 40CW	Cream	2000	2	11.300	**6027601**
2410 40RW	Pure white	2000	2	11.300	**6191568**

Cover for closing the trunking.

Cover for WDK trunking, trunking width 60 mm





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 60GR	Stone grey	2000	2	15.400	**6022685**
2410 60CW	Cream	2000	2	15.400	**6027660**
2410 60LGR	Light grey	2000	2	15.400	**6028136**
2410 60RW	Pure white	2000	2	15.400	**6191592**


Cover for closing the trunking.


PVC

Cover for WDK trunking, trunking width 90 mm

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 90GR	Stone grey	2000	2	26.500	6022707
2410 90CW	Cream	2000	2	26.500	6027636

Cover for closing the trunking.






PVC

Cover for WDK trunking, trunking width 110 mm

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 110CW	Cream	2000	2	34.000	6027644

Cover for closing the trunking.






PVC

Cover for WDK trunking, trunking width 130 mm

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 130GR	Stone grey	2000	2	42.000	6022723
2410 130CW	Cream	2000	2	42.000	6027652
2410 130RW	Pure white	2000	2	42.000	6191657

Cover for closing the trunking.






PVC

Cover for WDK trunking, trunking width 150 mm

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 150GR	Stone grey	2000	2	54.000	6022731
2410 150RW	Pure white	2000	2	54.000	6191673

Cover for closing the trunking.






PVC

Cover for WDK trunking, trunking width 170 mm

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 170CW	Cream	2000	52	56.700	6027679

Cover for closing the trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Covers

Cover for WDK trunking, trunking width 210 mm

PVC






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 210GR	Stone grey	2000	2	72.200	**6022774**
2410 210CW	Cream	2000	2	72.200	**6027687**
2410 210RW	Pure white	2000	2	72.200	**6191738**

Cover for closing the trunking.

Cover for WDK trunking, trunking width 230 mm

PVC






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 230CW	Cream	2000	28	78.500	**6027504**

Cover for closing the trunking.

Cover for single accessory mounting box for WDK trunking, trunking height 170 mm

PVC





Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-1 170CW	Cream	300	10	13.400	**6169325**


Cover section, single, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.

Cover clips

Cover clip for WDKH trunking, trunking width 60 mm

PC/ ABS







Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
OTK H60	Pure white	48.8	24.8	10	0.400	**6176122**

Cover clip for better and easier laying of lines in the WDKH trunking.

Cover clip for WDKH trunking, trunking width 90 mm

PC/ ABS





Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
OTK H90	Pure white	75.7	28.8	10	0.900	**6176125**


Cover clip for better and easier laying of lines in the WDKH trunking.


PC / ABS

Cover clip for WDKH trunking, trunking width 110 mm

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
OTK H110	Pure white	95.7	28.8	10	1.200	**6176128**

Cover clip for better and easier laying of lines in the WDKH trunking.







PC / ABS

Cover clip for WDKH trunking, trunking width 150 mm

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
OTK H150	Pure white	136.2	36	10	2.050	**6176131**

Cover clip for better and easier laying of lines in the WDKH trunking.







PVC

Cover clip for WDK trunking, trunking width 60 mm

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 60	Light grey	48.8	24.8	20	0.500	**6022995**

Cover clip for better and easier laying of lines in the WDK trunking.






PVC

Cover clip for WDK trunking, trunking width 90 mm

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 90	Light grey	75.7	28.8	20	1.100	**6023509**

Cover clip for better and easier laying of lines in the WDK trunking.






PVC

Cover clip for WDK trunking, trunking width 110 mm

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 110	Light grey	95.7	28.8	20	1.400	**6023517**

Cover clip for better and easier laying of lines in the WDK trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Cover clips

Cover clip for WDK trunking, trunking width 130 mm

PVC





Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 130	Light grey	116.2	36	20	2.500	**6023525**

Cover clip for better and easier laying of lines in the WDK trunking.

Cover clip for WDK trunking, trunking width 150 mm

PVC






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 150	Light grey	136.2	36	20	2.050	**6023533**

Cover clip for better and easier laying of lines in the WDK trunking.

Cover clip for WDK trunking, trunking width 170 mm

PVC






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 170	Light grey	156.7	36	20	3.300	**6023541**

Cover clip for better and easier laying of lines in the WDK trunking.

Cover clip for WDK trunking, trunking width 210 mm

PVC






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 210	Light grey	197.2	36	20	3.900	**6023576**

Cover clip for better and easier laying of lines in the WDK trunking.

Cover clip for WDK trunking, trunking width 230 mm

PVC





Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 230	Light grey	216.2	36	20	4.800	**6023584**

Cover clip for better and easier laying of lines in the WDK trunking.

St

Shears for WDK trunking, straight cut

Type		Pack Piece	Weight kg/100 pc.	Item no.
SK2545		1	40.000	**6028403**

Cutters for WDK trunking up to dimensions 25 x 45 mm.



St

Shears for WDK trunking, mitre cut

Type		Pack Piece	Weight kg/100 pc.	Item no.
SG2545		1	50.000	**6028411**

Shears for mitre cuts of the WDK trunking up to the dimensions 25 x 45 mm.





PA

WDK adapter, device installation for 71GD series

Type		Pack Piece	Weight kg/100 pc.	Item no.
MA45WDK		1	1.200	**6024070**

Adapter for the installation of accessory mounting boxes of the 71GD... series in WDK wall and ceiling trunking. The use of accessory mounting boxes, type 71GD8 and 71GD9, permit standardised installation of Modul 45 devices. Devices can be installed in the trunking heights 110, 130 and 150 mm. Combined with device covers of the AR45-... series, finished cover sections of the OT GE ... series can cover the switching and connection devices.






PP

Mounting aid for WDK trunking

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
WDK MH	Pastel orange	3	0.524	**6028430**

Mounting aid WDK for mounting WDK trunking single-handedly.






PA

Knock-in anchor

Type	Dowel Ø mm	Length mm	Pull-out force N min/concrete	Pack Piece	Weight kg/100 pc.	Item no.
910 SD 6X35	6	35	260	100	0.310	**2351056**

Knock-in anchor: steel, electrogalvanised and transparently passivated.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Universal trunking

Cover, universal trunking

PVC







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 110LGR	Light grey	2000	2	34.000	**6028152**
2410 110GR	Stone grey	2000	2	34.000	**6022715**

Cover for creating the universal trunking.

Front cover, universal trunking

PVC






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 170RW	Pure white	2000	2	56.700	**6191703**
2410 170LGR	Light grey	2000	2	56.700	**6028187**
2410 170GR	Stone grey	2000	2	56.700	**6022758**

Front cover for creating the universal trunking.

End piece, universal trunking

PVC






Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
RK-E1117LGR	Light grey	2	13.500	**6156231**
RK-E1117GR	Stone grey	2	13.500	**6156223**

End piece for fastening and side closing of the universal trunking. The required fastening clips, type 2955 GL, are included.

Cover clip, universal trunking

St FS





Type	Pack Piece	Weight kg/100 pc.	Item no.
RK-K1117	2	9.000	**6156207**

Cover clip for fixing the covers of the universal trunking. These are required to prevent the covers from sagging.


PVC

CE

Cover, universal trunking

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 110RW	Pure white	2000	2	34.000	**6191630**

Cover for creating the universal trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58


Corner duct, duct height 35

ECK 35 corner trunking, trunking width 35

PVC

CE






Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
ECK 3535 rws	Pure white	2000	50	35	60	18.400	**6131155**
ECK 3535 rws	Pure white	2500	50	35	75	18.400	**6131154**
ECK 3535 cws	Cream	2000	50	35	60	18.400	**6131153**
ECK 3535 cws	Cream	2500	50	35	75	18.400	**6131152**


Corner trunking for vertical/horizontal cable routing in indoor corner areas.

Internal corner TRI IE350350

PVC

CE





Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
TRI IE350350 rws	Pure white	68	68	5	10	1.580	**6131171**


Internal corner as a fitting for changing the direction of the RAUTRIGO corner trunking.

End piece TRI ES350350

PVC

CE






Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
TRI ES350350 rws	Pure white	55	35	25	10	0.300	**6131179**

End piece as a fitting for the RAUTRIGO corner trunking.

Cover TRI 3535 OT

PVC

CE



Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
TRI 3535 OT rws	Pure white	2000	10	50	120	9.333	**6131190**


Cover for closing the RAUTRIGO corner trunking.

Transition piece TRI C 35-16

PVC

CE





Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
TRI C 35-16 rws	Pure white	60	55	40	10	1.200	**6131182**

Transition piece for transition from corner trunking 35 to MKS 1616.

Corner duct, duct height 35


PVC

CE

Transition piece, TRI C 35-16 to SL 20/50

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
TRI C 35-50 rws	Pure white	95	60	60	10	1.760	**6131185**

Transition piece for transition from corner trunking 35 to SL 20/50 skirting trunking.





Corner duct, duct height 50


PVC


CE

ECK 50 corner trunking, trunking width 50

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
ECK 5050 rws	Pure white	2500	80	50	45	39.500	**6131165**
ECK 5050 rws	Pure white	2000	80	50	30	39.500	**6131164**
ECK 5050 cws	Cream	2500	80	50	45	39.500	**6131162**
ECK 5050 cws	Cream	2000	80	50	30	39.500	**6131163**

Corner trunking for vertical/horizontal cable routing in indoor corner areas.






PVC


CE

Internal corner TRI IE500500

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
TRI IE5050 rws	Pure white	85	90	90	10	2.580	**6131172**

Internal corner as a fitting for changing the direction of the 50 corner trunking.






PVC

CE

Cover TRI 5050 OT

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
TRI 5050 OT rws	Pure white	2000	12	80	96	15.400	**6131191**





Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58



Plastic cable routing trunking, halogen-free


Nominal height 10 122


Nominal height 15 124


Nominal height 20 126


Nominal height 30 128


Nominal height 40 130


Nominal height 60 132



Accessories, plastic cable routing trunking, halogen-free 138

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 10 mm, trunking width 20 mm, halogen-free

Trunking, type WDKH 10020






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-10020RW	Pure white	2000	96	8.500	**6175375**

Trunking cover and base with base perforation made of halogen-free plastic.

Trunking, type WDKH 10020







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-10020RW T	Pure white	2000	84	9.500	**6175377**

Duct cover and base with base perforation made of halogen-free plastic. With self-adhesive film for fastening on the underside.

Internal corner cover, trunking type WDKH 10020






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I10020RW	Pure white	30	4	0.252	**6175572**

Internal corner cover for changing the direction of the halogen-free WDKH trunking.

External corner cover, trunking type WDKH 10020





Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A10020RW	Pure white	30	4	0.332	**6175612**


External corner cover for changing the direction of the halogen-free WDKH trunking.


PC / ABS

T piece cover, for trunking type WDKH 10020

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T10020RW	Pure white	45	34	4	0.298	**6175684**

T and intersection cover for changing the direction of the halogen-free WDK-H trunking.







PC / ABS

Flat angle cover, trunking type WDKH 10020

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F10020RW	Pure white	40	4	0.308	**6175648**

Flat angle hood for changing the direction of the halogen-free WDKH trunking.






PC / ABS

End piece, trunking type WDKH 10020

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-E10020RW	Pure white	22	11	10	0.092	**6175540**

End piece for closing the WDKH trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 15 mm, trunking height 30 mm, halogen-free

Trunking, type WDKH 15030






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-15030RW	Pure white	2000	48	15.000	**6175390**
WDKH-15030LGR	Light grey	2000	48	15.000	**6175457**

Trunking cover and base with base perforation made of halogen-free plastic.

Trunking, type WDKH 15030







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-15030RW T	Pure white	2000	48	16.000	**6175392**

Trunking cover and base with base perforation made of halogen-free plastic.

Internal corner cover, trunking type WDKH 15030






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I15030RW	Pure white	38.5	4	0.677	**6175578**

Internal corner cover for changing the direction of the halogen-free WDKH trunking.

External corner cover, trunking type WDKH 15030





Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A15030RW	Pure white	38.5	4	0.948	**6175618**


External corner cover for changing the direction of the halogen-free WDKH trunking.

PC / ABS

T piece cover, for trunking type WDK 15030

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T15030RW	Pure white	73	53	4	0.954	**6175690**

T and intersection cover for changing the direction of the halogen-free WDK-H trunking.






PC / ABS

Flat angle cover, trunking type WDKH 15030

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F15030RW	Pure white	53	4	0.833	**6175654**

Flat angle hood for changing the direction of the halogen-free WDKH trunking.







PC / ABS

End piece, trunking type WDKH 15030

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-E15030RW	Pure white	30	17	10	0.200	**6175546**

End piece for closing the WDK-H trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 20 mm, trunking width 20 mm, halogen-free

Trunking, type WDKH 20020

PC/ABS







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-20020RW	Pure white	2000	48	8.800	**6175400**
WDKH-20020LGR	Light grey	2000	48	8.800	**6175460**

Trunking cover and base with base perforation made of halogen-free plastic.

Internal corner cover, trunking type WDKH 20020

PC/ABS







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I20020RW	Pure white	38.5	4	0.540	**6175581**
WDKH-I20020LGR	Light grey	38.5	4	0.450	**6175964**

Internal corner cover for changing the direction of the halogen-free WDKH trunking.

External corner cover, trunking type WDKH 20020

PC/ABS






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A20020RW	Pure white	38.5	4	0.578	**6175624**
WDKH-A20020LGR	Light grey	38.5	4	0.520	**6176000**

External corner cover for changing the direction of the halogen-free WDKH trunking.

T piece cover for trunking type WDKH 20020

PC/ABS






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T20020RW	Pure white	57	39	4	0.659	**6175694**
WDKH-T20020LGR	Light grey	57	39	4	0.659	**6176072**

T and intersection cover for changing the direction of the halogen-free WDK-H trunking.

Flat angle cover, trunking type WDKH 20020

PC/ABS






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F20020RW	Pure white	38	4	0.502	**6175658**
WDKH-F20020LGR	Light grey	38	4	0.502	**6176036**

Flat angle hood for changing the direction of the halogen-free WDKH trunking.

PC / ABS

End piece, trunking type WDKH 20020

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-E20020RW	Pure white	19	18	10	0.087	**6175550**
WDKH-E20020LGR	Light grey	19	18	10	0.089	**6175928**





End piece for closing the WDK-H trunking.


Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 30 mm, trunking width 45 mm, halogen-free

Trunking, type WDKH 30045

PC/ABS







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-30045RW	Pure white	2000	48	24.900	6175405
WDKH-30045LGR	Light grey	2000	48	24.900	6175463

Trunking cover and base with base perforation made of halogen-free plastic.

Internal corner cover, trunking type WDKH 30045

PC/ABS






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I30045RW	Pure white	60	4	1.144	6175590
WDKH-I30045LGR	Light grey	60	4	1.144	6175968

Internal corner cover for changing the direction of the halogen-free WDKH trunking.

External corner cover, trunking type WDKH 30045

PC/ABS






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A30045RW	Pure white	57	4	2.000	6175626
WDKH-A30045LGR	Light grey	57	4	2.000	6176004

External corner cover for changing the direction of the halogen-free WDKH trunking.

Flat angle cover, trunking type WDKH 30045

PC/ABS






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F30045RW	Pure white	60	4	1.652	6175662
WDKH-F30045LGR	Light grey	60	4	1.652	6176040

Flat angle hood for changing the direction of the halogen-free WDKH trunking.

T and intersection cover, for trunking type WDK 30045

PC/ABS






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T30045RW	Pure white	88	68	4	1.803	6175698
WDKH-T30045LGR	Light grey	88	68	4	1.803	6176076


T and intersection cover for changing the direction of the halogen-free WDK-H trunking.

PC / ABS

End piece, trunking type WDKH 30045

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-E30045RW	Pure white	45	30	10	0.435	**6175554**
WDKH-E30045LGR	Light grey	45	30	10	0.500	**6175932**





End piece for closing the WDK-H trunking.


Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 40 mm, trunking width 60 mm, halogen-free

Trunking, type WDKH 40060

PC/ABS







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-40060RW	Pure white	2000	32	44.000	6175410
WDKH-40060LGR	Light grey	2000	32	44.000	6175466
WDKH40060RW 2500	Pure white	2000	1	11.000	6175412

Trunking cover and base with base perforation made of halogen-free plastic including cover fixing devices.

Internal corner cover, trunking type WDKH 40060

PC/ABS






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I40060RW	Pure white	85	2	6.427	6175594
WDKH-I40060LGR	Light grey	85	2	6.427	6175972

Internal corner cover for changing the direction of the halogen-free WDKH trunking.

External corner cover, trunking type WDKH 40060

PC/ABS






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A40060RW	Pure white	45	2	7.423	6175630
WDKH-A40060LGR	Light grey	45	2	7.423	6176008

External corner cover for changing the direction of the halogen-free WDKH trunking.

Flat angle cover, trunking type WDKH 40060

PC/ABS






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F40060RW	Pure white	85	2	7.048	6175666
WDKH-F40060LGR	Light grey	85	2	7.048	6176044

Flat angle hood for changing the direction of the halogen-free WDKH trunking.

T and intersection cover, for trunking type WDKH 40060

PC/ABS






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T40060RW	Pure white	190	66	2	8.413	6175702
WDKH-T40060LGR	Light grey	190	66	2	8.413	6176080

T and intersection cover for changing the direction of the halogen-free WDKH trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

PC / ABS

End piece, trunking type WDKH 40060

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-E40060RW	Pure white	40	60	10	0.992	**6175558**
WDKH-E40060LGR	Light grey	40	60	10	0.992	**6175936**






End piece for closing the WDK-H trunking.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 60 mm, trunking width 90 mm, halogen-free

Trunking, type WDKH 60090







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-60090RW	Pure white	2000	24	81.500	**6175415**
WDKH-60090LGR	Light grey	2000	24	81.500	**6175469**
WDKH60090RW 2500	Pure white	2000	1	203.750	**6175417**

Trunking cover and base with base perforation made of halogen-free plastic including cover fixing devices.

Internal corner cover, trunking type WDKH 60090






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I60090RW	Pure white	130	2	11.123	**6175598**
WDKH-I60090LGR	Light grey	130	2	11.123	**6175976**

Internal corner cover for changing the direction of the halogen-free WDKH trunking.

External corner cover, trunking type WDKH 60090






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A60090RW	Pure white	69	2	10.373	**6175634**
WDKH-A60090LGR	Light grey	69	2	10.700	**6176012**

External corner cover for changing the direction of the halogen-free WDKH trunking.

Flat angle cover, trunking type WDKH 60090







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F60090RW	Pure white	129	2	9.696	**6175670**
WDKH-F60090LGR	Light grey	129	2	9.696	**6176048**

Flat angle hood for changing the direction of the halogen-free WDKH trunking.

T and intersection cover, for trunking type WDKH 60090





Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T60090RW	Pure white	230	2	21.500	**6175706**
WDKH-T60090LGR	Light grey	230	2	21.500	**6176084**


T and intersection cover for changing the direction of the halogen-free WDKH trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

PC / ABS

End piece, trunking type WDKH 60090

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-E60090RW	Pure white	90	60	10	2.024	**6175562**
WDKH-E60090LGR	Light grey	90	60	10	2.024	**6175940**

End piece for closing the WDK-H trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 60 mm, trunking width 110 mm, halogen-free

Trunking, type WDKH 60110







Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-60110RW	Pure white	2000	16	95.900	**6175420**
WDKH-60110LGR	Light grey	2000	16	95.900	**6175472**

Trunking cover and base with base perforation made of halogen-free plastic including cover fixing devices.

Internal corner cover, trunking type WDKH 60110






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I60110RW	Pure white	130	2	11.315	**6175602**
WDKH-I60110LGR	Light grey	130	2	11.315	**6175980**

Internal corner cover for changing the direction of the halogen-free WDKH trunking.

External corner cover, trunking type WDKH 60110






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A60110RW	Pure white	100	2	11.437	**6175638**
WDKH-A60110LGR	Light grey	100	2	11.338	**6176016**

External corner cover for changing the direction of the halogen-free WDKH trunking.

Flat angle cover, trunking type WDKH 60110






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F60110RW	Pure white	149	2	12.984	**6175674**
WDKH-F60110LGR	Light grey	149	2	13.022	**6176052**

Flat angle hood for changing the direction of the halogen-free WDKH trunking.

T and intersection cover, for trunking type WDKH 60110





Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T60110RW	Pure white	272	114	2	20.921	**6175710**
WDKH-T60110LGR	Light grey	272	114	2	20.921	**6176088**


T and intersection cover for changing the direction of the halogen-free WDKH trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.


PC / ABS

End piece, trunking type WDKH 60110

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-E60110RW	Pure white	110	60	10	2.556	**6175566**
WDKH-E60110LGR	Light grey	110	60	10	2.528	**6175944**

End piece for closing the WDK-H trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 60 mm, trunking width 150 mm, halogen-free

Trunking, type WDKH 60150






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-60150RW	Pure white	2000	8	146.650	6175425
WDKH-60150LGR	Light grey	2000	8	146.650	6175475

Trunking cover and base with base perforation made of halogen-free plastic including cover fixing devices.

Internal corner cover, trunking type WDKH 60150






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I60150RW	Pure white	130	2	12.521	6175606
WDKH-I60150LGR	Light grey	130	2	12.521	6175984

Internal corner cover for changing the direction of the halogen-free WDKH trunking.

External corner cover, trunking type WDKH 60150






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A60150RW	Pure white	100	2	15.180	6175642
WDKH-A60150LGR	Light grey	100	2	15.180	6176020

External corner cover for changing the direction of the halogen-free WDKH trunking.

Flat angle cover, trunking type WDKH 60150






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F60150RW	Pure white	190	2	18.643	6175678
WDKH-F60150LGR	Light grey	190	2	18.643	6176056

Flat angle hood for changing the direction of the halogen-free WDKH trunking.

T and intersection cover, for trunking type WDKH 60150






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T60150RW	Pure white	291	155	2	23.463	6175714
WDKH-T60150LGR	Light grey	291	155	2	23.463	6176092

T and intersection cover for changing the direction of the halogen-free WDKH trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

PC / ABS

End piece, trunking type WDKH 60150

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-E60150RW	Pure white	150	60	10	3.613	**6175570**
WDKH-E60150LGR	Light grey	150	60	10	3.736	**6175948**





End piece for closing the WDK-H trunking.


Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Partitions

Partition, halogen-free, for trunking height 40 mm

PC/ABS






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-TW40LGR	Light grey	2000	2	13.350	**6175500**

Partition to divide the WDKH trunking of 40 mm trunking height for the installation of different voltage levels.

Partition, halogen-free, for trunking height 60 mm

PC/ABS





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-TW60LGR	Light grey	2000	2	20.650	**6175504**


Partition to divide the WDKH trunking of 60 mm trunking height for the installation of different voltage levels.

Cover clips

Cover clip for WDKH trunking, trunking width 60 mm

PC/ABS







Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
OTK H60	Pure white	48.8	24.8	10	0.400	**6176122**

Cover clip for better and easier laying of lines in the WDKH trunking.

Cover clip for WDKH trunking, trunking width 90 mm

PC/ABS





Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
OTK H90	Pure white	75.7	28.8	10	0.900	**6176125**

Cover clip for better and easier laying of lines in the WDKH trunking.

Cover clip for WDKH trunking, trunking width 110 mm

PC/ABS





Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
OTK H110	Pure white	95.7	28.8	10	1.200	**6176128**

Cover clip for better and easier laying of lines in the WDKH trunking.


PC / ABS

Cover clip for WDKH trunking, trunking width 150 mm

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
OTK H150	Pure white	136.2	36	10	2.050	**6176131**

Cover clip for better and easier laying of lines in the WDKH trunking.







PVC

Cover clip for WDK trunking, trunking width 60 mm

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 60	Light grey	48.8	24.8	20	0.500	**6022995**

Cover clip for better and easier laying of lines in the WDK trunking.







PVC

Cover clip for WDK trunking, trunking width 90 mm

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 90	Light grey	75.7	28.8	20	1.100	**6023509**

Cover clip for better and easier laying of lines in the WDK trunking.






PVC

Cover clip for WDK trunking, trunking width 110 mm

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 110	Light grey	95.7	28.8	20	1.400	**6023517**

Cover clip for better and easier laying of lines in the WDK trunking.






PVC

Cover clip for WDK trunking, trunking width 130 mm

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 130	Light grey	116.2	36	20	2.500	**6023525**

Cover clip for better and easier laying of lines in the WDK trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Cover clips

Cover clip for WDK trunking, trunking width 150 mm

PVC






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 150	Light grey	136.2	36	20	2.050	**6023533**

Cover clip for better and easier laying of lines in the WDK trunking.

Cover clip for WDK trunking, trunking width 170 mm

PVC






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 170	Light grey	156.7	36	20	3.300	**6023541**

Cover clip for better and easier laying of lines in the WDK trunking.

Cover clip for WDK trunking, trunking width 210 mm

PVC






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 210	Light grey	197.2	36	20	3.900	**6023576**

Cover clip for better and easier laying of lines in the WDK trunking.

Cover clip for WDK trunking, trunking width 230 mm

PVC





Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 230	Light grey	216.2	36	20	4.800	**6023584**

Cover clip for better and easier laying of lines in the WDK trunking.




Metal cable routing trunking


Nominal height 20 144


Nominal height 30 150


Nominal height 40 152


Nominal height 60 156


Nominal height 80 164


Accessories, metal cable routing trunking 166


Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

System description



LKM metal cable routing trunking has two areas of application. The stable system for the routing and protection of cables is used in the field of machines and systems. The completed system allows simple installation at a later date, also with pre-terminated connectors, offering reliable protection against mechanical loads and soiling. The LKM cable routing trunking of type LKM 20030 and 60100 are also tested as a cable-specific routing type for the maintenance of electrical function according to DIN 4102 Part 12.

Installation principle



1	Trunking
2	Duct clamp for the maintenance of electrical function
3	Joint connector
4	Internal corner
5	External corner
6	T piece
7	Flat angle
8	End piece
9	Edge protection ring
10	Partition
11	Cable brackets
12	Duct clamp

Gebäudeinstalltion - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Mounting aid



Machines application area
In the area of machines, the LKM metal cable trunking is used to provide additional protection for the cables.



Corridor, stairwell application area
The stable LKM metal cable trunking can be used anywhere, in which cables require mechanical protection.



Machine trunking mounting
Screw the LKM metal cable trunking to the machine, for example, using cylinder head bolts of type 341.



Wall trunking mounting
Knock-in anchors of type 910/SD can be used to fasten the LKM trunking directly on the wall.



Installation of internal corner
As with the LKM trunking, the fittings are mounted at the appropriate points.




Installation of joint connectors
After installing the LKM trunking, lock the joint connector into the parts to be connected from inside. This guarantees the equipotential bonding between these two parts.



Installation of partition
Insert the partition into the straps located on the floor. This guarantees equipotential bonding without any additional aids.



Installation of cable fixing holder
The cable bracket is mounted using the trunking fastening screw. The cables can be held using cable ties, type 565.



Installation of duct clamp
The duct clamp is placed on the loop perforation in the base and then locked into the cover contour. If a partition wall is also installed, the partition wall must be separated into sections.



Equipotential bonding
Equipotential bonding is guaranteed between the cover and the base through the special cover contour. The LKM trunking is earthed using the connection strap located in the base.




Installation of edge protection ring
Place the edge protection ring on the open ends of the LKM trunking. It prevents damage to the cables within.

St FS FSK

Cable trunking, type LKM 20020

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM20020FS	–	2000	2	46.000	**6246966**
LKM20020RW	Pure white	2000	2	52.000	**6248462**

Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.






VA 2B

Joint connector LKM SV20

Type	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV20	45	20	10	0.190	**6247431**

Joint connector to connect the bases. This creates the equipotential bonding between the trunking bases.







PVC

Edge protection ring KSR 20020, for LKM cable trunking type 20020

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR20020	Grey	24	28	5	0.900	**6249842**

Edge protection ring for the open ends of LKM cable trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 20 mm, trunking width 30 mm

Cable trunking, type LKM 20030






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM20030FS	–	2000	2	58.000	**6246974**
LKM20030RW	Pure white	2000	2	58.000	**6248470**

Duct cover and base with base perforation. Equipotential bonding is guaranteed between the cover and the base without any additional aids. The LKM cable duct, type LKM 20030, has been tested for the maintenance of electrical function as a routing system according to DIN 4102 Part 12. Please note the cable types tested in the BSS fire protection systems division!

Joint connector LKM SV30






Type	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV30	54	30	10	0.400	**6247434**

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.

Edge protection ring KSR 20030, for LKM cable duct type 20030






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR20030	Grey	34	28	5	1.100	**6249844**

Edge protection ring for the open ends of LKM cable trunking.

Trunking height 30 mm, trunking width 30 mm

Cable trunking, type LKM 30030






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM30030FS	–	2000	2	62.000	**6246985**
LKM30030RW	Pure white	2000	2	62.000	**6248489**

Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.

Joint connector LKM SV30







Type	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV30	54	30	10	0.400	**6247434**

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.

End piece, for cable trunking type LKM 30030






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E30030FS	–	30	30	10	1.000	**6247876**
LKM E30030RW	Pure white	30	30	10	1.000	**6249410**

End piece for closing the LKM ducts.

Edge protection ring KSR 30030, for LKM cable trunking 30030





Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR30030	Grey	34	34	5	1.300	**6249847**


Edge protection ring for the open ends of LKM cable trunking.

Trunking height 40 mm, trunking width 40 mm

Cable trunking, type LKM 40040

St FS FSK






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM40040FS	–	2000	2	117.000	**6246990**
LKM40040RW	Pure white	2000	2	127.600	**6248497**

Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.

Joint connector LKM SV40

VA 2B







Type	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV40	76	30	10	1.000	**6247458**

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.

Internal corner, for cable trunking type LKM 40040

St FS FSK







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM I40040FS	–	160	1	28.000	**6247652**
LKM I40040RW	Pure white	160	1	28.000	**6249167**

Internal corner for changing the direction of the LKM trunking.

External corner, for cable trunking ducts type LKM 40040

St FS FSK






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM A40040FS	–	120	1	38.600	**6247563**
LKM A40040RW	Pure white	120	1	38.600	**6249086**

External corner including cover for changing the direction of the LKM trunking.

T piece, for cable trunking type LKM 40040

St FS FSK





Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T40040FS	–	300	1	39.700	**6247725**
LKM T40040RW	Pure white	300	1	39.700	**6249256**


T piece including cover for changing the direction of the LKM ducts.

St FS FSK

Flat angle, for cable trunking type LKM 40040

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F40040FS	–	140	1	37.100	6247490
LKM F40040RW	Pure white	140	1	37.100	6248993

Flat angle including cover for changing the direction of the LKM ducts.







St FS FSK

End piece, for cable trunking type LKM 40040

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E40040FS	–	40	44	10	2.500	6247881
LKM E40040RW	Pure white	40	44	10	2.500	6249418

End piece for closing the LKM ducts.






PVC

Edge protection ring KSR 40040, for LKM cable trunking type 40040

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR40040	Grey	44	48	5	1.800	6249846

Edge protection ring for the open ends of LKM cable trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 40 mm, trunking width 60 mm

Cable trunking, type LKM 40060

St FS FSK






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM40060FS	–	2000	2	151.200	**6247016**
LKM40060RW	Pure white	2000	2	151.200	**6248519**

Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.

Joint connector LKM SV40

VA 2B







Type	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV40	76	30	10	1.000	**6247458**

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.

Internal corner, for cable trunking type LKM 40060

St FS FSK







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM I40060FS	–	160	1	31.400	**6247660**
LKM I40060RW	Pure white	160	1	31.400	**6249175**

Internal corner for changing the direction of LKM ducts.

External corner, for cable routing trunking type LKM 40060

St FS FSK






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM A40060FS	–	120	1	46.300	**6247571**
LKM A40060RW	Pure white	120	1	46.300	**6249094**

External corner including cover for changing the direction of the LKM ducts.

T piece, for cable trunking type LKM 40060

St FS FSK





Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T40060FS	–	300	1	46.800	**6247733**
LKM T40060RW	Pure white	300	1	46.800	**6249264**


T piece including cover for changing the direction of the LKM ducts.

St FS FSK

Flat angle, for cable trunking type LKM 40060

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F40060FS	–	140	1	47.400	6247504
LKM F40060RW	Pure white	140	1	47.400	6249000

Flat angle including cover for changing the direction of the LKM ducts.







St FS FSK

End piece, for cable trunking type LKM 40060

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E40060FS	–	60	44	10	3.000	6247903
LKM E40060RW	Pure white	60	44	10	3.000	6249426

End piece for closing the LKM ducts.






PVC

Edge protection ring KSR 40060, for LKM cable trunking type 40060

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR40060	Grey	64	48	5	2.300	6249848

Edge protection ring for the open ends of LKM cable trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 60 mm, trunking width 60 mm

Cable trunking, type LKM 60060






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM60060FS	–	2000	2	174.700	**6247091**
LKM60060RW	Pure white	2000	2	174.700	**6248608**

Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids. Note: LKM 60060 has no loop perforation in the base, a partition cannot be installed.

Joint connector LKM SV60







Type	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV60	75	49	10	1.600	**6247466**

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.

Internal corner, for cable trunking type LKM 60060







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM I60060FS	–	160	1	31.900	**6248128**
LKM I60060RW	Pure white	160	1	31.900	**6249612**

Internal corner for changing the direction of the LKM trunking.

External corner, for cable trunking type LKM 60060







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM A60060FS	–	120	1	55.800	**6248047**
LKM A60060RW	Pure white	120	1	55.800	**6249558**

External corner including cover for changing the direction of the LKM ducts.

T piece, for cable trunking type LKM 60060





Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T60060FS	–	300	1	54.200	**6248187**
LKM T60060RW	Pure white	300	1	54.200	**6249671**


T piece including cover for changing the direction of the LKM trunking.

St FS FSK

Flat angle, for cable trunking type LKM 60060

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F60060FS	–	140	1	54.700	**6247989**
LKM F60060RW	Pure white	140	1	54.700	**6249485**

Flat angle including cover for changing the direction of the LKM ducts.







St FS FSK

End piece, for cable trunking type LKM 60060

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E60060FS	–	60	64	10	4.500	**6248284**
LKM E60060RW	Pure white	60	64	10	4.500	**6249795**

End piece for closing the LKM ducts.






PVC

Edge protection ring KSR60060, for LKM cable trunking type 60060

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR60060	Grey	64	68	5	2.400	**6249850**

Edge protection ring for the open ends of LKM cable trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 60 mm, trunking width 100 mm

Cable duct, type LKM 60100

St FS FSK






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM60100FS	–	2000	2	221.700	**6247113**
LKM60100RW	Pure white	2000	2	221.700	**6248624**

Duct cover and base with base perforation. Equipotential bonding is guaranteed between the cover and the base without any additional aids. The LKM cable duct, type LKM 60100, has been tested for the maintenance of electrical function as a routing system according to DIN 4102 Part 12. Please note the cable types tested in the BSS fire protection systems division!

Joint connector LKM SV60

VA 2B







Type	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV60	75	49	10	1.600	**6247466**

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.

Internal corner, for cable trunking type LKM 60100

St FS FSK







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM I60100FS	–	160	1	39.400	**6248144**
LKM I60100RW	Pure white	160	1	39.400	**6249639**

Internal corner for changing the direction of the LKM trunking.

External corner, for cable trunking type LKM 60100

St FS FSK





Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM A60100FS	–	120	1	73.100	**6248063**
LKM A60100RW	Pure white	120	1	73.100	**6249574**

External corner including cover for changing the direction of the LKM ducts.

T piece for cable trunking type LKM 60100

St FS FSK



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T60100FS	–	300	1	69.200	**6248209**
LKM T60100RW	Pure white	300	1	69.200	**6249701**


T piece including cover for changing the direction of the LKM ducts.

St FS FSK

Flat angle, for cable trunking type LKM 60100

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F60100FS	–	140	1	63.400	6248004
LKM F60100RW	Pure white	140	1	63.400	6249507

Flat angle including cover for changing the direction of the LKM ducts.







St FS FSK

End piece, for cable trunking type LKM 60100

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E60100FS	–	100	64	10	6.200	6248306
LKM E60100RW	Pure white	100	64	10	6.500	6249817

End piece for closing the LKM ducts.






PVC

Edge protection ring KSR60100, for LKM cable duct type 60100

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR60100	Grey	104	68	5	3.400	6249852

Edge protection ring for the open ends of LKM cable trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 60 mm, trunking width 150 mm

Cable trunking, type LKM 60150

St FS FSK






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM60150FS	–	2000	2	280.100	**6247148**
LKM60150RW	Pure white	2000	2	280.100	**6248640**

Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.

Joint connector LKM SV60

VA 2B







Type	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV60	75	49	10	1.600	**6247466**

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.

Internal corner, for cable trunking type LKM 60150

St FS FSK







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM I60150FS	–	160	1	48.400	**6248152**
LKM I60150RW	Pure white	160	1	48.400	**6249647**

Internal corner for changing the direction of the LKM trunking.

External corner, for cable trunking type LKM 60150

St FS FSK







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM A60150FS	–	120	1	91.300	**6248071**
LKM A60150RW	Pure white	120	1	91.300	**6249582**

External corner including cover for changing the direction of the LKM ducts.

T piece, for cable trunking type LKM 60150

St FS FSK





Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T60150FS	–	300	1	87.600	**6248217**
LKM T60150RW	Pure white	300	1	87.600	**6249728**


T piece including cover for changing the direction of the LKM ducts.

St FS FSK

Flat angle, for cable trunking type LKM 60150

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F60150FS	–	140	1	113.500	6248012
LKM F60150RW	Pure white	140	1	113.500	6249515

Flat angle including cover for changing the direction of the LKM ducts.






St FS FSK

End piece, for cable trunking type LKM 60150

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E60150FS	–	150	64	10	8.400	6248314
LKM E60150RW	Pure white	150	64	10	9.000	6249825

End piece for closing the LKM ducts.






PVC

Edge protection ring KSR60150, for LKM cable trunking type 60150

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR60150	Grey	154	68	5	4.400	6249854

Edge protection ring for the open ends of LKM cable trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 60 mm, trunking width 200 mm

Cable trunking, type LKM 60200

St FS FSK






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM60200FS	–	2000	2	338.700	**6247164**
LKM60200RW	Pure white	2000	2	338.700	**6248667**

Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.

Joint connector LKM SV60

VA 2B







Type	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV60	75	49	10	1.600	**6247466**

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.

Internal corner, for cable trunking type LKM 60200

St FS FSK







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM I60200FS	–	160	1	57.500	**6248160**
LKM I60200RW	Pure white	160	1	57.500	**6249655**

Internal corner for changing the direction of the LKM trunking.

External corner, for cable trunking type LKM 60200

St FS FSK






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM A60200FS	–	120	1	114.000	**6248098**
LKM A60200RW	Pure white	120	1	114.000	**6249590**

External corner including cover for changing the direction of the LKM ducts.

T piece, for cable trunking type LKM 60200

St FS FSK





Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T60200FS	–	300	1	106.000	**6248225**
LKM T60200RW	Pure white	300	1	106.000	**6249736**


T piece including cover for changing the direction of the LKM trunking.

St FS FSK

Flat angle, for cable trunking type LKM 60200

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F60200FS	–	140	1	154.400	6248020
LKM F60200RW	Pure white	140	1	154.400	6249523

Flat angle including cover for changing the direction of the LKM ducts.






St FS FSK

End piece, for cable trunking type LKM 60200

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E60200FS	–	200	64	10	10.800	6248322
LKM E60200RW	Pure white	200	64	10	11.500	6249833

End piece for closing the LKM ducts.






PVC

Edge protection ring KSR 60200, for LKM cable trunking type 60200

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR60200	Grey	204	68	5	4.700	6249856

Edge protection ring for the open ends of LKM cable trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking height 80 mm, trunking width 80 mm

Cable trunking, type LKM 80080






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM80080FS	–	2000	2	215.000	**6247194**
LKM80080RW	Pure white	2000	2	238.000	**6248694**

Trunking cover and base with base perforation.
Equipotential bonding is guaranteed between the cover and the base without any additional aids.

Joint connector LKM SV80







Type	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV80	75	66	10	1.300	**6247472**

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.

Internal corner, for cable trunking type LKM 80080







Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM I80080FS	–	160	1	38.700	**6248336**
LKM I80080RW	Pure white	160	1	38.700	**6248436**

Internal corner for changing the direction of LKM trunking.

External corner, for cable trunking type LKM 80080






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM A80080FS	–	120	1	75.300	**6248332**
LKM A80080RW	Pure white	120	1	75.300	**6248432**

External corner including cover for changing the direction of the LKM ducts.

T piece, for cable trunking type LKM 80080





Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T80080FS	–	300	1	67.200	**6248340**
LKM T80080RW	Pure white	300	1	67.200	**6248450**


T piece including cover for changing the direction of the LKM ducts.

St FS FSK

Flat angle, for cable trunking type LKM 80080

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F80080FS	–	140	1	80.000	6248328
LKM F80080RW	Pure white	140	1	80.000	6248428

Flat angle including cover for changing the direction of the LKM ducts.







St FS FSK

End piece, for cable trunking type LKM 80080

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E80080FS	–	80	80	1	7.000	6248344
LKM E80080RW	Pure white	80	80	1	7.000	6248454

End piece for closing the LKM ducts.






PVC

Edge protection ring KSR 80080, for LKM cable trunking 80080

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR80080	Grey	84	84	5	3.800	6249865

Edge protection ring for the open ends of LKM cable trunking.







Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Partitions

Partition LKM/TWS45






Type	Length mm	Dim. a mm	Pack m	Weight kg/100 m	Item no.
LKM TWS45	2000	45	2	47.900	**6249871**

Partition to divide the LKM cable trunking, 60 mm trunking height, for different voltage levels.

Partition LKM TWS55







Type	Length mm	Dim. a mm	Pack m	Weight kg/100 m	Item no.
LKM TWS55	2000	55	2	53.000	**6249876**

Partition to divide the LKM cable routing trunking, 60 mm trunking height, for different voltage levels.

Partition LKM TWS75






Type	Length mm	Dim. a mm	Pack m	Weight kg/100 m	Item no.
LKM TWS75	2000	60	2	114.000	**6249880**

Partition to divide the LKM cable routing trunking, 80 mm trunking height, for different voltage levels.

Duct clamps

Duct clamp, LKM, trunking width 80






Type	Dim. a mm	Dim. b mm	Dim. c mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM K65	25	60	65	20	2.330	**6249882**

The trunking clamp keeps the inserted cables in the trunking, thus simplifying installation on walls and ceilings. The trunking clamps are plugged onto the loop perforation and locked on the side wall. Suitable for trunking width 80 mm.

Duct clamp, LKM, trunking width 100





Type	Dim. a mm	Dim. b mm	Dim. c mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM K80	25	81	49	20	2.700	**6249884**


The duct clamp keeps the inserted cables in the duct, thus simplifying installation on walls and ceilings. The duct clamps are plugged onto the loop perforation and locked on the side wall. Suitable for duct width 100 mm.

St FS

Duct clamp, LKM, trunking width 150 and 200

Type	Dim. a mm	Dim. b mm	Dim. c mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM K140	25	141	49	20	3.600	6249888

The duct clamp keeps the inserted cables in the trunking, thus simplifying installation on walls and ceilings. The duct clamps are plugged onto the loop perforation and locked on the side wall. Suitable for trunking width 150 mm and 200 mm.






St FS

Duct clamp, LKM, for maintenance of electrical function E30 - E90

Type	Pack Piece	Weight kg/100 pc.	Item no.
LKM KF 60100	10	9.800	6249881

Duct clamp for the metal cable routing trunking type LKM 60100, prevents the cables falling out during installation. The duct clamp is essential if the trunking is used in cable systems with integrated maintenance of electrical function to DIN 4102, Part 12. Easy mounting through insertion into the loop perforation and interconnection in the side wall.






Cable brackets


St FS

LKM cable bracket, trunking width 60

Type	Dim. a mm	Dim. b mm	For trunking dimension	Pack Piece	Weight kg/100 pc.	Item no.
LKM Z60	46	30	60 x 60 mm	10	1.100	6249906

Cable bracket to fix cables in vertical routing.






St FS

LKM cable bracket, trunking width 100

Type	Dim. a mm	Dim. b mm	For trunking dimension	Pack Piece	Weight kg/100 pc.	Item no.
LKM Z100	96	30	60 x 100 mm	10	2.100	6249922

Cable bracket to fix cables in vertical routing.






St FS

LKM cable bracket, trunking width 150

Type	Dim. a mm	Dim. b mm	For trunking dimension	Pack Piece	Weight kg/100 pc.	Item no.
LKM Z150	146	30	60 x 150 mm	10	3.000	6249965

Cable bracket to fix cables in vertical routing.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

LKM cable bracket, trunking width 200


St FS





Type	Dim. a mm	Dim. b mm	For trunking dimension	Pack Piece	Weight kg/100 pc.	Item no.
LKM Z200	166	30	60 x 200 mm	10	3.600	**6249981**

Cable bracket to fix cables in vertical routing.



Skirting trunking


Trunking width 50 172


Trunking width 70 182


Trunking width 110 188


Trunking width 105 192



Floor trunking 200

Gebäudeinstalltion - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

System overview

For all applications in single or multiple-occupier dwellings, whether a new building or renovation:

- The product range comprises the dimensions 20 x 50 mm, 20 x 70 mm and 20 x 110 mm
- Connection solutions for all standard devices in support ring and support clamp design
- Length of the standard profiles 2 m
- Versions available in RAL 9010 (trunking width: 50, 70 and 110 mm)
- Matching accessories to maintain the protection classes




1	Trunking
2	Internal corner
3	External corner
4	Cover coupling
5	Device support with integrated double socket
6	Device support, empty, for standard devices of support ring design
7	Device support, including panel, for the installation of central plate devices according to DIN 49075, with support clamp



Gebäude / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Mounting aid


Device support for universal devices



Apply the device support to the top of the base and screw to the wall.



Connect and screw on the holder.



Select the adapter plate according to the height of the skirting board. No adapter plate is available for SL 20 x 110.



Clip the front plate onto the cover.




Mount the connection cover.



Mounted device support.

Mounting aid


Device support with pre-terminated double socket



At trunking heights of 50 mm, apply the device support to the mounted skirting trunking base in such a way that the two struts serve as spacers. Then, drill the hole and screw to the wall (image without mounted socket base).



Connect the device support.



Place the device support directly on the base. When using the 70 mm-high SL trunking, break out the two bars (spacers).



When using the SL duct of 50 mm duct height before mounting the device tank, insert the supplied adapter plate on both sides.



Hang the device tank in the SL base.



Place the device panel, including the screw, in the opening of the device tank and screw it tight.




After mounting, an electrical test must be performed by an authorised electrical engineer.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Mounting aid


Device support for devices with support clamp



Apply the device support to the top of the base and screw to the wall.



Connect and screw on the holder.



Select the adapter plate according to the height of the skirting board. No adapter plate is available for SL 20 x 110.



Clip the front plate onto the cover.



Mount the connection cover.




Mounted device support.

PVC

Skirting trunking SL 2050

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
SL 2050 rws	Pure white	2000	50	20	2	35.100	6132193
SL 2050 cws	Cream	2000	50	20	2	40.290	6132201

SL skirting trunking for covered cable routing in internal areas. The colour of the trunking bases can vary depending on the production method.






PVC

Internal corner SL IE2050

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL IE2050 rws	Pure white	46	46	52	10	0.400	6132248
SL IE2050 cws	Cream	46	46	52	10	0.400	6132249

Internal corner as a fitting for changing the direction of the skirting trunking.






PVC

External corner SL AE2050

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL AE2050 rws	Pure white	37	37	51	10	1.160	6132265
SL AE2050 cws	Cream	37	37	51	10	1.160	6132266

External corner as a fitting for changing the direction of the skirting trunking.






PVC

End piece SL ESli2050

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL ESli2050 rws	Pure white	22	18	52	10	0.500	6132293
SL ESli2050 cws	Cream	22	18	52	10	0.500	6132294

End piece (left) as a fitting for the skirting trunking.






PVC

End piece SL ESre2050

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL ESre2050 rws	Pure white	22	18	52	10	0.500	6132277
SL ESre2050 cws	Cream	22	18	52	10	0.500	6132278

End piece (right) as a fitting for the skirting trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Skirting trunking SL, trunking width 50

Coupling SL KUP2050

PVC






Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL KUP2050 rws	Pure white	24	22	52	10	0.400	**6132225**
SL KUP2050 cws	Cream	24	22	52	10	0.400	**6132226**

Trunking coupling for SL, SL-L and SL-T skirting trunking. For connecting the interfaces of the individual trunking covers.

Cover SL 2050

PVC





Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
SL 2050 OT cws	Cream	2000	20	3	120	17.270	**6132308**
SL 2050 OT rws	Pure white	2000	50	20	2	15.700	**6132150**
SLL 2050 cws	Cream	2000	50	20	2	19.660	**6132157**
SLL 2050 rws	Pure white	2000	50	20	2	19.660	**6132158**
SLL 2070 rws	Pure white	2000	50	70	2	24.880	**6132159**


Cover for skirting trunking.

PVC

Skirting trunking SLL 2050

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
SLL 2050 rws	Pure white	2000	50	20	2	41.160	**6132212**
SLL 2050 cws	Cream	2000	50	20	2	41.160	**6132211**

SL-L skirting trunking for covered cable routing in internal areas. The colour of the trunking bases can vary depending on the production method.






PVC

Internal corner SLL IE2050

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SLL IE2050 rws	Pure white	45	45	60	10	0.900	**6132240**
SLL IE2050 cws	Cream	45	45	60	10	0.900	**6132241**

Internal corner as a fitting for changing the direction of the skirting trunking.






PVC

External corner SLL AE2050

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SLL AE2050 rws	Pure white	46	46	60	10	1.750	**6132260**
SLL AE2050 cws	Cream	46	46	60	10	1.320	**6132261**

External corner as a fitting for changing the direction of the skirting trunking.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Skirting trunking SLT 2050

PVC






Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
SLT 2050 rws	Pure white	2000	50	20	2	40.200	**6132218**
SLT 2050 cws	Cream	2000	50	20	2	40.200	**6132217**

SL-T skirting trunking for covered cable routing in internal areas. The colour of the trunking bases can vary depending on the production method.

End piece SLT ESli2050

PVC






Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SLT ESli2050 rws	Pure white	30	20	52	10	0.600	**6132288**
SLT ESli2050 cws	Cream	30	20	52	10	0.600	**6132289**

End piece (left) as a fitting for the skirting trunking.

End piece SLT ESre2050

PVC






Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SLT ESre2050 rws	Pure white	30	20	52	10	0.600	**6132302**
SLT ESre2050 cws	Cream	30	20	52	10	0.600	**6132303**

End piece (right) as a fitting for the skirting trunking.

Skirting trunking SL 2070

PVC






Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
SL 2070 rws	Pure white	2000	70	20	2	48.000	**6132267**
SL 2070 cws	Cream	2000	70	20	2	48.000	**6132208**
SL 2070 lgr	Light grey	2000	70	20	2	48.000	**6132269**

SL skirting trunking for covered cable routing in internal areas. The colour of the trunking bases can vary depending on the production method.

Internal corner SL IE2070

PVC






Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL IE2070 rws	Pure white	46	46	73	10	0.700	**6132253**
SL IE2070 cws	Cream	46	46	73	10	0.700	**6132254**
SL IE2070 lgr	Light grey	46	46	73	10	0.700	**6132255**

Internal corner as a fitting for changing the direction of the skirting trunking.

External corner SL AE2070

PVC






Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL AE2070 rws	Pure white	37	37	69	10	1.530	**6132270**
SL AE2070 cws	Cream	37	37	69	10	1.530	**6132271**
SL AE2070 lgr	Light grey	37	37	69	10	1.300	**6132272**

External corner as a fitting for changing the direction of the skirting trunking.

End piece SL ESli2070

PVC






Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL ESli2070 rws	Pure white	22	18	72	10	0.600	**6132296**
SL ESli2070 cws	Cream	22	18	72	10	0.600	**6132297**
SL ESli2070 lgr	Light grey	22	18	72	10	0.600	**6132298**

End piece (left) as a fitting for the skirting trunking.

End piece SL ESre2070

PVC





Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL ESre2070 rws	Pure white	22	18	72	10	0.600	**6132281**
SL ESre2070 cw	Cream	22	18	72	10	0.600	**6132282**
SL ESre2070 lgr	Light grey	22	18	72	10	0.600	**6132283**

End piece (right) as a fitting for the skirting trunking.

PVC

Coupling SL KUP2070

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL KUP2070 rws	Pure white	24	22	70	10	0.500	**6132230**
SL KUP2070 cws	Cream	24	22	70	10	0.500	**6132231**
SL KUP2070 lgr	Light grey	24	22	70	10	0.500	**6132232**

Trunking coupling for SL, SL-L and SL-T skirting trunking. For linking the joints of individual trunking covers.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Skirting trunking SLL 2070

PVC






Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
SLL 2070 rws	Pure white	2000	70	20	2	57.396	**6132215**
SLL 2070 cws	Cream	2000	70	20	2	57.400	**6132214**

SL-L skirting trunking for covered cable routing in internal areas. The colour of the trunking bases can vary depending on the production method.

Internal corner SLL IE2070

PVC






Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SLL IE2070 rws	Pure white	46	46	80	10	1.200	**6132243**
SLL IE2070 cws	Cream	46	46	80	10	1.200	**6132244**

Internal corner as a fitting for changing the direction of the skirting trunking.

External corner SLL AE2070

PVC





Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SLL AE2070 rws	Pure white	78	46	46	10	1.750	**6132262**
SLL AE2070 cws	Cream	78	46	46	10	1.750	**6132263**


External corner as a fitting for changing the direction of the skirting trunking.

PVC

Skirting trunking SLT 2070

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
SLT 2070 rws	Pure white	2000	70	20	2	52.900	6132222
SLT 2070 cws	Cream	2000	70	20	2	53.000	6132221

SL-T skirting trunking for covered cable routing in internal areas. The colour of the trunking bases can vary depending on the production method.






PVC

End piece SLT ESli2070

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SLT ESli2070 rws	Pure white	30	20	72	10	0.800	6132291
SLT ESli2070 cws	Cream	30	20	72	10	0.800	6132320

End piece (left) as a fitting for the skirting trunking.






PVC

End piece SLT ESre2070

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SLT ESre2070 rws	Pure white	30	20	72	10	0.800	6132305
SLT ESre2070 cws	Cream	30	20	72	10	0.800	6132306

End piece (right) as a fitting for the skirting trunking.






Accessories, skirting trunking SL

PVC

Device support SL2GT5070

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL2GT5070 rws	Pure white	52	111	138	1	15.000	6132245
SL2GT5070 cws	Cream	52	111	138	1	14.000	6132246
SL2GT5070 lgr	Light grey	52	111	138	1	14.000	6132247

Device support with pre-terminated double protective contact socket for the skirting trunking in the trunking widths 50 and 70 mm.






PVC

Device support SL ETler5070

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL ETler5070 rws	Pure white	50	96	146	1	11.800	6132238
SL ETler5070 cws	Cream	50	96	146	1	11.800	6132239
SL ETler5070 lgr	Light grey	50	96	146	1	11.800	6132237

Empty device support for skirting trunking for the installation of standard devices in support ring and support clamp form with 60 mm fastening track.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Device support SL GTO 50-70

PVC






Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL GTO 50-70 rws	Pure white	52	111	136	1	13.300	**6132229**
SL GTO 50-70 cws	Cream	52	111	136	1	13.300	**6132224**
SL GTO 50-70 lgr	Light grey	52	111	136	1	13.300	**6132223**

Empty device support for the SL, SL-L and SL-T skirting trunking systems for the installation of devices in support clamp form (according to DIN 49075) in the trunking widths 50 and 70 mm.

Device support SL2GTK5070

PVC





Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL2GTK5070 rws	Pure white	52	111	138	1	15.000	**6132179**
SL2GTK5070 cws	Cream	52	111	138	1	14.000	**6132178**


Device support with pre-terminated double protective contact socket with increased contact protection for the skirting trunking in the trunking widths 50 and 70 mm.

PC / ABS

Blind cover SL BL blind

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL BL blind rws	Pure white	54	100	7	1	1.950	**6132199**
SL BL blind cws	Cream	54	100	7	1	1.950	**6132252**

Blanking cover for closing the service outlet.






PC / ABS

Antenna socket panel SL BL ANT

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL BL ANT rws	Pure white	100	54	5	1	2.100	**6132258**
SL BL ANT cws	Cream	100	54	5	1	2.100	**6132195**

Antenna cover for installing antenna sockets in the device tank of the skirting trunking. Cover for antenna socket.






PVC

Side closure, device tank SL GTSA5070

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL GTSA5070 rws	Pure white	4	27	72	10	0.320	**6132234**
SL GTSA5070 cws	Cream	4	27	72	10	0.320	**6132197**

Side cover panel for side enclosing of the service outlet.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Skirting trunking SL 20110

PVC






Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
SL 20110 rws	Pure white	2000	110	20	2	70.100	**6132274**

SL skirting trunking for covered cable routing in internal areas. The colour of the trunking bases can vary depending on the production method.

Skirting trunking SL 20110

PVC






Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
SL 20110 rws	Pure white	2000	110	20	18	70.100	**6132207**

SL skirting trunking for covered cable routing in internal areas. The colour of the trunking bases can vary depending on the production method.

Internal corner SL IE20110

PVC






Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL IE20110 rws	Pure white	46	46	109	10	0.900	**6132259**

Internal corner as a fitting for changing the direction of the skirting trunking.

External corner SL AE20110

PVC






Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL AE20110 rws	Pure white	37	37	112	10	1.800	**6132275**

External corner as a fitting for changing the direction of the skirting trunking.

End piece SL ESli20110

PVC





Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL ESli20110 rws	Pure white	22	18	112	10	0.900	**6132300**


End piece (left) as a fitting for the skirting trunking.

PVC

End piece SL ESre20110

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL ESre20110 rws	Pure white	22	18	112	10	0.900	**6132286**

End piece (right) as a fitting for the skirting trunking.





PVC

Coupling SL KUP20110

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL KUP20110 rws	Pure white	24	22	110	10	0.600	**6132235**

Trunking coupling for SL, SL-L and SL-T skirting trunking. For connecting the interfaces of the individual trunking covers.






Accessories, skirting trunking SL

PVC

Device support SL 2GT20110

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL2GT20110 rws	Pure white	52	111	176	1	15.400	**6132250**

Device support with pre-terminated double protective contact socket for the skirting trunking in the trunking width 110 mm.






PVC

Device support SL ETler20110

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL ETler20110rws	Pure white	50	96	184	1	13.400	**6132242**

Empty device support for skirting trunking for the installation of standard devices in support ring and support clamp form with 60 mm fastening track.






PVC

Device support SL GTler20110

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL GTler20110rws	Pure white	52	111	177	1	14.600	**6132236**

Empty device support for skirting trunking for the installation of devices in support clamp form (according to DIN 49075) in trunking width 110 mm.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Antenna socket panel SL BL ANT

PC/ABS






Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL BL ANT rws	Pure white	100	54	5	1	2.100	**6132258**
SL BL ANT cws	Cream	100	54	5	1	2.100	**6132195**

Antenna cover for installing antenna sockets in the device tank of the skirting trunking. Cover for antenna socket.

Blind cover SL BL blind

PC/ABS






Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL BL blind rws	Pure white	54	100	7	1	1.950	**6132199**
SL BL blind cws	Cream	54	100	7	1	1.950	**6132252**

Blanking cover for closing the service outlet.

System overview

Base perforation



Cross-section | RAUDUO base with base perforation 40/105



Bases:
The base perforation (slots) simplifies mounting.

Covers:
Either with or without sealing lip.

Heating pipes:
Suitable up to 20 mm external diameter. Fastening through the heating pipe support, which is engaged in the base.

Internal/external corners:
The bases must be given mitre cuts to exclude heat being drawn away (from the heating chamber into the electrical chamber). In the case of poor structural conditions (uneven walls, etc.), we recommend closing off any gap that may appear when separating the chambers with silicone.

End pieces:
Adhesion must take place for VDE-compliant mounting.

Heating temperatures:
The RAUDUO system is designed for a flow temperature of 70 °C and a return temperature of 55 °C (according to the VDE information report). With a flow temperature of up to 90 °C and a return temperature of up to 70 °C, the VDE report requires the device tank insulation to be replaced with "90 °C insulation foam", item no. 6132175.




1	Trunking
2	Internal corner
3	External corner
4	Cover coupling
5	Device support with integrated double socket
6	Device support, including panel, for the installation of central plate devices according to DIN 49075, with support clamp


ssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Installation options RAUDUO device tank


UAE connection sockets




UAE 8/8




UAE 8/8 Cat 6




Device tank, empty, incl. panel (DIN 49075)



Blanking cover (use as clamping socket)



Cover for antenna construction (with predetermined breakout point for SAT)




Socket for SAT and BK

Note: The supplied panel is suitable for devices according to DIN 49075 with support bars/brackets.

Mounting of RAUDUO device tank with double socket


Mounting steps

1




Mounting requirement
a) Mounted trunking base
b) Installed heating system

2




Insert the device tank insulation in the trunking base (at flow temperatures over 70 °C, the solid foam variant, item no. 6132175 must be used!).

3




Position the device tank (centrally to the insulation). Then, draw on the drill holes, drill the holes and screw the device support tight.

4




Engage the potential separation plate in the trunking base. The insulation must protrude evenly on the left and the right.

5



Place the cables separately in the clamps and connect the socket and other connection devices. Close both trunking chambers (electrical and heating chambers) using the shared cover. The trunking covers abut the grooves of the potential separation plate on the right and left.

6



Mount the device tank with cover on the base and close with the cover.


Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Skirting trunking Rauduo 40105

PVC

CE





Type	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
RD 40105 natur	2000	103.4	38	2	74.000	**6132205**


Base of the Rauduo trunking system with 2 individual, thermally separated chambers for joint laying of electrical cables and heating pipes. With locking function for accommodating the trunking covers. The colour of the trunking bases can vary depending on the production method.

Trunking cover Rauduo OT40105, without sealing lip

PVC

CE





Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
RD OT40105 rws	Pure white	2000	105.3	40	2	46.341	**6132160**
RD OT40105 cws	Cream	2000	105.3	40	2	46.341	**6132161**


Cover for Rauduo trunking.

Trunking cover Rauduo OT40105, with sealing lip

PVC

CE





Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
RDL OT40105 rws	Pure white	2000	118	40	2	48.842	**6132264**
RDL OT40105 cws	Cream	2000	118	40	2	48.842	**6132190**


Cover for Rauduo trunking.

Internal corner Rauduo IE40105

PVC

CE





Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
RD IE40105 rws	Pure white	107	75	75	10	2.400	**6132280**
RD IE40105 cws	Cream	107	75	75	10	2.400	**6132164**


Internal corner as a fitting for changing the direction of the Rauduo trunking system.

External corner Rauduo AE40105

PVC

CE





Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
RD AE40105 rws	Pure white	107	75	75	10	3.400	**6132165**
RD AE40105 cws	Cream	107	75	75	10	3.400	**6132166**

External corner as a fitting for changing the direction of the Rauduo trunking system.


PVC

CE

End piece Rauduo ESL40105

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
RD ESL40105 rws	Pure white	19	106	42	10	1.400	**6132168**
RD ESL40105 cws	Cream	19	106	42	10	1.400	**6132169**

End piece (left) as a fitting for the Rauduo trunking system.






PVC

CE

End piece Rauduo ESR40105

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
RD ESR40105 rws	Pure white	19	106	42	10	1.400	**6132285**
RD ESR40105 cws	Cream	19	106	42	10	1.400	**6132167**

End piece (right) as a fitting for the Rauduo trunking system.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Skirting trunking RD, trunking width 105

Trunking coupling Rauduo Kup40105

PVC






Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
RD KUP40105 rws	Pure white	107	42	42	10	1.300	**6132176**
RD KUP40105 cws	Cream	107	42	42	10	1.300	**6132177**

Trunking coupling for connecting the skirting trunking.

Heating pipe support Rauduo HRT 2 20

PA





Type	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
RD DUO HRT 2 20	52	32	40	10	1.500	**6132170**

Heating pipe support for guiding a universal pipe in the Rauduo trunking system.

Insulating foam Rauduo ISO

PS






Type	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
RD DUO ISO	200	66	38	1	0.850	**6132175**

Insulating foam for the Rauduo trunking system.

Device tank Rauduo GT40105, single

PVC






Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
RD GT40105 rws	Pure white	62	112	175	1	18.000	**6132173**
RD GT40105 cws	Cream	62	112	175	1	15.100	**6132174**

Device support for the Rauduo skirting trunking system for the installation of devices in support clamp form (according to DIN 49075).

Device tank Rauduo GT40105, double

PVC





Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
RD 2GT40105 rws	Pure white	62	112	175	1	17.400	**6132171**
RD 2GT40105 cws	Cream	62	112	175	1	17.400	**6132172**

Device tank with double Schuko socket for the Rauduo trunking system.


PVC

CE

Device tank RD 2GT40105, double

Type	Colour	Length mm	Width mm	Height mm		Pack Piece	Weight kg/100 pc.	Item no.
RD 2GTK40105 rws	Pure white	62	112	175		1	17.400	**6132304**

Device tank with double Schuko socket for the Rauduo trunking system.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Floor trunking, type 2650


PVC






Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2650	Stone grey	2000	2	43.000	**6020801**

Trunking cover and base with base perforation.



Wiring trunking



LK4 wiring trunking 204


LK4H wiring trunking 226


LKV wiring trunking 234


LKV/H wiring trunking 244


Accessories, wiring trunking 248


Wiring trunking VF 254

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Precise measurements and tested quality

An exceptionally large range of products in the usual high quality: Wiring trunking ensures tidy wiring in a switchgear cabinet. All the trunking is made from lead-free material. And, for optimum safety, a selection of halogen-free trunking is available from our range.

Four systems are available for professional wiring installations, which can fulfil any requirements the switchgear cabinet constructor might have. A soft, burr-free slot and rounded tabs make the installation easier and also prevent injuries. Upon request, we can also offer special designs.



The LK4 and LK4/N as well as the LKV and LKV/N trunking systems have exactly predetermined points for easy breaking-out of the side retainers. All the types have, depending on their size, single or dual track perforation to their base. Tapering in the side slots of the LK4/N and LKV/N types prevents the cables from falling out.

LK4 – nominal dimensions are internal dimensions
LKV – only external dimensions



LK4 and LK4/N


With the LK4 and LK4/N systems, OBO can offer a classic wiring trunking with 21 established metric dimensions from 15 x 15 mm to 80 x 120 mm. Precise processing enables simple attaching and detaching of the cover while, at the same time, ensuring a firm fit.



LKV and LKV/N

The LKV and LKV/N systems are termed DIN trunking, as their dimensions correspond to the old DIN standard 43659. Seventeen different dimensions from 25 x 25 mm to 100 x 100 mm are available.


Certified
The wiring trunking is VDE-tested and UL-listed (UL file E301798).



HALOGEN FREE


In the event of fire:
- Low toxicity of the smoke gases
- Scarcely any release of corrosive gases

LK4H



The LK4H wiring trunking is also available as a halogen-free version. The halogen-free version is available in dimensions from 30 x 30 mm to 100 x 100 mm and can fulfil any size requirements.

LKV/H




The LKV/H wiring trunking is halogen-free and available in eight different sizes from 50 x 37.5 mm to 75 x 125 mm.

Modular system
Wiring trunking


OBO wiring trunking stands out through a wide range of benefits which have long proven their worth in switchgear cabinet construction. Even in continuous operation, it guarantees secure connections and the reliable function of the electrical infrastructure.

Special solutions

The starting dimension of the base perforation can be adjusted variably
- Available without base perforation
- Special lengths
- Special colours



1	Stable trunking with high-quality thicknesses
2	Exact predetermined breaking points in the strut and base area
3	Soft, burr-free slot, rounded tabs
4	Absolute dimensional accuracy of the side perforation and base perforation
5	Cut edges rounded and deburred in the closing area
6	Secure positioning of the covers through optimum closing contours
7	Wire retaining lug, allowing wiring without wire retaining brackets and preventing previously run-out wires from falling out



All the trunking systems correspond to the requirements of EN 50085-2-3 and are UL-listed.
LK4 and LK4/N UL file E301798
LKV, LKV/N and LKVH UL file E301798
LK4H UL ML file E523202

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Mounting benefits



Mounting of the wiring trunking

The wiring trunking is fastened to the mounting plate of the switchgear cabinet using spreading rivets. The spreading rivets are installed using the plastic riveting tool.



Spacer mounting

Through the mounting on spacers, it is possible to install the wiring trunking with a distance to the mounting plate.



Wire retainers

The wire retainers can be adjusted according to the trunking width. To do this, simply break off the wire retainer at the predetermined breaking points. This means that just one wire retainer is necessary for any trunking width.



Wire retainer mounting

The wire retainer is inserted into the side slot of the wiring trunking. This simplifies cable installation and keeps the cables in place in the wiring trunking. It also guarantees easy attachment of the cover. If installations are required at a later date, then, when the cover is removed, the cables are held in the trunking and do not fall out.



Base perforation

Single and dual-track base perforation to EN 50085-2-3 enable precise work.





Identification plate


Sticker as an identification plate to attach onto wiring trunking in switchgear cabinets with self-protected power circuits.

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Hole patterns and dimensions







All the VK and VKH wiring trunking always start and finish – with regards to one delivery length (2,000 mm) – with half a small fastening hole (4.5 x 8 mm).

LK4/LK4/N	Item no.	Hole pattern
LK4 15015	6178001	2
LK4 30015	6178003	2
LK4 30025	6178005	3
LK4 40025	6178010	3
LK4 40040	6178012	3
LK4 40060	6178014	3
LK4 40080	6178016	1
LK4 40100	6178018	1
LK4 60015	6178026	2
LK4/N 60015	6178201	2
LK4 60025	6178028	3
LK4/N 60025	6178203	3
LK4 60040	6178031	3
LK4/N 60040	6178205	3
LK4 60060	6178033	3
LK4/N 60060	6178207	3
LK4 60080	6178035	1
LK4/N 60080	6178209	1
LK4 60100	6178037	1
LK4/N 60100	6178211	1
LK4 60120	6178039	1
LK4/N 60120	6178213	1


LK4/LK4/N	Item no.	Hole pattern
LK4 80025	6178050	3
LK4/N 80025	6178225	3
LK4 80040	6178052	3
LK4/N 80040	6178227	3
LK4 80060	6178054	3
LK4/N 80060	6178229	3
LK4 80080	6178056	1
LK4/N 80080	6178231	1
LK4 80100	6178059	1
LK4/N 80100	6178233	1
LK4/N 80120	6178236	1
LK4/N 80120	6178236	1
LK4/N 80120	6178236	1

LKV/H	Item no.	Hole pattern
LKVH 50037	6178612	3
LKV/H 50050	6178614	3
LKV/H 50075	6178616	1
LKVH N 75037	6178622	3
LKV/H 75050	6178624	3
LKV/H 75075	6178626	1
LKV/H 75100	6178628	1
LKV/H 75125	6178630	1

LKV/LKV/N	Item no.	Hole pattern
LKV 25025	6178302	3
LKV 37025	6178305	3
LKV 37037	6178307	3
LKV 50025	6178310	3
LKV 50037	6178312	3
LKV 50050	6178314	3
LKV 50075	6178316	1

LKV/LKV/N	Item no.	Hole pattern
LKV 75025	6178320	3
LKV/N 75025	6178420	3
LKV 75037	6178322	3
LKV/N 75037	6178422	3
LKV 75050	6178324	3
LKV/N 75050	6178424	3
LKV 75075	6178326	1
LKV/N 75075	6178426	1
LKV 75100	6178328	1
LKV/N 75100	6178428	1
LKV 75125	6178330	1
LKV/N 75125	6178430	1
LKV 10037	6178334	3
LKV/N 10037	6178435	3
LKV 10050	6178336	3
LKV/N 10050	6178437	3
LKV 10075	6178338	1
LKV/N 10075	6178439	1
LKV 100100	6178341	1

Dimensions, LK4 wiring trunking




LK4- Nominal dimension = Internal dimension

Dimensions LK4

Item no.	Type	Item no.	Type	Dimension a mm	Dimension A mm	Dimension B mm	Dimension h mm	Dimension H mm
6178001	LK4 15015			15	17	20	15	17
6178003	LK4 30015			15	17.8	20	30	32.4
6178005	LK4 30025			25	28.6	31	30	32.8
6178010	LK4 40025			25	28.6	31	40	42.8
6178012	LK4 40040			40	43.6	46.2	40	43
6178014	LK4 40060			60	64	66.4	40	43.2
6178016	LK4 40080			80	84	87	40	43.5
6178018	LK4 40100			100	104	107.4	40	43.7
6178026	LK4 60015	6178201	LK4 N 60015	15	18.6	20	60	62.8
6178028	LK4 60025	6178203	LK4 N 60025	25	29	31	60	63
6178031	LK4 60040	6178205	LK4 N 60040	40	44	46.2	60	63
6178033	LK4 60060	6178207	LK4 N 60060	60	64	66.4	60	63.2
6178035	LK4 60080	6178209	LK4 N 60080	80	84.4	87	60	63.7
6178037	LK4 60100	6178211	LK4 N 60100	100	104.6	107.4	60	64
6178039	LK4 60120	6178213	LK4 N 60120	120	124.6	127.8	60	64.2
6178050	LK4 80025	6178225	LK4 N 80025	25	29.4	31	80	83.2
6178052	LK4 80040	6178227	LK4 N 80040	40	44.4	46.2	80	83.3
6178054	LK4 80060	6178229	LK4 N 80060	60	64.4	66.4	80	83.4
6178056	LK4 80080	6178231	LK4 N 80080	80	84.6	87	80	83.9
6178059	LK4 80100	6178233	LK4 N 80100	100	104.8	107.4	80	84.1
6178061	LK4 80120	6178236	LK4 N 80120	120	124.8	127.8	80	84.3

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Dimensions, LKV and LKVH wiring trunking




LKV- LKVH- Nominal dimension = External dimension


Dimensions, LKV

Item no.	Type	Item no.	Type	Dimension a mm	Dimension A mm	Dimension h mm	Dimension H mm
6178302	LKV 25025			21.4	25.0	22.2	25.0
6178305	LKV 37025			21.4	25.0	34.7	1.3
6178307	LKV 37037			33.9	1.3	34.7	1.3
6178310	LKV 50025			21.4	25.0	47.2	50.0
6178312	LKV 50037			33.9	1.3	47.2	50.0
6178314	LKV 50050			46.4	50.0	47.3	50.1
6178316	LKV 50075			71.0	75.0	47.2	50.6
6178320	LKV 75025	6178420	LKV N 75025	21.0	25.0	71.4	74.4
6178322	LKV 75037	6178422	LKV N 75037	33.3	1.3	71.4	74.5
6178324	LKV 75050	6178424	LKV N 75050	45.6	50.0	71.4	74.7
6178326	LKV 75075	6178426	LKV N 75075	70.6	75.0	71.4	75.0
6178328	LKV 75100	6178428	LKV N 75100	95.2	100.0	71.4	75.5
6178330	LKV 75125	6178430	LKV N 75125	120.2	125.0	71.4	75.6
6178334	LKV 10037	6178435	LKV N 10037	33.1	1.3	96.2	99.4
6178336	LKV 10050	6178437	LKV N 10050	45.6	50.0	96.2	99.5
6178338	LKV 10075	6178439	LKV N 10075	70.2	75.0	96.2	100.0
6178341	LKV 100100	6178441	LKV N 100100	95.2	100.0	96.2	100.3

Dimensions, LK4H (N) wiring trunking




LK4H- Nominal dimension = External dimension




Construction height 40

Construction height 60

Construction height 80



Single-track up to trunking width 60 mm



Two-track from 80 mm trunking width


Dimensions, LK4H

Item no.	Type	Dimension a mm	Dimension A mm	Dimension h mm	Dimension H mm
6132540	LK4H 30030	26.6	30.0	27.5	30.4
6132544	LK4H 40025	21.6	25.0	37.6	40.5
6132546	LK4H 40040	36.4	40.0	37.4	40.5
6132548	LK4H 40060	56.2	60.0	37.3	40.5
6132550	LK4H N 60025	21.2	25.0	57.5	60.6
6132552	LK4H N 60040	36.2	40.0	57.1	60.3
6132554	LK4H N 60060	55.8	60.0	56.9	60.3
6132556	LK4H N 60080	75.8	80.0	56.8	60.3
6132560	LK4H N 80025	20.8	25.0	76.7	80.0
6132562	LK4H N 80040	35.8	40.0	76.6	80.0
6132564	LK4H N 80060	55.6	60.0	76.5	80.0
6132566	LK4H N 80080	75.4	80.0	76.3	80.0
6132568	LK4H N 80100	95.4	100.0	76.2	80.0
6132569	LK4H N 80120	115.2	120.0	76.4	80.0
6132570	LK4H N 10040	35.4	40.0	96.9	100.5
6132572	LK4H N 10060	55.6	60.0	96.8	100.3
6132574	LK4H N 10080	75.4	80.0	96.6	100.3
6132576	LK4H N 100100	95.2	100.0	96.4	100.3

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Wiring trunking, type LK4 15015







Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 15015	Stone grey	2000	15x15	2	12.000	6178001

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

Wiring trunking, type LK4 30015







Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 30015	Stone grey	2000	15x30	2	18.000	6178003

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

Wiring trunking, type LK4 30025







Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 30025	Stone grey	2000	25x30	2	28.000	6178005

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

Wiring trunking, type LK4 40025





Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 40025	Stone grey	2000	25x40	2	36.500	6178010


Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.


PVC

Wiring trunking, type LK4 40040

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 40040	Stone grey	2000	40x40	2	44.000	6178012

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.







PVC

Wiring trunking, type LK4 40060

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 40060	Stone grey	2000	60x40	2	57.000	6178014

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.







PVC

Wiring trunking, type LK4 40080

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 40080	Stone grey	2000	80x40	2	71.000	6178016

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.







PVC

Wiring trunking, type LK4 40100

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 40100	Stone grey	2000	100x40	2	85.500	6178018

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Wiring trunking, type LK4 60015






Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 60015	Stone grey	2000	15x60	2	32.500	6178026

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

Wiring trunking, type LK4 60025







Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 60025	Stone grey	2000	25x60	2	46.000	6178028

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

Wiring trunking, type LK4 60040







Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 60040	Stone grey	2000	40x60	2	53.500	6178031

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

Wiring trunking, type LK4 60060





Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 60060	Stone grey	2000	60x60	2	64.500	6178033


Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.


PVC

Wiring trunking, type LK4 60080

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 60080	Stone grey	2000	80x60	2	82.500	6178035

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.







PVC

Wiring trunking, type LK4 60100

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 60100	Stone grey	2000	100x60	2	100.000	6178037

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.







PVC

Wiring trunking, type LK4 60120

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 60120	Stone grey	2000	120x60	2	117.000	6178039

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.






PVC

Wiring trunking, type LK4 80025

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 80025	Stone grey	2000	25x80	2	61.000	6178050

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Wiring trunking, type LK4 80040







Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 80040	Stone grey	2000	40x80	2	64.500	6178052

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

Wiring trunking, type LK4 80060







Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 80060	Stone grey	2000	60x80	2	76.000	6178054

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

Wiring trunking, type LK4 80080







Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 80080	Stone grey	2000	80x80	2	95.500	6178056

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

Wiring trunking, type LK4 80100





Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 80100	Stone grey	2000	100x80	2	111.500	6178059


Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.


PVC

Wiring trunking, type LK4 80120

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 80120	Stone grey	2000	120x80	2	128.500	**6178061**

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Wiring trunking, type LK4/N 60015

PVC






Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 N 60015	Stone grey	2000	15x60	2	41.000	**6178201**

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

Wiring trunking, type LK4/N 60025

PVC







Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 N 60025	Stone grey	2000	25x60	2	48.500	**6178203**

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

Wiring trunking, type LK4/N 60040

PVC







Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 N 60040	Stone grey	2000	40x60	2	56.000	**6178205**

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

Wiring trunking, type LK4/N 60060

PVC





Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 N 60060	Stone grey	2000	60x60	2	68.000	**6178207**


Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.


PVC

Wiring trunking, type LK4/N 60080

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 N 60080	Stone grey	2000	80x60	2	87.000	6178209

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.







PVC

Wiring trunking, type LK4/N 60100

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 N 60100	Stone grey	2000	100x60	16	105.500	6178211

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.







PVC

Wiring trunking, type LK4/N 60120

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 N 60120	Stone grey	2000	120x60	8	120.500	6178213

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.






PVC

Wiring trunking, type LK4/N 80025

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 N 80025	Stone grey	2000	25x80	2	65.000	6178225


Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Wiring trunking, type LK4/N 80040







Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 N 80040	Stone grey	2000	40x80	2	73.500	**6178227**

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

Wiring trunking, type LK4/N 80060







Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 N 80060	Stone grey	2000	60x80	2	82.000	**6178229**

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

Wiring trunking, type LK4/N 80080







Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 N 80080	Stone grey	2000	80x80	2	101.000	**6178231**

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

Wiring trunking, type LK4/N 80100





Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 N 80100	Stone grey	2000	100x80	2	116.500	**6178233**


Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.


PVC

Wiring trunking, type LK4/N 80120

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LK4 N 80120	Stone grey	2000	120x80	2	133.500	6178236

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.






Covers, LK4 wiring ducts


PVC

Cover LK4 D 15

Type	Colour	Dim. a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LK4 D 15	Stone grey	20	2000	2	8.500	6178480

Trunking cover for replacement requirements.







PVC

Cover LK4 D 25

Type	Colour	Dim. a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LK4 D 25	Stone grey	31	2000	2	10.000	6178482

Trunking cover for replacement requirements.







PVC

Cover LK4 D 40

Type	Colour	Dim. a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LK4 D 40	Stone grey	46.2	2000	2	13.500	6178484

Trunking cover for replacement requirements.







PVC

Cover LK4 D 60

Type	Colour	Dim. a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LK4 D 60	Stone grey	66.4	2000	2	18.000	6178486

Trunking cover for replacement requirements.







Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Cover LK4 D 80

PVC







Type	Colour	Dim. a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LK4 D 80	Stone grey	87	2000	2	27.000	**6178488**

Trunking cover for replacement requirements.

Cover LK4 D 100

PVC







Type	Colour	Dim. a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LK4 D 100	Stone grey	107.4	2000	2	35.500	**6178490**

Trunking cover for replacement requirements.

Cover LK4 D 120

PVC






Type	Colour	Dim. a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LK4 D 120	Stone grey	127.8	2000	2	45.500	**6178492**


Trunking cover for replacement requirements.

Wiring trunking, type LK4H 30030

PC/ ABS

CE






Type	Colour	Length mm	Width mm	Height mm		Pack m	Weight kg/100 m	Item no.
LK4H 30030	Light grey	2000	30	30		2	18.000	**6132540**

Wiring trunking, type LK4H 40025

PC/ ABS

CE







Type	Colour	Length mm	Width mm	Height mm		Pack m	Weight kg/100 m	Item no.
LK4H 40025	Light grey	2000	25	40		2	21.000	**6132544**

Wiring trunking, type LK4H 40040

PC/ ABS

CE







Type	Colour	Length mm	Width mm	Height mm		Pack m	Weight kg/100 m	Item no.
LK4H 40040	Light grey	2000	40	40		2	50.000	**6132546**

Wiring trunking, type LK4H 40060

PC/ ABS

CE






Type	Colour	Length mm	Width mm	Height mm		Pack m	Weight kg/100 m	Item no.
LK4H 40060	Light grey	2000	60	40		2	35.000	**6132548**

PC / ABS

CE

Wiring trunking, type LK4H N 60025

Type	Colour	Length mm	Width mm	Height mm		Pack m	Weight kg/100 m	Item no.
LK4H N 60025	Light grey	2000	25	60		2	26.000	**6132550**






PC / ABS

CE

Wiring trunking, type LK4H N 60040

Type	Colour	Length mm	Width mm	Height mm		Pack m	Weight kg/100 m	Item no.
LK4H N 60040	Light grey	2000	40	60		2	35.000	**6132552**







PC / ABS

CE

Wiring trunking, type LK4H N 60060

Type	Colour	Length mm	Width mm	Height mm		Pack m	Weight kg/100 m	Item no.
LK4H N 60060	Light grey	2000	60	60		2	42.000	**6132554**







PC / ABS

CE

Wiring trunking, type LK4H N 60080

Type	Colour	Length mm	Width mm	Height mm		Pack m	Weight kg/100 m	Item no.
LK4H N 60080	Light grey	2000	80	60		2	52.000	**6132556**






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Wiring trunking, type LK4H N 80025

PC/ ABS

CE






Type	Colour	Length mm	Width mm	Height mm		Pack m	Weight kg/100 m	Item no.
LK4H N 80025	Light grey	2000	25	80		2	35.000	**6132560**

Wiring trunking, type LK4H N 80040

PC/ ABS

CE







Type	Colour	Length mm	Width mm	Height mm		Pack m	Weight kg/100 m	Item no.
LK4H N 80040	Light grey	2000	40	80		2	43.000	**6132562**

Wiring trunking, type LK4H N 80060

PC/ ABS

CE







Type	Colour	Length mm	Width mm	Height mm		Pack m	Weight kg/100 m	Item no.
LK4H N 80060	Light grey	2000	60	80		2	54.000	**6132564**

Wiring trunking, type LK4H N 80080

PC/ ABS

CE






Type	Colour	Length mm	Width mm	Height mm		Pack m	Weight kg/100 m	Item no.
LK4H N 80080	Light grey	2000	80	80		2	62.000	**6132566**


PC / ABS

CE

Wiring trunking, type LK4H N 80100

Type	Colour	Length mm	Width mm	Height mm		Pack m	Weight kg/100 m	Item no.
LK4H N 80100	Light grey	2000	100	80		2	67.000	**6132568**







PC / ABS

CE

Wiring trunking, type LK4H N 80120

Type	Colour	Length mm	Width mm	Height mm		Pack m	Weight kg/100 m	Item no.
LK4H N 80120	Light grey	1000	120	80		2	80.000	**6132569**






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Wiring trunking, type LK4H N 10040

PC/ ABS

CE







Type	Colour	Length mm	Width mm	Height mm		Pack m	Weight kg/100 m	Item no.
LK4H N 10040	Light grey	2000	40	100		2	90.000	**6132570**

Wiring trunking, type LK4H N 10060

PC/ ABS

CE







Type	Colour	Length mm	Width mm	Height mm		Pack m	Weight kg/100 m	Item no.
LK4H N 10060	Light grey	2000	60	100		2	66.000	**6132572**

Wiring trunking, type LK4H N 10080

PC/ ABS

CE







Type	Colour	Length mm	Width mm	Height mm		Pack m	Weight kg/100 m	Item no.
LK4H N 10080	Light grey	2000	80	100		2	90.000	**6132574**

Wiring trunking, type LK4H N 100100

PC/ ABS

CE





Type	Colour	Length mm	Width mm	Height mm		Pack m	Weight kg/100 m	Item no.
LK4H N 100100	Light grey	2000	100	100		2	90.000	**6132576**


PC / ABS

CE

Cover LK4H 25

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H D 25	Light grey	2000	25	10	2	8.000	**6132580**

Trunking cover for replacement requirements.






PC / ABS

CE

Cover LK4H 40

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H D 40	Light grey	2000	40	10	2	13.000	**6132585**

Trunking cover for replacement requirements.






PC / ABS

CE

Cover LK4H 60

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H D 60	Light grey	2000	60	10	2	20.000	**6132582**

Trunking cover for replacement requirements.






PC / ABS

CE

Cover LK4H 80

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H D 80	Light grey	2000	80	10	2	26.000	**6132584**

Trunking cover for replacement requirements.






PC / ABS

CE

Cover LK4H 100

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H D 100	Light grey	2000	100	10	2	30.000	**6132586**

Trunking cover for replacement requirements.





Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Trunking retaining clip VDK HF KHUni

PC/ ABS

CE




Type	Colour	Length mm	Width mm	Height mm		Pack Piece	Weight kg/100 pc.	Item no.
VKHK	Light grey	76	20	22		25	0.500	**6132594**

Wire retaining clip for HF-METRA wiring trunking.



Wiring trunking, type LKV 25025






Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV 25025	Stone grey	2000	25x25	32	24.000	**6178302**

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.

Wiring trunking, type LKV 37025






Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV 37025	Stone grey	2000	25x37,5	32	31.500	**6178305**

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.

Wiring trunking, type LKV 37037






Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV 37037	Stone grey	2000	37,5 x 37,5	60	40.500	**6178307**

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.

Wiring trunking, type LKV 50025





Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV 50025	Stone grey	2000	25x50	60	35.500	**6178310**


Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.

PVC

Wiring trunking, type LKV 50037

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV 50037	Stone grey	2000	37,5 x 50	48	44.500	6178312

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.






PVC

Wiring trunking, type LKV 50050

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV 50050	Stone grey	2000	50x50	36	50.000	6178314

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.







PVC

Wiring trunking, type LKV 50075

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV 50075	Stone grey	2000	75x50	24	66.000	6178316

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.






PVC

Wiring trunking, type LKV 75025

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV 75025	Stone grey	2000	25x75	40	48.500	6178320

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Wiring trunking, type LKV 75037







Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV 75037	Stone grey	2000	37,5x75	32	58.500	6178322

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.

Wiring trunking, type LKV 75050







Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV 75050	Stone grey	2000	50x75	24	67.500	6178324

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.

Wiring trunking, type LKV 75075







Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV 75075	Stone grey	2000	75x75	16	80.000	6178326

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.

Wiring trunking, type LKV 75100





Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV 75100	Stone grey	2000	100x75	16	105.500	6178328


Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.


PVC

Wiring trunking, type LKV 75125

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV 75125	Stone grey	2000	125x75	8	128.500	6178330

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.






PVC

Wiring trunking, type LKV 10037

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV 10037	Stone grey	2000	37,5x100	32	67.000	6178334

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.






PVC

Wiring trunking, type LKV 10050

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV 10050	Stone grey	2000	50x100	24	77.000	6178336

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.







PVC

Wiring trunking, type LKV 10075

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV 10075	Stone grey	2000	75x100	16	96.000	6178338

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.







Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Wiring trunking, type LKV 100100

PVC





Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV 100100	Stone grey	2000	100x100	8	116.500	**6178341**


Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.

PVC

Wiring trunking, type LKV N 75025

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV N 75025	Stone grey	2000	25x75	40	49.500	**6178420**

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.






PVC

Wiring trunking, type LKV N 75037

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV N 75037	Stone grey	2000	37,5x75	32	60.500	**6178422**

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.






PVC

Wiring trunking, type LKV N 75050

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV N 75050	Stone grey	2000	50x75	24	72.500	**6178424**

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.






PVC

Wiring trunking, type LKV N 75075

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV N 75075	Stone grey	2000	75x75	16	84.500	**6178426**


Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Wiring trunking, type LKV N 75100







Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV N 75100	Stone grey	2000	100x75	16	112.000	**6178428**

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.

Wiring trunking, type LKV N 75125






Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV N 75125	Stone grey	2000	125x75	8	138.500	**6178430**

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.

Wiring trunking, type LKV N 10037







Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV N 10037	Stone grey	2000	37,5x100	32	73.000	**6178435**

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.

Wiring trunking, type LKV N 10050





Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV N 10050	Stone grey	2000	50x100	24	83.000	**6178437**


Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.


PVC

Wiring trunking, type LKV N 10075

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV N 10075	Stone grey	2000	75x100	16	102.000	6178439

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.







PVC

Wiring trunking, type LKV N 100100

Type	Colour	Length mm	Dimension W x H mm	Pack m	Weight kg/100 m	Item no.
LKV N 100100	Stone grey	2000	100x100	8	122.500	6178441

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.






Covers, LKV wiring trunking


PVC

Cover LKV D 25

Type	Colour	Dim. a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LKV D 25	Stone grey	25	2000	36	9.500	6178504

Trunking cover for replacement requirements.







PVC

Cover LKV D 37

Type	Colour	Dim. a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LKV D 37	Stone grey	37.5	2000	24	15.000	6178506

Trunking cover for replacement requirements.







Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Cover LKV D 50

PVC

CE






Type	Colour	Dim. a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LKV D 50	Stone grey	50	2000	24	17.500	**6178508**


Trunking cover for replacement requirements.

Cover LKV D 75

PVC

CE






Type	Colour	Dim. a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LKV D 75	Stone grey	75	2000	12	23.000	**6178510**


Trunking cover for replacement requirements.

Cover LKV D 100

PVC

CE






Type	Colour	Dim. a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LKV D 100	Stone grey	100	2000	12	34.500	**6178512**


Trunking cover for replacement requirements.

Cover LKV D 125

PVC

CE






Type	Colour	Dim. a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LKV D 125	Stone grey	125	2000	16	47.000	**6178514**

Trunking cover for replacement requirements.

Wiring trunking, type LKV H 50037

PC/ ABS






Type	Colour	Length mm	Dimension W x H mm		Pack m	Weight kg/100 m	Item no.
LKVH 50037	Light grey	2000	37,5 x 50		48	32.000	**6178582**

Wiring trunking, type LKV H 50050

PC/ ABS






Type	Colour	Length mm	Dimension W x H mm		Pack m	Weight kg/100 m	Item no.
LKVH 50050	Light grey	2000	50x50		36	37.000	**6178585**

Wiring trunking, type LKV H 50075

PC/ ABS







Type	Colour	Length mm	Dimension W x H mm		Pack m	Weight kg/100 m	Item no.
LKVH 50075	Light grey	2000	75x50		24	52.000	**6178588**

Wiring trunking, type LKV H 75037

PC/ ABS







Type	Colour	Length mm	Dimension W x H mm		Pack m	Weight kg/100 m	Item no.
LKVH N 75037	Light grey	2000	37,5 x 75		32	44.000	**6178552**

PC / ABS

Wiring trunking, type LKV H 75050

Type	Colour	Length mm	Dimension W x H mm		Pack m	Weight kg/100 m	Item no.
LKVH N 75050	Light grey	2000	50x75		24	51.000	**6178556**







PC / ABS

Wiring trunking, type LKV H 75075

Type	Colour	Length mm	Dimension W x H mm		Pack m	Weight kg/100 m	Item no.
LKVH N 75075	Light grey	2000	75x75		16	64.000	**6178559**







PC / ABS

Wiring trunking, type LKV H 75100

Type	Colour	Length mm	Dimension W x H mm		Pack m	Weight kg/100 m	Item no.
LKVH N 75100	Light grey	2000	100x75		16	84.000	**6178563**







PC / ABS

Wiring trunking, type LKV H 75125

Type	Colour	Length mm	Dimension W x H mm		Pack m	Weight kg/100 m	Item no.
LKVH N 75125	Light grey	2000	125x75		8	98.500	**6178566**






Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Cover LKVH D 37






Type	Colour	Dim. a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LKVH D 37	Light grey	37.5	2000	24	8.500	**6178670**

Trunking cover for replacement requirements.

Cover LKVH D 50







Type	Colour	Dim. a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LKVH D 50	Light grey	50	2000	24	11.000	**6178674**

Trunking cover for replacement requirements.

Cover LKVH D 75







Type	Colour	Dim. a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LKVH D 75	Light grey	75	2000	12	18.000	**6178678**

Trunking cover for replacement requirements.

Cover LKVH D 100







Type	Colour	Dim. a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LKVH D 100	Light grey	100	2000	12	27.500	**6178682**

Trunking cover for replacement requirements.

Cover LKVH D 125







Type	Colour	Dim. a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LKVH D 125	Light grey	125	2000	16	34.500	**6178686**

Trunking cover for replacement requirements.

Wire retainer for type LK4 and LK4/N

PS






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LK4 H	Stone grey	56	25	100	0.348	6178092

Wire retainer for wiring trunking, type LK4 and LK4/N. The wire retainer prevents already inserted cables from falling out. These predetermined breaking points allow the length to be reduced for various trunking widths to 38, 28 and 23 mm.

Wire retainer for type LKV and LKV N

PS






Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKV H	Stone grey	56	25	100	0.343	6178349

Wire retainer for wiring trunking, type LKV and LKV/N. The wire retainer prevents already inserted cables from falling out. These predetermined breaking points allow the length to be reduced for various trunking widths to 38, 28 and 23 mm.

Wire retainer for type LKV/H

PS





Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKV H H	Light grey	56	25	100	0.349	6178650

Wire retainer for halogen-free wiring trunking, type LKV/H. The wire retainer prevents already inserted cables from falling out. These predetermined breaking points allow the length to be reduced for various trunking widths to 38, 28 and 23 mm.


PP


CE

Spreading rivet, KSN 1

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KSN1	Light grey	100	0.026	6178520

The KNW1 riveting tool should be used for rapid mounting and for the optimum function.






PA

CE

Body-bound rivet, KSN 22

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KSN22	Light grey	100	0.070	6178525

The KNW2 riveting tool should be used for rapid mounting and for the optimum function.
Dimension of the drill hole: 6.5 mm.






POM

CE

Plastic rivet tool KNW1

Type	Colour	Dimension	Pack Piece	Weight kg/100 pc.	Item no.
KNW1	Black	Ø4,5mm	1	9.300	6178527

Riveting tool for installing body-bound rivets of 4.5 mm.






POM

CE

Plastic rivet tool KNW2

Type	Colour	Dimension	Pack Piece	Weight kg/100 pc.	Item no.
KNW2	Black	Ø6mm	1	9.400	6178529

Riveting tool for mounting spreading rivets of 6 mm.





Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Release pliers

Release pliers

St

CE



Type	Pack Piece	Weight kg/100 pc.	Item no.
AKZ2	1	45.000	**6178533**


To notch the bars down to the trunking base.


Spacer

Spacer

PVC

CE






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
AH1	Grey	12	100	0.354	**6178540**
AH2	Grey	20	100	0.577	**6178542**

Stackable spacer for height compensation between the different component heights.

Identification plates

Identification plate, intrinsically safe circuits

CE




Type	Colour	Dimension mm	Pack Piece	Weight kg/100 pc.	Item no.
VK ISCS 5012	Light blue	99x25mm	20	0.100	**6178643**

Sticker as an identification plate to attach onto wiring trunking in switchgear cabinets with self-protected power circuits.

Hat profile rail, unperforated

Type	Version	Material thickness mm	Length mm	Bundle m		Weight kg/100 m	Item no.
2069 2M GTP	Unperforated	1	2000	50		36.040	**1115650**

Hat profile rail 35 x 7.5 mm to DIN EN 60715 (formerly DIN EN 50022).






Hat profile rail, perforated

Type	Version	Material thickness mm	Length mm	Bundle m		Weight kg/100 m	Item no.
2069 2M GTPL	Perforated	1	2000	50		33.280	**1115669**

Hat profile rail 35 x 7.5 mm to DIN EN 60715 (formerly DIN EN 50022).







Hat profile rail, perforated

Type	Version	Material thickness mm	Length mm	Bundle m		Weight kg/100 m	Item no.
2069 15 1.5 GTPL	Perforated	1.5	2000	20		64.000	**1115456**

Hat profile rail 35 x 15 mm similar to DIN EN 60715 (formerly DIN EN 50022), but with material thickness 1.5 mm.







Support rail, unperforated

Type	Version	Material thickness mm	Length mm	Bundle m		Weight kg/100 m	Item no.
2064 GTP 2M	Unperforated	1.5	2000	20		70.000	**1115057**

G rail G32 to DIN EN 60715 (previously DIN EN 50035).







Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Support rails

Support rail, perforated






Type	Version	Material thickness mm	Length mm	Bundle m		Weight kg/100 m	Item no.
2064 GTPL 2M	Perforated	1.5	2000	20		69.000	**1115065**

G rail G32 to DIN EN 60715 (previously DIN EN 50035).

Washers

Washer



Type	Colour	Dim. h mm		Pack Piece	Weight kg/100 pc.	Item no.
ULS	Grey	3		100	0.170	**6178548**

Washer as compensation for different heights.


Wiring trunking VF, flexible

Wiring trunking VF 10, flexible

PP

CE





Type	Colour	Length mm	Width mm	Height mm		Pack Piece	Weight kg/100 pc.	Item no.
VF 10 rws	Pure white	500	11	14		1	1.300	**6132600**
VF 10KB rws	Pure white	500	11	14		1	1.350	**6132601**


Flexible wiring trunking for horizontal and vertical routing in the switchgear cabinet.

Wiring trunking VF 20, flexible

PP

CE UK CA





Type	Colour	Length mm	Width mm	Height mm		Pack Piece	Weight kg/100 pc.	Item no.
VF 20 rws	Pure white	500	24	24		1	2.800	**6132603**
VF 20KB rws	Pure white	500	24	24		1	2.950	**6132604**


Flexible wiring duct for horizontal and vertical routing in the switchgear cabinet.

Wiring trunking VF 30, flexible

PP

CE





Type	Colour	Length mm	Width mm	Height mm		Pack Piece	Weight kg/100 pc.	Item no.
VF 30 rws	Pure white	500	34	36		1	4.700	**6132606**
VF 30KB rws	Pure white	500	34	36		1	5.000	**6132607**


Flexible wiring trunking for horizontal and vertical routing in the switchgear cabinet.

Wiring trunking VF 40, flexible

PP


CE





Type	Colour	Length mm	Width mm	Height mm		Pack Piece	Weight kg/100 pc.	Item no.
VF 40 rws	Pure white	500	45	48		1	7.600	**6132609**
VF 40KB rws	Pure white	500	45	48		1	8.000	**6132610**

Flexible wiring trunking for horizontal and vertical routing in the switchgear cabinet.



Directories

Test marks	258
Pictogram explanation	260
Alphabetical table of contents	264
Numeric directory	270
Type listing	274
For the latest general conditions of sale and delivery please see www.obo.global/general-purchasing-conditions/	

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Test marks

	American Bureau of Shipping, USA
	AENOR, Producto Certificado, Spain
	STOWARZYSZENIE ELEKTRYKÓW POLSKICH, Poland
	Lightning current-tested
	Lightning current-tested, Class H (100 kA)
	CEBEC, Belgium
	Canadian Standards Association, Canada
	DEMKO, Danmarks Elektriske Materielkontrol, Denmark
DIBt	Deutsches Institut für Bautechnik Berlin, Germany
	Det Norske Veritas
	ENEC Austria
	ATEX certificate for explosive areas
	ELEKTROTECHNICKÝ ZKUŠEBNÌ ÚSTAV, Czech Republic
FI	FIMKO, Finland
	Forschungs- und Materialprüfungsanstalt, Germany
	Russia, GOST The State Committee for Standards
	Test marks for technical resources, VDE Prüf- und Zertifizierungsinstitut Offenbach, Germany
	Halogen-free; without chlorine, fluorine and bromine
	INMETRO, Brazil
KEMA KEUR	KEMA-KEUR, Netherlands
	Indication of metric products
	MAGYAR ELEKTROTECHNIKAI ELLENŐRZŐ INTÉZET Budapest, Hungary
	NEMKO, Norway
NF	AFNOR Quality symbol of the French standardisation institute

	Underwriters Laboratories Inc., USA + CSA, Canada
	Österreichischer Verband für Elektrotechnik, Austria
	INSTITUTO ITALIANO DEL MARCHO DI QUALITÁ, Italy
	RINA 1861, Ship Classification, Certification and Services
	Underwriters Laboratories Inc., USA
	SEMKO An Inchcape Testing Services Company, Sweden
	Eidgenössisches Starkstrominspektorat, Switzerland
SABS APPROVED	South African Bureau of Standards
	Shock-tested, Bundesamt für Zivilschutz, Germany
	Sähkötarkastuskeskus Elinspektionscentralen Electrical Inspectorate, Finland
	Underwriters Laboratories Inc., USA
LISTED	Underwriters Laboratories Inc., USA
	Verband der Elektrotechnik, Elektronik, Informationstechnik e.V., Germany
	German Association of Electricians, tested safety
5	5-year warranty

Pictogram explanation

Surfaces

FS	Strip galvanised
FSK	Strip galvanised/plastic-coated
DD	Strip galvanised zinc/aluminium, double dip
BK	Bright
2B	Bright, reworked
EL	Anodised
F	Hot-dip galvanised
G	Electrogalvanised
GK	Electrogalvanised/plastic-coated
GCL	Electrogalvanised, yellow-chromatised
GGP	Electrogalvanised, yellow passivated
GTP	Electrogalvanised, transparently passivated
GR	Primed
L	Painted
SG	Welding primed
FT	Hot-dip galvanised
FT SO	Hot-dip galvanised 85 µm
Cu	Copper-plated
N	Nickel-plated
ZD	Galvanised, Deltatone 500
ZDM	Galvanised, MAGNI 565
GA	Zinc-aluminium coated, Galfan
ZL	Zinc scale

Conformity symbol

CE	Communautés Européennes, EC declaration of conformity according to EC directives
RoHS conform	RoHS-conformant

Quality marks

	Halogen-free; without chlorine, fluorine and bromine
650°	Flame resistant 650 °C
750°	Flame resistant 750 °C
960°	Flame resistant 960 °C
UV resistant	UV-resistant

Specific product symbols

Ø 60	Diameter 60 mm
Ø 68	Diameter 68 mm
Type 3	Protection device to DIN EN 61643-11 or IEC 61643-11
LPZ 2→3	Transition from LPZ 2 to LPZ 3
AS	Acoustic signalling

Applications

FS	Remote signalling
AS	Acoustic signalling
ISDN	Integrated Service Digital Network, ISDN applications
DSL	Digital Subscriber Line, DSL applications
Analog TK	Analogue telecommunication
Cat 5	Category 5 TwisterPair
Cat 6$_A$	Channel Performance to American EIA/TIA standard
MSR	Measuring, controlling and regulating systems
TV	TV applications
SAT	SAT-TV applications
Mu	MultiBase base
	LifeControl
EX	Intrinsically safe protection device for potentially explosive areas
Class E$_A$	Channel Performance to ISO/IEC 11801
PoE	Power over Ethernet
230/ 400 V System	230/400 V system
IP 54	Protection rating IP 54
IP 65	Protection rating IP 65

Lightning protection classes

Type 1	Protection device to DIN EN 61643-11 or IEC 61643-11
Type 1+2	Combination protection device made of type 1 and type 2
Type 2	Protection device to DIN EN 61643-11 or IEC 61643-11

Lightning protection classes

Type 2+3	Protection device to DIN EN 61643-11 or IEC 61643-11
Type 3	Protection device to DIN EN 61643-11 or IEC 61643-11

Lightning protection zone

LPZ 0→1	Transition from LPZ 0 to LPZ 1
LPZ 0→2	Transition from LPZ 0 to LPZ 2
LPZ 0→3	Transition from LPZ 0 to LPZ 3
LPZ 1→2	Transition from LPZ 1 to LPZ 2
LPZ 1→3	Transition from LPZ 1 to LPZ 3
LPZ 2→3	Transition from LPZ 2 to LPZ 3

BSS maintenance of electrical function installation

	Fire-tested systems
	Escape route ceiling mounting with pressure clip
	OBO Grip, wall routing type
	OBO Grip, ceiling routing type
	Pressure clip for maintenance of electrical function, ceiling mounting

BSS anchor

	Fire protection anchor
	Fire protection bolt tie

BSS test marks/material class

E30	Maintenance of electrical function class E30
E90	Maintenance of electrical function class E90

Clamp clip base shapes

N	Clamp clip for C profile rail, slot width 11–12 mm
H	Clamp clip for C profile rail, slot width 16–17 mm
U	Clamp clip for C profile rail, slot width 18–22 mm

Diameter

Ø 60	Diameter 60 mm
Ø 68	Diameter 68 mm
Ø 70	Diameter 70 mm
Ø 74	Diameter 74 mm

Entries

4	4 cable entries
6	6 cable entries
7	7 cable entries
8	8 cable entries
9	9 cable entries
10	10 cable entries
12	12 cable entries
10	10 cable entries ECO
12	12 cable entries ECO
14	14 cable entries ECO
16	16 cable entries
18	18 cable entries ECO
24	24 cable entries

Gland thread

M	Thread metric
Pg	Thread Pg

Entry size

M20	M20 entry
M25	M25 entry
M32	M32 entry
M40	M40 entry

KTS side heights

	Cable tray, side height 35 mm
	Cable tray, side height 60 mm
	Cable tray, side height 85 mm
	Mesh cable tray, side height 35 mm
	Mesh cable tray, side height 55 mm

Materials

	Flat steel
	Angular steel
	U steel
	Round material

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Pictogram explanation

Nominal cross-section

1,5 mm²	Nominal cross-section 1.5 mm²
1,5–2,5 mm²	Nominal cross-section 1.5–2.5 mm²
2,5 mm²	Nominal cross-section 2.5 mm²
2,5–4 mm²	Nominal cross-section 2.5–4 mm²
4 mm²	Nominal cross-section 4 mm²
4–6 mm²	Nominal cross-section 4–6 mm²
6 mm²	Nominal cross-section 6 mm²
10 mm²	Nominal cross-section 10 mm²
16 mm²	Nominal cross-section 16 mm²

Nominal voltage

400 V	Nominal voltage 400 V
500 V	Nominal voltage 500 V
660 V	Nominal voltage 660 V

Polarity

3	3-pole
5	5-pole
7	7-pole
8	8-pole
10	10-pole
12	12-pole

Slot widths

7,5	Slot width 7.5 mm
11	Slot width 11 mm
11-12	Slot width 11–12 mm
12	Slot width 12 mm
15	Slot width 15 mm
16	Slot width 16 mm
16,5	Slot width 16.5 mm
16-17	Slot width 16–17 mm
17	Slot width 17 mm
18	Slot width 18 mm
22	Slot width 22 mm
35	Slot width 35 mm

Screw heads

	Philips screw
	Torx screw
	Phillips screw
	Pozidriv

Firing devices

	Bolt-firing tool
	Nail device

Protection rating

IP 20	Protection rating IP 20
IP 30	Protection rating IP 30
IP 31	Protection rating IP 31
IP 44	Protection rating IP 44
IP 54	Protection rating IP 54
IP 55	Protection rating IP 55
IP 65	Protection rating IP 65
IP 66	Protection rating IP 66
IP 67	Protection rating IP 67
IP 68	Protection rating IP 68

Metals

Alu	Aluminium
Alu/St	Aluminium/steel
A2	Stainless steel, rustproof
A4	Stainless steel, rustproof
A5	Stainless steel, rustproof
Cu	Copper
CuZn 37	Brass
St	Steel
TG	Malleable iron
Zn	Die-cast zinc

Plastics

ABS/ ASA	Acrylonitrile butadiene styrene
UF	Duroplast, Aminoplast, type 131.5
MF	Duroplast, melamine resin, type 150
EVA	Ethylene vinyl acetate

Plastics

FA	Fibre-proof material DIN 28091
GFK	Fibreglass-reinforced plastic
NBR SBR	Rubber mixture
NBR	Nitrile rubber
PETR	Petrolatum
PA	Polyamide
PA/ GF	Polyamide, fibreglass reinforced
PBPT	Polybutylene terephthalate
PC	Polycarbonate
PE	Polyethylene
PP	Polypropylene
PP/GF	Polypropylene, fibreglass reinforced
PS	Polystyrene
PVC	Polyvinylchloride
ZELL PE	Cellular polyethylene

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Alphabetical table of contents

A

Antenna socket panel SL BL ANT; 187, 190

B

Blind cover SL BL blind; 187, 190

C

Cable routing trunking MKS 18, trunking width 45; 56
Cable trunking ECK 35, trunking width 35; 118
Cable trunking ECK 50, trunking width 50; 119
CEE adapter flange 16 A; 106
CEE cover plate for installation socket, 16 A; 107
Coupling SL KUP20110; 189
Coupling SL KUP2050; 178
Coupling SL KUP2070; 183
Cover; 36-38, 40-41, 43-44, 46-47, 51-54, 59, 61-65, 67-69, 71, 73, 75, 77-81, 83-87, 89, 91, 93, 95-97, 99-100, 103-104, 107-114, 116-119, 122, 125-126, 128, 130, 132, 134, 136, 138-140, 178, 187, 190, 196, 223-224, 231, 241-242, 246
Cover clip; 112-114, 116, 138-140
Cover for single accessory mounting box, duct width; 108
130 mm
Cover for single accessory mounting box, trunking; 108
width 110 mm
Cover for triple accessory mounting box, duct width; 110
130 mm
Cover for triple accessory mounting box, duct width; 110
150 mm
Cover HFVDK OT100; 231
Cover HFVDK OT25; 231
Cover HFVDK OT40; 231
Cover HFVDK OT60; 231
Cover HFVDK OT80; 231
Cover SL; 178, 187, 190
Cover TRI 3535 OT; 118
Cover TRI 5050 OT; 119

D

Device installation Modul 45; 115
Device support SL 2GT20110; 189
Device support SL 2GT2050; 185
Device support SL ETler20110; 189
Device support SL ETler2050; 185
Device support SL GTler20110; 189
Device support SL GTler2050; 186
Device support SL2GTK5070; 186
Device support, Modul 45; 106
Device tank RD 2GT40105, double; 199
Device tank RD GT40105, double; 198
Device tank RD GT40105, single; 198
Duct clamp, LKM, duct width 100; 166
Duct clamp, LKM, duct width 150 and 200; 167
Duct clamp, LKM, duct width 80; 166
Duct clamp, LKM, for maintenance of electrical function; 167
E30 - E90
Duct, type WDK 15030; 51
Duct, type WDKH -15030; 124

E

Edge protection ring; 147-148, 150, 153, 155, 157, 159, 161, 163, 165
Edge protection ring KSR 30030; 150
Edge protection ring KSR, for duct type LKM 40060; 155
Edge protection ring KSR, for duct type LKM 60150; 161
End piece; 41, 44, 48, 50, 52, 54, 59-60, 62-63, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97-98, 100, 102, 104, 116, 118, 123, 125, 127, 129, 131, 133, 135, 137, 150, 153, 155, 157, 159, 161, 163, 165, 177, 180, 182, 185, 188-189, 197
End piece RD ESL40105; 197
End piece RD ESR40105; 197
End piece SL ESli20110; 188
End piece SL ESli2050; 177
End piece SL ESli2070; 182
End piece SL ESre20110; 189
End piece SL ESre2070; 182
End piece SLT ESli2050; 180
End piece SLT ESli2070; 185
End piece SLT ESre2050; 180
End piece SLT ESre2070; 185
End piece TRI ES350350; 118
End piece, for duct type LKM 30030; 150
End piece, for duct type LKM 40040; 153
End piece, for duct type LKM 40060; 155
End piece, for duct type LKM 60060; 157
End piece, for duct type LKM 60100; 159
End piece, for duct type LKM 60150; 161
End piece, for duct type LKM 60200; 163
End piece, for duct type LKM 80080; 165
End piece, for duct type WDK 100130; 102
End piece, for duct type WDK 10020; 63
End piece, for duct type WDK 100230; 104
End piece, for duct type WDK 10030; 41
End piece, for duct type WDK 15015; 50
End piece, for duct type WDK 15030; 52
End piece, for duct type WDK 15040; 54
End piece, for duct type WDK 20020; 59
End piece, for duct type WDK 20035; 60
End piece, for duct type WDK 20050; 62
End piece, for duct type WDK 25025; 67
End piece, for duct type WDK 25040; 69
End piece, for duct type WDK 30030; 71
End piece, for duct type WDK 30045; 73
End piece, for duct type WDK 40040; 75
End piece, for duct type WDK 40060; 77
End piece, for duct type WDK 40090; 79
End piece, for duct type WDK 40110; 81
End piece, for duct type WDK 60060; 83
End piece, for duct type WDK 60090; 85
End piece, for duct type WDK 60110; 87
End piece, for duct type WDK 60130; 89
End piece, for duct type WDK 60150; 91
End piece, for duct type WDK 60170; 93
End piece, for duct type WDK 60210; 95
End piece, for duct type WDK 60230; 97
End piece, for duct type WDK 80170; 98
End piece, for duct type WDK 80210; 100
End piece, for duct type WDKH 100202; 123
End piece, for duct type WDKH 15030; 125
End piece, for duct type WDKH 20020; 127
End piece, for duct type WDKH 30045; 129
End piece, for duct type WDKH 40060; 131
End piece, for duct type WDKH 60090; 133
End piece, for duct type WDKH 60110; 135
End piece, for duct type WDKH 60150; 137
External corner cover; 53, 63-64, 122, 128, 130
External corner cover, for duct type WDKH 10020; 122
External corner cover, for duct type WDKH 40060; 130
External corner cover, for trunking type WDK 10020; 63-64
External corner cover, for trunking type WDKH 30045; 128

External corner hood; 40, 43, 46-47, 51, 58, 61, 66, 69-70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 124, 126, 132, 134, 136
External corner hood, for duct type WDK 10030; 40
External corner hood, for duct type WDK 15030; 51
External corner hood, for duct type WDK 20020; 58
External corner hood, for duct type WDK 20050; 61
External corner hood, for duct type WDK 25025; 66
External corner hood, for duct type WDK 25040; 69
External corner hood, for duct type WDK 30030; 70
External corner hood, for duct type WDK 30045; 72
External corner hood, for duct type WDK 40040; 74
External corner hood, for duct type WDK 40060; 76
External corner hood, for duct type WDK 40090; 78
External corner hood, for duct type WDK 40110; 80
External corner hood, for duct type WDK 60060; 82
External corner hood, for duct type WDK 60090; 84
External corner hood, for duct type WDK 60110; 86
External corner hood, for duct type WDK 60130; 88
External corner hood, for duct type WDK 60150; 90
External corner hood, for duct type WDK 60170; 92
External corner hood, for duct type WDK 60210; 94
External corner hood, for duct type WDK 60230; 96
External corner hood, for duct type WDKH 15030; 124
External corner hood, for duct type WDKH 20020; 126
External corner hood, for duct type WDKH 60090; 132
External corner hood, for duct type WDKH 60110; 134
External corner hood, for duct type WDKH 60150; 136
External corner RD, AE40105; 196
External corner SL AE20110; 188
External corner SL AE2050; 177
External corner SL AE2070; 182
External corner SLL AE2050; 179
External corner SLL AE2070; 184
External corner, for duct type LKM 40040; 152
External corner, for duct type LKM 40060; 154
External corner, for duct type LKM 60060; 156
External corner, for duct type LKM 60100; 158
External corner, for duct type LKM 60150; 160
External corner, for duct type LKM 60200; 162
External corner, for duct type LKM 80080; 164
External corner, trunking type WDK 100130; 102
External corner, trunking type WDK 80170; 98

F

Flat angle cover; 44, 47, 54, 63-64, 81, 97
Flat angle cover, for duct type WDK 60230; 97
Flat angle cover, for trunking type WDK 10020; 63-64
Flat angle cover, for trunking type WDK 40110; 81
Flat angle hood, for duct type WDK 10030; 40
Flat angle hood, for duct type WDK 15030; 52
Flat angle hood, for duct type WDK 20020; 59
Flat angle hood, for duct type WDK 20050; 62
Flat angle hood, for duct type WDK 25025; 66
Flat angle hood, for duct type WDK 25040; 69
Flat angle hood, for duct type WDK 30030; 70
Flat angle hood, for duct type WDK 30045; 72
Flat angle hood, for duct type WDK 40040; 74
Flat angle hood, for duct type WDK 40060; 76
Flat angle hood, for duct type WDK 40090; 79
Flat angle hood, for duct type WDK 60060; 82
Flat angle hood, for duct type WDK 60090; 85
Flat angle hood, for duct type WDK 60110; 87
Flat angle hood, for duct type WDK 60130; 88
Flat angle hood, for duct type WDK 60150; 90
Flat angle hood, for duct type WDK 60170; 92
Flat angle hood, for duct type WDK 60210; 94
Flat angle hood, for duct type WDKH 15030; 125
Flat angle hood, for duct type WDKH 20020; 126
Flat angle hood, for duct type WDKH 30045; 128
Flat angle hood, for duct type WDKH 40060; 130
Flat angle hood, for duct type WDKH 60090; 132
Flat angle hood, for duct type WDKH 60110; 134
Flat angle hood, for duct type WDKH 60150; 136
Flat angle hood, for trunking type WDKH 10020; 123
Flat angle, for duct type LKM 40040; 153
Flat angle, for duct type LKM 40060; 155
Flat angle, for duct type LKM 60060; 157
Flat angle, for duct type LKM 60100; 159
Flat angle, for duct type LKM 60150; 161
Flat angle, for duct type LKM 60200; 163
Flat angle, for duct type LKM 80080; 165
Flat angle, trunking type WDK 100130; 103
Flat angle, trunking type WDK 80170; 99
Flat angle, trunking type WDK 80210; 100
Floor trunking, type 2650; 200
Front cover; 116

H

Hat profile rail, perforated; 251
Hat profile rail, unperforated; 251
Heating pipe support RD DUO HRT 2 20; 198

I

Identification plate; 250
Insulating foam RD DUO ISO; 198
Internal corner cover; 43, 46, 53, 99-100, 103-104
Internal corner cover, trunking type WDK 100130; 103
Internal corner cover, trunking type WDK 100230; 104
Internal corner cover, trunking type WDK 80170; 99
Internal corner cover, trunking type WDK 80210; 100
Internal corner hood, for duct type WDK 10030; 40
Internal corner hood, for duct type WDK 15030; 51
Internal corner hood, for duct type WDK 20020; 58
Internal corner hood, for duct type WDK 20050; 61
Internal corner hood, for duct type WDK 25025; 66
Internal corner hood, for duct type WDK 25040; 68
Internal corner hood, for duct type WDK 30030; 70
Internal corner hood, for duct type WDK 30045; 72
Internal corner hood, for duct type WDK 40040; 74
Internal corner hood, for duct type WDK 40060; 76
Internal corner hood, for duct type WDK 40090; 78
Internal corner hood, for duct type WDK 40110; 80
Internal corner hood, for duct type WDK 60060; 82
Internal corner hood, for duct type WDK 60090; 84
Internal corner hood, for duct type WDK 60110; 86
Internal corner hood, for duct type WDK 60130; 88
Internal corner hood, for duct type WDK 60150; 90
Internal corner hood, for duct type WDK 60170; 92
Internal corner hood, for duct type WDK 60210; 94
Internal corner hood, for duct type WDK 60230; 96
Internal corner hood, for duct type WDKH 10020; 122
Internal corner hood, for duct type WDKH 15030; 124
Internal corner hood, for duct type WDKH 20020; 126
Internal corner hood, for duct type WDKH 30045; 128
Internal corner hood, for duct type WDKH 40060; 130
Internal corner hood, for duct type WDKH 60090; 132
Internal corner hood, for duct type WDKH 60110; 134
Internal corner hood, for duct type WDKH 60150; 136
Internal corner hood, for trunking type WDK 10020; 63-64
Internal corner RD IE40105; 196

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Alphabetical table of contents

Internal corner SL IE20110; 188
Internal corner SL IE2050; 177
Internal corner SL IE2070; 182
Internal corner SLL IE2050; 179
Internal corner SLL IE2070; 184
Internal corner TRI IE350350; 118
Internal corner TRI IE500500; 119
Internal corner, for duct type LKM 40040; 152
Internal corner, for duct type LKM 40060; 154
Internal corner, for duct type LKM 60060; 156
Internal corner, for duct type LKM 60100; 158
Internal corner, for duct type LKM 60150; 160
Internal corner, for duct type LKM 60200; 162
Internal corner, for duct type LKM 80080; 164

J

Joint connector; 147-148, 150, 152, 154, 156, 158, 160, 162, 164
Joint connector LKM SV20; 147
Joint connector, for duct type LKM 800; 164
Joint connector, for duct, type LKM 600; 156
Joint connector, for ducts, type LKM 400; 152, 154
Joint cover; 40, 43, 46, 51, 53, 61, 63-64, 68, 78, 80, 84, 86
Joint cover, for trunking, type WDK 15030; 63-64

K

KM/TWS55 partition; 166
Knock-in anchor; 115
KSR 20020 edge protection ring; 147
KSR edge protection ring, for duct type LKM 40040; 153
KSR edge protection ring, for duct type LKM 60060; 157
KSR edge protection ring, for duct type LKM 60100; 159
KSR edge protection ring, for duct type LKM 60200; 163
KSR edge protection ring, for duct type LKM 80080; 165

L

LKM cable bracket, duct width 100; 167
LKM cable bracket, duct width 150; 167
LKM cable bracket, duct width 200; 168
LKM cable bracket, duct width 60; 167
LKM SV30 joint connector; 148, 150
LKM TWS45 partition; 166

M

Mini duct with adhesive film and hinge cover MD17; 38
Mini duct with adhesive film and hinged cover MD12; 37
Mini trunking with adhesive film and hinge cover MD12; 36-37
Mini trunking with adhesive film and hinge cover MD17; 36, 38
Mini trunking with adhesive film and hinge cover MD4; 36-37
Mini trunking with adhesive film and hinge cover MD7; 36-37
Mounting aid for WDK trunking; 115

P

Partition for trunking height 100 mm; 107
Partition for trunking height 40 mm; 107
Partition for trunking height 60 mm; 107
Partition for trunking height 80 mm; 107
Partition LKM/TWS75; 166
Partition, halogen-free 40; 138
Partition, halogen-free 60; 138
Pipe adapter Trunking on pipe 19 mm; 48
Pipe adapter Trunking on pipe 20 mm; 48
Pipe adapter, trunking to pipe, 16 mm; 48
Plastic rivet tool; 249

R

Release pliers; 250

S

Shears for WDK trunking, mitre cut; 115
Shears for WDK trunking, straight cut; 115
Side closure, device tank SL GTSA2050; 187
Skirting trunking RD 40105; 196
Skirting trunking SL 20110; 188
Skirting trunking SL 2050; 177
Skirting trunking SL 2070; 182
Skirting trunking SLL 2050; 179
Skirting trunking SLL 2070; 184
Skirting trunking SLT 2050; 180
Skirting trunking SLT 2070; 185
SL ESre2050 end piece; 177
Spacer; 250
Spreading rivet, KSN 1; 249
Spreading rivet, KSN 22; 249
Support rail, perforated; 252
Support rail, unperforated; 251

T

T and intersection cover; 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95-96, 130, 132, 134, 136
T piece cover; 41, 44, 52, 54, 59, 62, 65, 67, 69, 71, 73, 125-126, 128
T piece hood; 47, 123
T piece, for duct type LKM 40040; 152
T piece, for duct type LKM 40060; 154
T piece, for duct type LKM 60060; 156
T piece, for duct type LKM 60100; 158
T piece, for duct type LKM 60150; 160
T piece, for duct type LKM 60200; 162
T piece, for duct type LKM 80080; 164
T piece, for trunking type WDK 100130; 102-103
T piece, for trunking type WDK 100230; 104
T piece, for trunking type WDK 80170; 98-99
T piece, for trunking type WDK 80210; 100
T-piece hood; 47, 123
Transition piece TRI C 35-16; 118
Transition piece TRI C 35-50; 119
Trunking coupling RD Kup40105; 198
Trunking cover RD OT40105; 196
Trunking cover RDL OT40105; 196
Trunking retaining clip VDK HF KHUni; 232
Trunking, type LKM 20020; 147
Trunking, type LKM 20030; 148
Trunking, type LKM 30030; 150
Trunking, type LKM 40040; 152
Trunking, type LKM 40060; 154
Trunking, type LKM 60060; 156
Trunking, type LKM 60100; 158
Trunking, type LKM 60150; 160
Trunking, type LKM 60200; 162
Trunking, type LKM 80080; 164
Trunking, type WDK 100130; 102
Trunking, type WDK 10020; 62, 64
Trunking, type WDK 100230; 104
Trunking, type WDK 10030; 40
Trunking, type WDK 12022; 42-43
Trunking, type WDK 13025; 46
Trunking, type WDK 15015; 50
Trunking, type WDK 15030; 51, 63-64
Trunking, type WDK 15040; 53

Trunking, type WDK 20020 with adhesive film; 58
Trunking, type WDK 20020 with base perforation; 58
Trunking, type WDK 20035; 60
Trunking, type WDK 20050; 61
Trunking, type WDK 25025; 66
Trunking, type WDK 25040; 68
Trunking, type WDK 30030; 70
Trunking, type WDK 30045; 72
Trunking, type WDK 40040; 74
Trunking, type WDK 40060; 76
Trunking, type WDK 40090; 78
Trunking, type WDK 40110; 80
Trunking, type WDK 60060; 82
Trunking, type WDK 60090; 84
Trunking, type WDK 60110; 86
Trunking, type WDK 60130; 88
Trunking, type WDK 60150; 90
Trunking, type WDK 60170; 92
Trunking, type WDK 60210; 94
Trunking, type WDK 60230; 96
Trunking, type WDK 80170; 98
Trunking, type WDK 80210; 100
Trunking, type WDK-H 10020; 122
Trunking, type WDKH 40060; 130
Trunking, type WDKH-15030; 124
Trunking, type WDKH-20020; 126
Trunking, type WDKH-30045; 128
Trunking, type WDKH-60090; 132
Trunking, type WDKH-60110; 134
Trunking, type WDKH-60150; 136
Trunking, type WDK-N 20050; 61
Trunking, type WDK-N 25040; 68

W

Washer; 252
WDK CEE device socket; 106
WDK CEE intermediate flange 32 A; 106
WDK cover clip for duct width 110 mm; 113, 139
WDK cover clip for duct width 130 mm; 114, 139
WDK cover clip for duct width 150 mm; 114, 140
WDK cover clip for duct width 170 mm; 114, 140
WDK cover clip for duct width 210 mm; 114, 140
WDK cover clip for duct width 230 mm; 114, 140
WDK cover clip for duct width 90 mm; 113, 139
WDK cover clip for trunking width 60 mm; 113, 139
WDK cover for double accessory mounting box, duct; 109
height 130 mm
WDK cover for double accessory mounting box, duct; 109
height 150 mm
WDK cover for double accessory mounting box, duct; 109
height 170 mm
WDK cover for double accessory mounting box, duct; 109
height 210 mm
WDK cover for double accessory mounting box,; 108-109
trunking height 110 mm
WDK cover for duct width 110 mm; 111
WDK cover for duct width 130 mm; 111
WDK cover for duct width 150 mm; 111
WDK cover for duct width 170 mm; 111
WDK cover for duct width 210 mm; 112
WDK cover for duct width 230 mm; 112
WDK cover for duct width 60 mm; 110
WDK cover for duct width 90 mm; 111
WDK cover for single accessory mounting box,; 108, 112
trunking height 170 mm
WDK cover for triple accessory mounting box, duct; 110
height 170 mm
WDK cover for trunking width 40 mm; 110
WDK device socket, type 2390; 106
WDKH cover clip, halogen-free 110; 113, 138
WDKH cover clip, halogen-free 150; 113, 139
WDKH cover clip, halogen-free 60; 112, 138
WDKH cover clip, halogen-free 90; 112, 138
Wire retainer for type LK4 and LK4/N; 248
Wire retainer for type LKV and LKV/N; 248
Wire retainer for type LKV/H; 248
Wiring trunking HF-METRA 100, trunking width 100; 230
Wiring trunking HF-METRA 100, trunking width 40; 230
Wiring trunking HF-METRA 100, trunking width 60; 230
Wiring trunking HF-METRA 100, trunking width 80; 230
Wiring trunking HF-METRA 30, trunking width 30; 226
Wiring trunking HF-METRA 40, trunking width 25; 226
Wiring trunking HF-METRA 40, trunking width 40; 226
Wiring trunking HF-METRA 40, trunking width 60; 226
Wiring trunking HF-METRA 60, trunking width 25; 227
Wiring trunking HF-METRA 60, trunking width 40; 227
Wiring trunking HF-METRA 60, trunking width 60; 227
Wiring trunking HF-METRA 60, trunking width 80; 227
Wiring trunking HF-METRA 80, trunking width 100; 229
Wiring trunking HF-METRA 80, trunking width 120; 229
Wiring trunking HF-METRA 80, trunking width 25; 228
Wiring trunking HF-METRA 80, trunking width 40; 228
Wiring trunking HF-METRA 80, trunking width 60; 228
Wiring trunking HF-METRA 80, trunking width 80; 228
Wiring trunking VF 10, flexible; 254
Wiring trunking VF 20, flexible; 254
Wiring trunking VF 30, flexible; 254
Wiring trunking VF 40, flexible; 254
Wiring trunking, type 100100; 238, 241
Wiring trunking, type 10037; 237, 240
Wiring trunking, type 10050; 237, 240
Wiring trunking, type 10075; 237, 241
Wiring trunking, type 25025; 234
Wiring trunking, type 37025; 234
Wiring trunking, type 37037; 234
Wiring trunking, type 50025; 234
Wiring trunking, type 50037; 235, 244
Wiring trunking, type 50050; 235, 244
Wiring trunking, type 50075; 235, 244
Wiring trunking, type 75025; 235, 239
Wiring trunking, type 75037; 236, 239, 244
Wiring trunking, type 75050; 236, 239, 245
Wiring trunking, type 75075; 236, 239, 245
Wiring trunking, type 75100; 236, 240, 245
Wiring trunking, type 75125; 237, 240, 245
Wiring trunking, type LK4 15015; 214
Wiring trunking, type LK4 30015; 214
Wiring trunking, type LK4 30025; 214
Wiring trunking, type LK4 40025; 214
Wiring trunking, type LK4 40040; 215
Wiring trunking, type LK4 40060; 215
Wiring trunking, type LK4 40080; 215
Wiring trunking, type LK4 40100; 215
Wiring trunking, type LK4 60015; 216
Wiring trunking, type LK4 60025; 216
Wiring trunking, type LK4 60040; 216
Wiring trunking, type LK4 60060; 216
Wiring trunking, type LK4 60080; 217
Wiring trunking, type LK4 60100; 217
Wiring trunking, type LK4 60120; 217
Wiring trunking, type LK4 80025; 217
Wiring trunking, type LK4 80040; 218

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Alphabetical table of contents

Wiring trunking, type LK4 80060; 218
Wiring trunking, type LK4 80080; 218
Wiring trunking, type LK4 80100; 218
Wiring trunking, type LK4 80120; 219
Wiring trunking, type LK4/N 60015; 220
Wiring trunking, type LK4/N 60025; 220
Wiring trunking, type LK4/N 60040; 220
Wiring trunking, type LK4/N 60060; 220
Wiring trunking, type LK4/N 60080; 221
Wiring trunking, type LK4/N 60100; 221
Wiring trunking, type LK4/N 60120; 221
Wiring trunking, type LK4/N 80025; 221
Wiring trunking, type LK4/N 80040; 222
Wiring trunking, type LK4/N 80060; 222
Wiring trunking, type LK4/N 80080; 222
Wiring trunking, type LK4/N 80100; 222
Wiring trunking, type LK4/N 80120; 223

Numeric directory

GTIN	Item no.	Page
	price/100	
5044291	**1115057**	251
5044352	**1115065**	252
5044895	**1115456**	251
5045434	**1115650**	251
5045496	**1115669**	251
	/100 pc.	
5669197	**2351056**	115
	price/m	
6362530	**6020801**	200
6016273	**6020887**	76
6016334	**6020895**	78
6016396	**6020909**	80
6016877	**6021018**	78
7005177	**6021023**	78
	price/m	
6016990	**6021034**	80
	/pc.	
6017171	**6021093**	78
6017652	**6021190**	78
6018253	**6021336**	79
6018857	**6021492**	77
6018918	**6021506**	79
6018970	**6021514**	81
6019212	**6021697**	76
6019274	**6021700**	80
6019335	**6021719**	76
6019397	**6021727**	80
6019458	**6021735**	76
6019519	**6021743**	81
	price/m	
6019816	**6021840**	86
6019878	**6021859**	88
6019939	**6021867**	92
6019991	**6021875**	94
6637577	**6021883**	90
6638956	**6021891**	96
6020119	**6021913**	84
6020171	**6021948**	82
6020232	**6022006**	84
6020294	**6022014**	86
6020355	**6022022**	88
6637515	**6022030**	90
6020416	**6022049**	92
6638895	**6022057**	96
6020478	**6022065**	94
	/pc.	
6020539	**6022073**	82
6020713	**6022111**	84
6020836	**6022146**	86
6020959	**6022162**	88
6021079	**6022189**	92
6021130	**6022197**	94
6021253	**6022219**	84
6021376	**6022235**	86
6021499	**6022251**	88
6021611	**6022286**	92
6021673	**6022294**	94
6021796	**6022316**	85
6021918	**6022332**	87
6022038	**6022359**	88
6022151	**6022375**	92
6022212	**6022383**	82
6022274	**6022391**	94
6022519	**6022448**	82
6022694	**6022499**	83
6022755	**6022502**	85
6022816	**6022529**	89
6022878	**6022545**	93
6022939	**6022561**	95
6022991	**6022588**	87
	price/m	
6023110	**6022669**	110
6023172	**6022685**	110
6023233	**6022707**	111
6023295	**6022715**	116
6023356	**6022723**	111
6637690	**6022731**	111
6023417	**6022758**	116
6023479	**6022774**	112

GTIN	Item no.	Page
	/100 pc.	
6023776	**6022995**	113
	/pc.	
6023837	**6023002**	85
6023950	**6023029**	87
6024070	**6023045**	89
6024193	**6023061**	93
	price/m	
6024315	**6023096**	107
6024377	**6023118**	107
	/pc.	
6024438	**6023126**	95
6024551	**6023142**	79
6024919	**6023207**	106
6025039	**6023223**	83
6025459	**6023312**	77
6025572	**6023339**	81
	/100 pc.	
6026111	**6023509**	113
6026173	**6023517**	113
6026234	**6023525**	114
6637874	**6023533**	114
6026296	**6023541**	114
6026357	**6023576**	114
6639250	**6023584**	114
	/pc.	
6027132	**6024009**	106
6027255	**6024025**	106
6027316	**6024033**	106
	/100 pc.	
5787235	**6024070**	115
	/pc.	
6027439	**6024106**	107
6638116	**6024432**	90
6639496	**6024440**	96
7250720	**6024468**	102
7250706	**6024476**	102
7250744	**6024484**	102
7250768	**6024506**	102
	/pc.	
6638291	**6024521**	90
6639670	**6024548**	96
7250829	**6024573**	102
7250805	**6024581**	102
	/pc.	
6638475	**6024599**	90
6639854	**6024602**	97
7250843	**6024611**	102
7250867	**6024630**	102
7250522	**6024654**	98
7250508	**6024689**	98
	/pc.	
6638659	**6024769**	91
6640034	**6024777**	96
6637935	**6024823**	91
6639311	**6024831**	97
6028214	**6024858**	98
6028276	**6024874**	100
6028337	**6024882**	102
6651375	**6024904**	104
	price/m	
6667338	**6024947**	50
7005054	**6024949**	50
	price/m	
6642250	**6024955**	50
6642311	**6024963**	50
6642373	**6024971**	50
6332779	**6025005**	51
6332830	**6025013**	51
6332892	**6025021**	51
6794539	**6025048**	51
6667390	**6025102**	58
6028399	**6025110**	58
6028450	**6025129**	58
6028511	**6025137**	53
6028573	**6025153**	58
7005085	**6025155**	58
	price/m	
6028634	**6025161**	53
6028870	**6025412**	74
6028931	**6025420**	74

GTIN	Item no.	Page
	price/m	
6028993	**6025447**	74
6029051	**6025617**	76
6029112	**6025633**	76
7005146	**6025638**	76
	price/m	
6029174	**6025668**	82
6029778	**6026176**	98
6029839	**6026184**	98
6029891	**6026192**	100
6029952	**6026206**	100
6030132	**6026273**	102
6030194	**6026281**	102
6642076	**6026311**	104
6642137	**6026338**	104
6667451	**6026354**	60
6642793	**6026362**	60
6642854	**6026370**	60
6667512	**6026400**	66
6030255	**6026419**	66
6030316	**6026427**	66
6030439	**6026443**	68
6030491	**6026451**	68
6794591	**6026486**	68
7005115	**6026488**	68
	price/m	
6667574	**6026796**	70
6332953	**6026818**	70
6333011	**6026826**	70
6333073	**6026834**	70
6667635	**6026842**	72
6640874	**6026850**	72
6640935	**6026869**	72
6030675	**6026982**	107
6030736	**6026990**	107
6667697	**6027016**	74
6667758	**6027024**	76
6667819	**6027032**	78
6667871	**6027040**	80
6667994	**6027105**	82
6668052	**6027113**	84
6668113	**6027121**	86
6668175	**6027148**	88
6668236	**6027156**	90
6668298	**6027164**	92
6668359	**6027172**	94
6668410	**6027180**	96
6668472	**6027229**	98
6668533	**6027237**	100
6668595	**6027245**	102
6668656	**6027253**	104
6642878	**6027300**	43
6642885	**6027301**	43
	price/m	
5396703	**6027318**	64
7005023	**6027321**	62
	price/m	
5164210	**6027325**	51
5164227	**6027335**	53
5164265	**6027360**	58
5773399	**6027372**	66
7005207	**6027374**	64
	price/m	
6639137	**6027504**	112
6030859	**6027601**	110
6030972	**6027636**	111
6031030	**6027644**	111
6031092	**6027652**	111
6031153	**6027660**	110
6031214	**6027679**	111
6031276	**6027687**	112
6669134	**6028136**	110
6669257	**6028152**	116
6773893	**6028187**	116
	/pc.	
6628216	**6028403**	115
6628278	**6028411**	115
7249854	**6028430**	115
6723195	**6131152**	118
6723201	**6131153**	118

GTIN	Item no.	Page
6723218	**6131154**	118
6723225	**6131155**	118
6723232	**6131162**	119
6723249	**6131163**	119
6723256	**6131164**	119
6723263	**6131165**	119
6738519	**6131171**	118
6723270	**6131172**	119
6723294	**6131179**	118
6723300	**6131182**	118
6723317	**6131185**	119
6738526	**6131190**	118
6738533	**6131191**	119
6822287	**6131377**	56
6822294	**6131380**	56
6730810	**6132150**	178
6748327	**6132157**	178
6748334	**6132158**	178
6748358	**6132159**	178
6727575	**6132160**	196
6727582	**6132161**	196
6723393	**6132164**	196
6723409	**6132165**	196
6723508	**6132166**	196
6724284	**6132167**	197
6724291	**6132168**	197
6724307	**6132169**	197
6724314	**6132170**	198
6724321	**6132171**	198
6724338	**6132172**	198
6725281	**6132173**	198
6725298	**6132174**	198
6725304	**6132175**	198
6725311	**6132176**	198
6725328	**6132177**	198
6732869	**6132178**	186
6732876	**6132179**	186
6726615	**6132190**	196
6726639	**6132193**	177
6726646	**6132195**	187
6726424	**6132197**	187
6726431	**6132199**	187
6719211	**6132201**	177
6719235	**6132205**	196
6719969	**6132207**	188
6719976	**6132208**	182
6719990	**6132211**	179
6720002	**6132212**	179
6720019	**6132214**	184
6720026	**6132215**	184
6720033	**6132217**	180
6720040	**6132218**	180
6720590	**6132221**	185
6720606	**6132222**	185
6719822	**6132223**	186
6719839	**6132224**	186
6720613	**6132225**	178
6720620	**6132226**	178
6719846	**6132229**	186
6720644	**6132230**	183
6719853	**6132231**	183
6719860	**6132232**	183
6726448	**6132234**	187
6719884	**6132235**	189
6719891	**6132236**	189
6720057	**6132237**	185
6720651	**6132238**	185
6720668	**6132239**	185
6720064	**6132240**	179
6720675	**6132241**	179
6720682	**6132242**	189
6720699	**6132243**	184
6720705	**6132244**	184
6720712	**6132245**	185
6720729	**6132246**	185
6720736	**6132247**	185
6720743	**6132248**	177
6726455	**6132249**	177
6726462	**6132250**	189
6720750	**6132252**	187
6720767	**6132253**	182
6726486	**6132254**	182
6726493	**6132255**	182

GTIN	Item no.	Page
6720781	**6132258**	187
6726653	**6132259**	188
6720798	**6132260**	179
6726660	**6132261**	179
6720804	**6132262**	184
6720811	**6132263**	184
6720835	**6132264**	196
6726677	**6132265**	177
6726684	**6132266**	177
6727599	**6132267**	182
6720842	**6132269**	182
6727612	**6132270**	182
6727629	**6132271**	182
6720859	**6132272**	182
6723416	**6132274**	188
6720866	**6132275**	188
6719914	**6132277**	177
6723423	**6132278**	177
6719921	**6132280**	196
6723447	**6132281**	182
6723454	**6132282**	182
6723461	**6132283**	182
6719945	**6132285**	197
6724345	**6132286**	189
6724352	**6132288**	180
6724369	**6132289**	180
6724376	**6132291**	185
6724383	**6132293**	177
6724390	**6132294**	177
6720071	**6132296**	182
6725366	**6132297**	182
6725373	**6132298**	182
6725380	**6132300**	188
6725397	**6132302**	180
6725403	**6132303**	180
6733446	**6132304**	199
6726509	**6132305**	185
6726516	**6132306**	185
6730872	**6132308**	178
6793983	**6132320**	185
6718856	**6132540**	226
6718863	**6132544**	226
6718870	**6132546**	226
6719044	**6132548**	226
6719051	**6132550**	227
6719242	**6132552**	227
6719259	**6132554**	227
6719266	**6132556**	227
6719273	**6132560**	228
6719280	**6132562**	228
6719297	**6132564**	228
6719303	**6132566**	228
6719310	**6132568**	229
6734078	**6132569**	229
6719327	**6132570**	230
6719334	**6132572**	230
6719341	**6132574**	230
6719358	**6132576**	230
6719365	**6132580**	231
6728602	**6132582**	231
6719372	**6132584**	231
6734092	**6132585**	231
6719389	**6132586**	231
6734139	**6132594**	232
6727698	**6132600**	254
6727704	**6132601**	254
6727711	**6132603**	254
6727728	**6132604**	254
6727735	**6132606**	254
6727742	**6132607**	254
6727759	**6132609**	254
6727766	**6132610**	254
	price/m	
6097579	**6150152**	37
6097630	**6150160**	37
6097692	**6150179**	37
6097753	**6150187**	38
6493159	**6150268**	36
6493098	**6150276**	36
6493036	**6150284**	36
6492978	**6150292**	36
5154495	**6150326**	37
5154501	**6150330**	37

GTIN	Item no.	Page
	price/m	
5154549	**6150334**	38
6507191	**6150632**	68
6975686	**6150640**	68
6615766	**6150702**	42
6623846	**6150703**	42
	price/m	
6098170	**6150756**	62
6492251	**6150764**	62
6508037	**6150772**	40
6491773	**6150780**	40
	/pc.	
6098293	**6152007**	64
6098354	**6152015**	40
6507610	**6152031**	51
6098477	**6152058**	53
6507375	**6152082**	68
6507252	**6152104**	61
6098712	**6152309**	65
6098774	**6152317**	41
6507795	**6152384**	62
6099139	**6152600**	64
6099191	**6152619**	40
6507733	**6152686**	62
6099559	**6153003**	64
6099610	**6153011**	40
6507917	**6153089**	61
6099979	**6153291**	64
6804498	**6153305**	40
6507856	**6153372**	61
6100392	**6153593**	63
6100453	**6153607**	41
6507672	**6153674**	62
6492138	**6154026**	63
6491650	**6154034**	40
6615773	**6154042**	43
	/pc.	
6974481	**6154069**	61
6491957	**6154115**	65
6491476	**6154123**	41
6615803	**6154132**	44
	/pc.	
6493272	**6154166**	62
6491896	**6154212**	63
6491414	**6154220**	40
6615810	**6154232**	44
	/pc.	
6493333	**6154255**	62
6492077	**6154328**	63
6491599	**6154336**	40
6615780	**6154342**	43
	/pc.	
6974542	**6154360**	61
6492015	**6154417**	63
6491537	**6154425**	40
6615797	**6154432**	43
	/pc.	
6493210	**6154468**	61
6491834	**6154514**	63
6491353	**6154522**	41
6615827	**6154532**	44
	/pc.	
6493395	**6154557**	62
6617296	**6154893**	106
	/pc.	
6543199	**6156207**	116
6543137	**6156223**	116
6543076	**6156231**	116
6577576	**6158226**	58
6577750	**6158234**	51
6577934	**6158242**	53
6578115	**6158250**	66
6578290	**6158269**	68
6578658	**6158285**	70
6578832	**6158293**	74
6641352	**6158307**	72
6578955	**6158331**	58
6579136	**6158358**	51
6579310	**6158366**	53

GTIN	Item no.	Page
	/pc.	
6579495	**6158374**	66
6579679	**6158382**	69
6580033	**6158404**	70
6580217	**6158412**	74
6641536	**6158420**	72
6580392	**6158455**	59
6580576	**6158463**	52
6580750	**6158471**	54
6580934	**6158498**	67
6581115	**6158501**	69
6581474	**6158536**	71
6581658	**6158544**	75
6641895	**6158552**	73
6581832	**6158587**	59
6582013	**6158595**	52
6582198	**6158609**	54
6582372	**6158617**	66
6582556	**6158625**	69
6582914	**6158641**	70
6583096	**6158668**	74
6641710	**6158676**	72
6642618	**6158692**	50
6434473	**6158706**	59
6434534	**6158714**	52
6434596	**6158722**	54
6434657	**6158730**	67
6434718	**6158749**	69
6584178	**6158765**	71
6583270	**6158773**	75
6643158	**6158781**	60
6434831	**6158803**	73
6507559	**6158838**	51
6507498	**6158846**	53
6507436	**6158889**	68
6103997	**6159370**	108
6577637	**6160018**	58
6577811	**6160026**	51
6577996	**6160034**	53
6578177	**6160042**	66
6578351	**6160050**	68
6578719	**6160077**	70
6641413	**6160085**	72
6584598	**6160093**	74
6105915	**6160107**	76
6105977	**6160115**	78
6106035	**6160123**	80
6106271	**6160301**	82
6106332	**6160328**	84
6106394	**6160336**	86
6106455	**6160344**	88
6106516	**6160352**	92
6106578	**6160360**	94
6638178	**6160379**	90
6639557	**6160395**	96
7250546	**6160485**	98
7250560	**6160493**	98
7250621	**6160550**	98
	/pc.	
6579013	**6160603**	58
6579198	**6160611**	51
6579372	**6160638**	53
6579556	**6160646**	66
6579730	**6160654**	69
6580095	**6160670**	70
6641598	**6160689**	72
6580279	**6160697**	74
6106813	**6160700**	76
6106875	**6160719**	78
6106936	**6160727**	80
6107179	**6160905**	82
6107230	**6160913**	84
6107292	**6160921**	86
6107353	**6160948**	88
6107414	**6160956**	92
6107476	**6160964**	94
6638352	**6160972**	90
6639731	**6160980**	96
7250607	**6161104**	98
7250645	**6161112**	98
7250669	**6161155**	98

GTIN	Item no.	Page
	/pc.	
6581894	**6161200**	59
6582075	**6161219**	52
6582259	**6161227**	54
6582433	**6161235**	66
6582617	**6161243**	69
6582976	**6161278**	70
6641772	**6161286**	72
6583157	**6161294**	74
6107711	**6161308**	76
6107773	**6161316**	79
6107834	**6161324**	81
6108077	**6161502**	82
6108138	**6161510**	85
6108190	**6161529**	87
6108251	**6161537**	88
6108312	**6161545**	92
6108374	**6161553**	94
6638536	**6161561**	90
6639915	**6161596**	97
7251123	**6161708**	103
7251109	**6161716**	103
7251147	**6161759**	103
7251161	**6161775**	103
	/pc.	
6580453	**6161901**	59
6580637	**6161928**	52
6580811	**6161936**	54
6580996	**6161944**	67
6581177	**6161952**	69
6581535	**6161979**	71
6641956	**6161987**	73
6581719	**6161995**	75
6108619	**6162002**	77
6108671	**6162010**	79
6108732	**6162029**	81
6108978	**6162207**	83
6109036	**6162215**	85
6109098	**6162223**	87
6109159	**6162231**	89
6109210	**6162258**	93
6109272	**6162266**	95
6638710	**6162274**	91
6640096	**6162290**	96
6643219	**6162487**	60
6642670	**6162495**	50
6583454	**6162509**	59
6583577	**6162517**	52
6583690	**6162525**	54
6583812	**6162533**	67
6583935	**6162541**	69
6584239	**6162576**	71
6641239	**6162584**	73
6583331	**6162592**	75
6109517	**6162606**	77
6109579	**6162614**	79
6109630	**6162622**	81
6109876	**6162800**	83
6109937	**6162819**	85
6109999	**6162827**	87
6110056	**6162835**	89
6110117	**6162843**	93
6110179	**6162851**	95
6637997	**6162878**	91
6639373	**6162886**	97
6110230	**6163009**	98
6110292	**6163017**	100
6110353	**6163041**	102
6651436	**6163076**	104
7251567	**6163090**	103
7251673	**6163092**	103
7251369	**6163094**	99
7251468	**6163096**	99
	price/m	
6438433	**6168701**	61
6438495	**6168728**	61
6801671	**6168736**	61
6802159	**6168744**	61
	/pc.	
6111619	**6169309**	108

GTIN	Item no.	Page
	/pc.	
6111671	**6169317**	108
6111732	**6169325**	112
6782291	**6169368**	109
6111855	**6169376**	108
6111916	**6169384**	109
6782475	**6169422**	110
6112098	**6169430**	109
6112159	**6169449**	110
	price/m	
5933779	**6175375**	122
5933984	**6175377**	122
5933953	**6175390**	124
5933991	**6175392**	124
5812456	**6175400**	126
5812463	**6175405**	128
5812470	**6175410**	130
5812487	**6175415**	132
5812494	**6175420**	134
5812500	**6175425**	136
5933977	**6175457**	124
5817789	**6175460**	126
5817796	**6175463**	128
5817802	**6175466**	130
5817833	**6175469**	132
5817840	**6175472**	134
5817857	**6175475**	136
5812517	**6175500**	138
5812524	**6175504**	138
	/pc.	
5933946	**6175540**	123
5934233	**6175546**	125
5813910	**6175550**	127
5813927	**6175554**	129
5813934	**6175558**	131
5813941	**6175562**	133
5813958	**6175566**	135
5813965	**6175570**	137
5933809	**6175572**	122
5934073	**6175578**	124
5922780	**6175581**	126
5814016	**6175590**	128
5814023	**6175594**	130
5814030	**6175598**	132
5814047	**6175602**	134
5814054	**6175606**	136
5933830	**6175612**	122
5934127	**6175618**	124
5922841	**6175624**	126
5814061	**6175626**	128
5814078	**6175630**	130
5814085	**6175634**	132
5814092	**6175638**	134
5814108	**6175642**	136
5933885	**6175648**	123
5934158	**6175654**	125
5922896	**6175658**	126
5814115	**6175662**	128
5814122	**6175666**	130
5814139	**6175670**	132
5814146	**6175674**	134
5814153	**6175678**	136
5933915	**6175684**	123
5934189	**6175690**	125
5922926	**6175694**	126
5814160	**6175698**	128
5814177	**6175702**	130
5814184	**6175706**	132
5814191	**6175710**	134
5814207	**6175714**	136
5814597	**6175928**	127
5814603	**6175932**	129
5814610	**6175936**	131
5814627	**6175940**	133
5814863	**6175944**	135
5814870	**6175948**	137
5922803	**6175964**	126
5814887	**6175968**	128
5814894	**6175972**	130
5814900	**6175976**	132
5814917	**6175980**	134
5814924	**6175984**	136

GTIN	Item no.	Page
	/pc.	
5922865	**6176000**	126
5814955	**6176004**	128
5814962	**6176008**	130
5814979	**6176012**	132
5814986	**6176016**	134
5815020	**6176020**	136
5922919	**6176036**	126
5815037	**6176040**	128
5815044	**6176044**	130
5815075	**6176048**	132
5815082	**6176052**	134
5815099	**6176056**	136
5922971	**6176072**	126
5815105	**6176076**	128
5815112	**6176080**	130
5815129	**6176084**	132
5815136	**6176088**	134
5815143	**6176092**	136
	/100 pc.	
5817864	**6176122**	112
5817895	**6176125**	112
5817901	**6176128**	113
5817918	**6176131**	113
	price/m	
6000050	**6178001**	214
6000173	**6178003**	214
6000296	**6178005**	214
6000418	**6178010**	214
6000531	**6178012**	215
6000654	**6178014**	215
6000777	**6178016**	215
6000890	**6178018**	215
6001132	**6178026**	216
6001255	**6178028**	216
6001378	**6178031**	216
6001491	**6178033**	216
6001613	**6178035**	217
6001736	**6178037**	217
6001859	**6178039**	217
6002214	**6178050**	217
6002337	**6178052**	218
6002450	**6178054**	218
6002573	**6178056**	218
6002696	**6178059**	218
6002818	**6178061**	219
	/100 pc.	
6008339	**6178092**	248
	price/m	
6004850	**6178201**	220
6004973	**6178203**	220
6005093	**6178205**	220
6005215	**6178207**	220
6005307	**6178209**	221
6005406	**6178211**	221
6005505	**6178213**	221
6005802	**6178225**	221
6005932	**6178227**	222
6006052	**6178229**	222
6006175	**6178231**	222
6006298	**6178233**	222
6006410	**6178236**	223
6009411	**6178302**	234
6009534	**6178305**	234
6009657	**6178307**	234
6009732	**6178310**	234
6009831	**6178312**	235
6009930	**6178314**	235
6010073	**6178316**	235
6010196	**6178320**	235
6010318	**6178322**	236
6010400	**6178324**	236
6010509	**6178326**	236
6010608	**6178328**	236
6010707	**6178330**	237
6010806	**6178334**	237
6010929	**6178336**	237
6011049	**6178338**	237
6011162	**6178341**	238
	/100 pc.	
6011285	**6178349**	248
	price/m	
6013197	**6178420**	239

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Numeric directory

GTIN	Item no.	Page
	price/m	
6013319	**6178422**	239
6013432	**6178424**	239
6013555	**6178426**	239
6013678	**6178428**	240
6013791	**6178430**	240
6013913	**6178435**	240
6014033	**6178437**	240
6014156	**6178439**	241
6015184	**6178441**	241
6040209	**6178480**	223
6040322	**6178482**	223
6040445	**6178484**	223
6040568	**6178486**	223
6040681	**6178488**	224
6040803	**6178490**	224
6040926	**6178492**	224
6041282	**6178504**	241
6041404	**6178506**	241
6041527	**6178508**	242
6041640	**6178510**	242
6041763	**6178512**	242
6041886	**6178514**	242
	/100 pc.	
6014279	**6178520**	249
6337057	**6178525**	249
	/pc.	
6014514	**6178527**	249
6014637	**6178529**	249
6688791	**6178533**	250
	/100 pc.	
6014873	**6178540**	250
6014996	**6178542**	250
6015061	**6178548**	252
	price/m	
5803751	**6178552**	244
5803768	**6178556**	245
5803799	**6178559**	245
5803805	**6178563**	245
5803812	**6178566**	245
5803744	**6178582**	244
5803829	**6178585**	244
5803836	**6178588**	244
	/pc.	
6149100	**6178643**	250
	/100 pc.	
6017829	**6178650**	248
	price/m	
5981459	**6178670**	246
5981466	**6178674**	246
5981473	**6178678**	246
5981480	**6178682**	246
5981497	**6178686**	246
	/pc.	
6674657	**6182011**	58
6674718	**6182062**	66
6674770	**6182097**	70
6674831	**6182100**	72
6674893	**6182119**	74
6674954	**6182127**	76
6675012	**6182135**	78
6675074	**6182143**	80
6675739	**6182194**	82
6675791	**6182208**	84
6675852	**6182216**	86
6675913	**6182224**	88
6675975	**6182232**	90
6676033	**6182240**	92
6676095	**6182259**	94
6676156	**6182267**	96
7251222	**6182314**	103
7251208	**6182349**	103
7251246	**6182365**	103
	/pc.	
6675197	**6182402**	58
6675258	**6182445**	66
6675319	**6182488**	70
6675371	**6182496**	72
6675432	**6182526**	74
6675494	**6182534**	76
6675555	**6182542**	78
6675616	**6182550**	80
6676392	**6182593**	82

GTIN	Item no.	Page
	/pc.	
6676453	**6182607**	84
6676514	**6182615**	86
6676576	**6182623**	88
6676637	**6182631**	90
6676699	**6182658**	92
6676750	**6182666**	94
6676811	**6182674**	96
7251260	**6182713**	103
7250928	**6182748**	99
7250904	**6182764**	99
	/pc.	
6672851	**6182801**	59
6672912	**6182852**	67
6672974	**6182887**	71
6673032	**6182895**	73
6673094	**6182917**	75
6673155	**6182925**	77
6673216	**6182933**	79
6673278	**6182941**	81
6677054	**6183018**	83
6677115	**6183026**	85
6677177	**6183034**	87
6677238	**6183042**	89
6677290	**6183050**	91
6677351	**6183069**	93
6677412	**6183077**	95
6677474	**6183085**	96
6673391	**6183212**	59
6673452	**6183255**	66
6673513	**6183298**	70
6673575	**6183301**	72
6673636	**6183336**	74
6673698	**6183344**	76
6673759	**6183352**	79
6673810	**6183360**	81
6677719	**6183409**	82
6677771	**6183417**	85
6677832	**6183425**	87
6677894	**6183433**	88
6677955	**6183441**	90
6678013	**6183468**	92
6678075	**6183476**	94
6678136	**6183484**	97
7250942	**6183523**	99
7250966	**6183531**	99
7251024	**6183574**	99
	/pc.	
6673933	**6183603**	50
6673995	**6183611**	59
6674053	**6183654**	60
6674114	**6183662**	67
6674176	**6183697**	71
6674237	**6183700**	73
6674299	**6183727**	75
6674350	**6183735**	77
6674411	**6183743**	79
6674473	**6183751**	81
6678372	**6183808**	83
6678433	**6183816**	85
6678495	**6183824**	87
6678556	**6183832**	89
6678617	**6183840**	91
6678679	**6183859**	93
6678730	**6183867**	95
6678792	**6183875**	97
6678853	**6183913**	98
6678914	**6183921**	100
6678976	**6183956**	102
6679034	**6183980**	104
7251505	**6183990**	102
7251604	**6183992**	104
7251307	**6183994**	98
7251406	**6183996**	100
	price/m	
5438939	**6187704**	46
5438946	**6187714**	46
6794058	**6191002**	50
6794119	**6191010**	51
	/pc.	
6406623	**6191013**	51

GTIN	Item no.	Page
	price/m	
6494590	**6191029**	53
6794171	**6191037**	58
6496938	**6191045**	60
6505036	**6191053**	66
6794232	**6191061**	68
6794294	**6191096**	70
6497058	**6191118**	72
6363490	**6191126**	74
6794355	**6191134**	76
6794416	**6191142**	78
6501199	**6191150**	80
6363018	**6191193**	82
6491292	**6191207**	84
6363438	**6191215**	86
6363377	**6191223**	88
6491230	**6191231**	90
6363193	**6191258**	92
6794478	**6191266**	94
6799459	**6191274**	96
5042273	**6191304**	98
5042280	**6191312**	100
5042297	**6191347**	102
5042303	**6191355**	104
6502936	**6191568**	110
6502752	**6191592**	110
6976942	**6191630**	117
6502578	**6191657**	111
6502516	**6191673**	111
6502455	**6191703**	116
6502394	**6191738**	112
	/pc.	
5959359	**6191833**	46
5959342	**6191835**	46
6794652	**6191843**	51
6494651	**6191851**	53
6794713	**6191878**	58
6502219	**6191886**	66
6794775	**6191894**	68
6794836	**6191924**	70
6976829	**6191932**	72
6794898	**6191940**	74
6794959	**6191959**	76
6795017	**6191967**	78
6221110	**6191975**	80
6362950	**6192017**	82
6799879	**6192025**	84
6362776	**6192033**	86
6362479	**6192041**	88
6800056	**6192068**	90
6362233	**6192076**	92
6795079	**6192084**	94
6800896	**6192092**	96
7251000	**6192107**	100
7251048	**6192111**	100
7251062	**6192115**	100
	/pc.	
5959090	**6192139**	47
5959083	**6192141**	46
6795253	**6192149**	51
6494712	**6192157**	53
6795314	**6192165**	58
6504855	**6192173**	66
6795376	**6192181**	69
6795437	**6192211**	70
6497171	**6192238**	72
6795499	**6192246**	74
6795550	**6192254**	76
6795611	**6192262**	78
6220878	**6192270**	80
6360970	**6192319**	82
6801558	**6192327**	84
6354559	**6192335**	86
6353057	**6192343**	88
6492312	**6192351**	90
6351855	**6192378**	92
6795673	**6192386**	94
6492374	**6192394**	96
7250300	**6192417**	103
7250287	**6192421**	103
7250324	**6192425**	103
7250348	**6192429**	103

GTIN	Item no.	Page
	/pc.	
5959137	**6192448**	47
5959113	**6192449**	47
5959120	**6192450**	47
5959106	**6192451**	47
6796212	**6192459**	52
6494774	**6192467**	54
6796274	**6192475**	59
6504978	**6192483**	67
6796335	**6192491**	69
6796397	**6192513**	71
6497232	**6192521**	73
6796458	**6192548**	75
6796519	**6192556**	77
6796571	**6192564**	79
6500833	**6192572**	81
6351794	**6192610**	83
6492435	**6192629**	85
6712519	**6192637**	87
6712571	**6192645**	89
6492497	**6192653**	91
6712632	**6192661**	93
6796632	**6192688**	95
6492558	**6192696**	96
5959151	**6192740**	47
5959144	**6192742**	47
6796694	**6192750**	52
6494835	**6192769**	54
6796755	**6192777**	59
6504916	**6192785**	66
6796816	**6192793**	69
6796878	**6192815**	70
6497294	**6192823**	72
6796939	**6192831**	74
6796991	**6192858**	76
6797059	**6192866**	79
6496990	**6192874**	81
6712694	**6192912**	82
6492619	**6192920**	85
6712755	**6192939**	87
6712816	**6192947**	88
6492671	**6192955**	90
6712878	**6192963**	92
6797110	**6192971**	94
6492732	**6192998**	97
7250423	**6193026**	104
7250386	**6193030**	104
7250447	**6193034**	104
7250102	**6193078**	99
7250072	**6193080**	99
7250461	**6193081**	104
	/pc.	
6056033	**6193088**	48
6056026	**6193093**	48
6797172	**6193099**	50
6797233	**6193102**	52
6975624	**6193110**	54
6797295	**6193129**	59
6976768	**6193137**	60
6504794	**6193145**	67
6797356	**6193153**	69
6797417	**6193188**	71
6497355	**6193196**	73
6712939	**6193218**	75
6797479	**6193226**	77
6797530	**6193234**	79
6974788	**6193242**	81
6712991	**6193285**	83
6492794	**6193293**	85
6713059	**6193307**	87
6713110	**6193315**	89
6492855	**6193323**	91
6713172	**6193331**	93
6797592	**6193358**	95
6492916	**6193366**	97
5042518	**6193387**	98
5042587	**6193391**	100
5042655	**6193395**	102
5042723	**6193399**	104
7251543	**6193400**	103
7251659	**6193402**	103
7251345	**6193404**	99
7251444	**6193406**	99

GTIN	Item no.	Page
7251581	**6193410**	103
7251697	**6193412**	103
7251383	**6193414**	99
7251482	**6193415**	99
	/pc.	
5959076	**6193496**	46
5959069	**6193498**	46
6223695	**6193501**	51
6975266	**6193528**	53
6507313	**6193560**	68
5461814	**6193580**	78
5462170	**6193582**	78
5461821	**6193586**	80
5462187	**6193588**	80
5461838	**6193590**	84
5462217	**6193592**	84
5461845	**6193596**	86
5462224	**6193598**	86
5959175	**6193708**	48
5959168	**6193710**	48
5959205	**6193728**	48
5978053	**6193729**	48
5959182	**6193730**	48
5978060	**6193731**	48
7250126	**6193825**	99
7250140	**6193827**	99
7250201	**6193831**	100
7250188	**6193860**	100
7250225	**6193864**	100
7250249	**6193866**	100
	/pc.	
6448272	**6194036**	108
6448098	**6194044**	108
6447978	**6194052**	108
6447497	**6194060**	108
6628636	**6194109**	108
6628575	**6194117**	109
6628513	**6194125**	109
6628452	**6194133**	109
6628391	**6194141**	109
6628339	**6194184**	109
6618910	**6194192**	110
6618859	**6194206**	110
6349814	**6194214**	110
	price/m	
6651672	**6246966**	147
6118878	**6246974**	148
6746866	**6246985**	150
	price/m	
6651733	**6246990**	152
6311897	**6247016**	154
6977369	**6247091**	156
6312139	**6247113**	158
6312191	**6247148**	160
6312252	**6247164**	162
5691006	**6247194**	164
	/pc.	
6652754	**6247431**	147
6118991	**6247434**	148
6315253	**6247458**	152
6315314	**6247466**	156
5699019	**6247472**	164
6652518	**6247490**	153
6312313	**6247504**	155
6652273	**6247563**	152
6312733	**6247571**	154
6652150	**6247652**	152
6313150	**6247660**	154
6652396	**6247725**	152
6317592	**6247733**	154
7269340	**6247876**	150
	/pc.	
6652631	**6247881**	153
6575114	**6247903**	155
6503476	**6247989**	157
6312559	**6248004**	159
6312610	**6248012**	161
6312672	**6248020**	163
6977062	**6248047**	156
6312979	**6248063**	158

GTIN	Item no.	Page
	/pc.	
6313037	**6248071**	160
6313099	**6248098**	162
6977185	**6248128**	156
6313396	**6248144**	158
6313457	**6248152**	160
6313518	**6248160**	162
6503599	**6248187**	156
6317837	**6248209**	158
6317899	**6248217**	160
6317950	**6248225**	162
6503353	**6248284**	157
6575596	**6248306**	159
6575657	**6248314**	161
6575718	**6248322**	163
5699026	**6248328**	165
5699033	**6248332**	164
5699040	**6248336**	164
5699057	**6248340**	164
5699064	**6248344**	165
5699095	**6248428**	165
5699101	**6248432**	164
5699118	**6248436**	164
5699125	**6248450**	164
5699156	**6248454**	165
	price/m	
6651795	**6248462**	147
6119059	**6248470**	148
6746873	**6248489**	150
	price/m	
6651856	**6248497**	152
6313570	**6248519**	154
6977307	**6248608**	156
6313815	**6248624**	158
6313877	**6248640**	160
6313938	**6248667**	162
5691013	**6248694**	164
	/pc.	
6652570	**6248993**	153
6313990	**6249000**	155
6652334	**6249086**	152
6314232	**6249094**	154
6652211	**6249167**	152
6314478	**6249175**	154
6652457	**6249256**	152
6318018	**6249264**	154
7269388	**6249410**	150
	/pc.	
6652693	**6249418**	153
6575350	**6249426**	155
6503414	**6249485**	157
6314713	**6249507**	159
6314775	**6249515**	161
6314836	**6249523**	163
6503650	**6249558**	156
6314898	**6249574**	158
6314959	**6249582**	160
6315017	**6249590**	162
6977123	**6249612**	156
6315079	**6249639**	158
6315130	**6249647**	160
6315192	**6249655**	162
6503537	**6249671**	156
6318254	**6249701**	158
6318315	**6249728**	160
6318377	**6249736**	162
6503292	**6249795**	157
6575770	**6249817**	159
6575831	**6249825**	161
6575893	**6249833**	163
6018598	**6249842**	147
6018710	**6249844**	148
6018833	**6249846**	153
6863686	**6249847**	150
	/pc.	
6018956	**6249848**	155
6019076	**6249850**	157
5020325	**6249852**	159
5020387	**6249854**	161
5020394	**6249856**	163
5691037	**6249865**	165
6678006	**6249871**	166

GTIN	Item no.	Page
	price/m	
6644896	**6249876**	166
5762898	**6249880**	166
	/pc.	
5685081	**6249881**	167
	/100 pc.	
5699170	**6249882**	166
6119233	**6249884**	166
6119295	**6249888**	167
	/pc.	
6315376	**6249906**	167
6315499	**6249922**	167
6315611	**6249965**	167
6315673	**6249981**	168

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Always indicate the item number when ordering.

Type listing

Type	GTIN	Item no.	Page
		price/100	
2064 GTP 2M	5044291	1115057	251
2064 GTPL 2M	5044352	1115065	252
2069 15 1.5 GTPL	5044895	1115456	251
2069 2M GTP	5045434	1115650	251
2069 2M GTPL	5045496	1115669	251
		/100 pc.	
2370 110	6026173	6023517	113
2370 110	6026173	6023517	139
2370 130	6026234	6023525	114
2370 130	6026234	6023525	139
2370 150	6637874	6023533	114
2370 150	6637874	6023533	140
2370 170	6026296	6023541	114
2370 170	6026296	6023541	140
2370 210	6026357	6023576	114
2370 210	6026357	6023576	140
2370 230	6639250	6023584	114
2370 230	6639250	6023584	140
2370 60	6023776	6022995	113
2370 60	6023776	6022995	139
2370 90	6026111	6023509	113
2370 90	6026111	6023509	139
		price/m	
2371 100	6030736	6026990	107
2371 40	6024315	6023096	107
2371 60	6024377	6023118	107
2371 80	6030675	6026982	107
		/pc.	
2390	6024919	6023207	106
2392	6027132	6024009	106
2393 16	6027255	6024025	106
2393 32	6027316	6024033	106
2393 UP	6027439	6024106	107
		price/m	
2410 110CW	6031030	6027644	111
2410 110GR	6023295	6022715	116
2410 110LGR	6669257	6028152	116
2410 110RW	6976942	6191630	117
2410 130CW	6031092	6027652	111
2410 130GR	6023356	6022723	111
2410 130RW	6502578	6191657	111
2410 150GR	6637690	6022731	111
2410 150RW	6502516	6191673	111
2410 170CW	6031214	6027679	111
2410 170GR	6023417	6022758	116
2410 170LGR	6773893	6028187	116
2410 170RW	6502455	6191703	116
2410 210CW	6031276	6027687	112
2410 210GR	6023479	6022774	112
2410 210RW	6502394	6191738	112
2410 230CW	6639137	6027504	112
2410 40CW	6030859	6027601	110
2410 40GR	6023110	6022669	110
2410 40RW	6502936	6191568	110
2410 60CW	6031153	6027660	110
2410 60GR	6023172	6022685	110
2410 60LGR	6669134	6028136	110
2410 60RW	6502752	6191592	110
2410 90CW	6030972	6027636	111
2410 90GR	6023233	6022707	111
2650	6362530	6020801	200
		/100 pc.	
910 SD 6X35	5669197	2351056	115
AH1	6014873	6178540	250
AH2	6014996	6178542	250
AKZ2	6688791	6178533	250
		/pc.	
D2-1 110CW	6111619	6169309	108
D2-1 110RW	6448272	6194036	108
D2-1 130CW	6111671	6169317	108

Type	GTIN	Item no.	Page
		/pc.	
D2-1 130RW	6448098	6194044	108
D2-1 150RW	6447978	6194052	108
D2-1 170CW	6111732	6169325	112
D2-1 170RW	6447497	6194060	108
D2-2 110CW	6111855	6169376	108
D2-2 110GR	6103997	6159370	108
D2-2 110RW	6628636	6194109	108
D2-2 130CW	6111916	6169384	109
D2-2 130RW	6628575	6194117	109
D2-2 150CW	6782291	6169368	109
D2-2 150RW	6628513	6194125	109
D2-2 170RW	6628452	6194133	109
D2-2 210RW	6628391	6194141	109
D2-3 110CW	6112098	6169430	109
D2-3 110RW	6628339	6194184	109
D2-3 130CW	6112159	6169449	110
D2-3 130RW	6618910	6194192	110
D2-3 150CW	6782475	6169422	110
D2-3 150RW	6618859	6194206	110
D2-3 170RW	6349814	6194214	110
ECK 3535 cws	6723201	6131153	118
ECK 3535 cws	6723195	6131152	118
ECK 3535 rws	6723225	6131155	118
ECK 3535 rws	6723218	6131154	118
ECK 5050 cws	6723232	6131162	119
ECK 5050 cws	6723249	6131163	119
ECK 5050 rws	6723263	6131165	119
ECK 5050 rws	6723256	6131164	119
		/pc.	
KNW1	6014514	6178527	249
KNW2	6014637	6178529	249
		/100 pc.	
KSN1	6014279	6178520	249
KSN22	6337057	6178525	249
		/pc.	
KSR20020	6018598	6249842	147
KSR20030	6018710	6249844	148
KSR30030	6863686	6249847	150
		/pc.	
KSR40040	6018833	6249846	153
KSR40060	6018956	6249848	155
KSR60060	6019076	6249850	157
KSR60100	5020325	6249852	159
KSR60150	5020387	6249854	161
KSR60200	5020394	6249856	163
KSR80080	5691037	6249865	165
		price/m	
LK4 15015	6000050	6178001	214
LK4 30015	6000173	6178003	214
LK4 30025	6000296	6178005	214
LK4 40025	6000418	6178010	214
LK4 40040	6000531	6178012	215
LK4 40060	6000654	6178014	215
LK4 40080	6000777	6178016	215
LK4 40100	6000890	6178018	215
LK4 60015	6001132	6178026	216
LK4 60025	6001255	6178028	216
LK4 60040	6001378	6178031	216
LK4 60060	6001491	6178033	216
LK4 60080	6001613	6178035	217
LK4 60100	6001736	6178037	217
LK4 60120	6001859	6178039	217
LK4 80025	6002214	6178050	217
LK4 80040	6002337	6178052	218
LK4 80060	6002450	6178054	218
LK4 80080	6002573	6178056	218
LK4 80100	6002696	6178059	218
LK4 80120	6002818	6178061	219
LK4 D 100	6040803	6178490	224
LK4 D 120	6040926	6178492	224

Type	GTIN	Item no.	Page
		price/m	
LK4 D 15	6040209	6178480	223
LK4 D 25	6040322	6178482	223
LK4 D 40	6040445	6178484	223
LK4 D 60	6040568	6178486	223
LK4 D 80	6040681	6178488	224
		/100 pc.	
LK4 H	6008339	6178092	248
		price/m	
LK4 N 60015	6004850	6178201	220
LK4 N 60025	6004973	6178203	220
LK4 N 60040	6005093	6178205	220
LK4 N 60060	6005215	6178207	220
LK4 N 60080	6005307	6178209	221
LK4 N 60100	6005406	6178211	221
LK4 N 60120	6005505	6178213	221
LK4 N 80025	6005802	6178225	221
LK4 N 80040	6005932	6178227	222
LK4 N 80060	6006052	6178229	222
LK4 N 80080	6006175	6178231	222
LK4 N 80100	6006298	6178233	222
LK4 N 80120	6006410	6178236	223
LK4H 30030	6718856	6132540	226
LK4H 40025	6718863	6132544	226
LK4H 40040	6718870	6132546	226
LK4H 40060	6719044	6132548	226
LK4H D 100	6719389	6132586	231
LK4H D 25	6719365	6132580	231
LK4H D 40	6734092	6132585	231
LK4H D 60	6728602	6132582	231
LK4H D 80	6719372	6132584	231
LK4H N 100100	6719358	6132576	230
LK4H N 10040	6719327	6132570	230
LK4H N 10060	6719334	6132572	230
LK4H N 10080	6719341	6132574	230
LK4H N 60025	6719051	6132550	227
LK4H N 60040	6719242	6132552	227
LK4H N 60060	6719259	6132554	227
LK4H N 60080	6719266	6132556	227
LK4H N 80025	6719273	6132560	228
LK4H N 80040	6719280	6132562	228
LK4H N 80060	6719297	6132564	228
LK4H N 80080	6719303	6132566	228
LK4H N 80100	6719310	6132568	229
LK4H N 80120	6734078	6132569	229
		/pc.	
LKM A40040FS	6652273	6247563	152
LKM A40040RW	6652334	6249086	152
LKM A40060FS	6312733	6247571	154
LKM A40060RW	6314232	6249094	154
LKM A60060FS	6977062	6248047	156
LKM A60060RW	6503650	6249558	156
LKM A60100FS	6312979	6248063	158
LKM A60100RW	6314898	6249574	158
LKM A60150FS	6313037	6248071	160
LKM A60150RW	6314959	6249582	160
LKM A60200FS	6313099	6248098	162
LKM A60200RW	6315017	6249590	162
LKM A80080FS	5699033	6248332	164
LKM A80080RW	5699101	6248432	164
LKM E30030FS	7269340	6247876	150
LKM E30030RW	7269388	6249410	150
		/pc.	
LKM E40040FS	6652631	6247881	153
LKM E40040RW	6652693	6249418	153
LKM E40060FS	6575114	6247903	155
LKM E40060RW	6575350	6249426	155
LKM E60060FS	6503353	6248284	157
LKM E60060RW	6503292	6249795	157
LKM E60100FS	6575596	6248306	159
LKM E60100RW	6575770	6249817	159
LKM E60150FS	6575657	6248314	161
LKM E60150RW	6575831	6249825	161
LKM E60200FS	6575718	6248322	163
LKM E60200RW	6575893	6249833	163
LKM E80080FS	5699064	6248344	165
LKM E80080RW	5699156	6248454	165
LKM F40040FS	6652518	6247490	153
LKM F40040RW	6652570	6248993	153
LKM F40060FS	6312313	6247504	155
LKM F40060RW	6313990	6249000	155
LKM F60060FS	6503476	6247989	157

Type	GTIN	Item no.	Page
		/pc.	
LKM F60060RW	6503414	6249485	157
LKM F60100FS	6312559	6248004	159
LKM F60100RW	6314713	6249507	159
LKM F60150FS	6312610	6248012	161
LKM F60150RW	6314775	6249515	161
LKM F60200FS	6312672	6248020	163
LKM F60200RW	6314836	6249523	163
LKM F80080FS	5699026	6248328	165
LKM F80080RW	5699095	6248428	165
LKM I40040FS	6652150	6247652	152
LKM I40040RW	6652211	6249167	152
LKM I40060FS	6313150	6247660	154
LKM I40060RW	6314478	6249175	154
LKM I60060FS	6977185	6248128	156
LKM I60060RW	6977123	6249612	156
LKM I60100FS	6313396	6248144	158
LKM I60100RW	6315079	6249639	158
LKM I60150FS	6313457	6248152	160
LKM I60150RW	6315130	6249647	160
LKM I60200FS	6313518	6248160	162
LKM I60200RW	6315192	6249655	162
LKM I80080FS	5699040	6248336	164
LKM I80080RW	5699118	6248436	164
		/100 pc.	
LKM K140	6119295	6249888	167
LKM K65	5699170	6249882	166
LKM K80	6119233	6249884	166
		/pc.	
LKM KF 60100	5685081	6249881	167
LKM SV20	6652754	6247431	147
LKM SV30	6118991	6247434	148
LKM SV30	6118991	6247434	150
LKM SV40	6315253	6247458	152
LKM SV40	6315253	6247458	154
LKM SV60	6315314	6247466	156
LKM SV60	6315314	6247466	158
LKM SV60	6315314	6247466	160
LKM SV60	6315314	6247466	162
LKM SV80	5699019	6247472	164
LKM T40040FS	6652396	6247725	152
LKM T40040RW	6652457	6249256	152
LKM T40060FS	6317592	6247733	154
LKM T40060RW	6318018	6249264	154
LKM T60060FS	6503599	6248187	156
LKM T60060RW	6503537	6249671	156
LKM T60100FS	6317837	6248209	158
LKM T60100RW	6318254	6249701	158
LKM T60150FS	6317899	6248217	160
LKM T60150RW	6318315	6249728	160
LKM T60200FS	6317950	6248225	162
LKM T60200RW	6318377	6249736	162
LKM T80080FS	5699057	6248340	164
LKM T80080RW	5699125	6248450	164
LKM TWS45	6678006	6249871	166
		price/m	
LKM TWS55	6644896	6249876	166
LKM TWS75	5762898	6249880	166
		/pc.	
LKM Z100	6315499	6249922	167
LKM Z150	6315611	6249965	167
LKM Z200	6315673	6249981	168
LKM Z60	6315376	6249906	167
		price/m	
LKM20020FS	6651672	6246966	147
LKM20020RW	6651795	6248462	147
LKM20030FS	6118878	6246974	148
LKM20030RW	6119059	6248470	148
LKM30030FS	6746866	6246985	150
LKM30030RW	6746873	6248489	150
		price/m	
LKM40040FS	6651733	6246990	152
LKM40040RW	6651856	6248497	152
LKM40060FS	6311897	6247016	154
LKM40060RW	6313570	6248519	154
LKM60060FS	6977369	6247091	156
LKM60060RW	6977307	6248608	156
LKM60100FS	6312139	6247113	158
LKM60100RW	6313815	6248624	158
LKM60150FS	6312191	6247148	160

Gebäudeinstallltion - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Always indicate the item number when ordering.

Type listing

Type	GTIN	Item no.	Page
		price/m	
LKM60150RW	6313877	6248640	160
LKM60200FS	6312252	6247164	162
LKM60200RW	6313938	6248667	162
LKM80080FS	5691006	6247194	164
LKM80080RW	5691013	6248694	164
LKV 100100	6011162	6178341	238
LKV 10037	6010806	6178334	237
LKV 10050	6010929	6178336	237
LKV 10075	6011049	6178338	237
LKV 25025	6009411	6178302	234
LKV 37025	6009534	6178305	234
LKV 37037	6009657	6178307	234
LKV 50025	6009732	6178310	234
LKV 50037	6009831	6178312	235
LKV 50050	6009930	6178314	235
LKV 50075	6010073	6178316	235
LKV 75025	6010196	6178320	235
LKV 75037	6010318	6178322	236
LKV 75050	6010400	6178324	236
LKV 75075	6010509	6178326	236
LKV 75100	6010608	6178328	236
LKV 75125	6010707	6178330	237
LKV D 100	6041763	6178512	242
LKV D 125	6041886	6178514	242
LKV D 25	6041282	6178504	241
LKV D 37	6041404	6178506	241
LKV D 50	6041527	6178508	242
LKV D 75	6041640	6178510	242
		/100 pc.	
LKV H	6011285	6178349	248
LKV H H	6017829	6178650	248
		price/m	
LKV N 100100	6015184	6178441	241
LKV N 10037	6013913	6178435	240
LKV N 10050	6014033	6178437	240
LKV N 10075	6014156	6178439	241
LKV N 75025	6013197	6178420	239
LKV N 75037	6013319	6178422	239
LKV N 75050	6013432	6178424	239
LKV N 75075	6013555	6178426	239
LKV N 75100	6013678	6178428	240
LKV N 75125	6013791	6178430	240
LKVH 50037	5803744	6178582	244
LKVH 50050	5803829	6178585	244
LKVH 50075	5803836	6178588	244
LKVH D 100	5981480	6178682	246
LKVH D 125	5981497	6178686	246
LKVH D 37	5981459	6178670	246
LKVH D 50	5981466	6178674	246
LKVH D 75	5981473	6178678	246
LKVH N 75037	5803751	6178552	244
LKVH N 75050	5803768	6178556	245
LKVH N 75075	5803799	6178559	245
LKVH N 75100	5803805	6178563	245
LKVH N 75125	5803812	6178566	245
		/100 pc.	
MA45WDK	5787235	6024070	115
MKS 1845 rws	6822287	6131377	56
MKS MFS 1845 KB	6822294	6131380	56
		/100 pc.	
OTK H110	5817901	6176128	113
OTK H110	5817901	6176128	138
OTK H150	5817918	6176131	113
OTK H150	5817918	6176131	139
OTK H60	5817864	6176122	112
OTK H60	5817864	6176122	138
OTK H90	5817895	6176125	112
OTK H90	5817895	6176125	138
RD 2GT40105 cws	6724338	6132172	198
RD 2GT40105 rws	6724321	6132171	198
RD 2GTK40105 rws	6733446	6132304	199
RD 40105 natur	6719235	6132205	196
RD AE40105 cws	6723508	6132166	196
RD AE40105 rws	6723409	6132165	196

Type	GTIN	Item no.	Page
RD DUO HRT 2 20	6724314	6132170	198
RD DUO ISO	6725304	6132175	198
RD ESL40105 cws	6724307	6132169	197
RD ESL40105 rws	6724291	6132168	197
RD ESR40105 cws	6724284	6132167	197
RD ESR40105 rws	6719945	6132285	197
RD GT40105 cws	6725298	6132174	198
RD GT40105 rws	6725281	6132173	198
RD IE40105 cws	6723393	6132164	196
RD IE40105 rws	6719921	6132280	196
RD KUP40105 cws	6725328	6132177	198
RD KUP40105 rws	6725311	6132176	198
RD OT40105 cws	6727582	6132161	196
RD OT40105 rws	6727575	6132160	196
RDL OT40105 cws	6726615	6132190	196
RDL OT40105 rws	6720835	6132264	196
		/pc.	
RK-E1117GR	6543137	6156223	116
RK-E1117LGR	6543076	6156231	116
RK-K1117	6543199	6156207	116
SG2545	6628278	6028411	115
SK2545	6628216	6028403	115
SL 20110 rws	6723416	6132274	188
SL 20110 rws	6719969	6132207	188
SL 2050 cws	6719211	6132201	177
SL 2050 OT cws	6730872	6132308	178
SL 2050 OT rws	6730810	6132150	178
SL 2050 rws	6726639	6132193	177
SL 2070 cws	6719976	6132208	182
SL 2070 lgr	6720842	6132269	182
SL 2070 rws	6727599	6132267	182
SL AE20110 rws	6720866	6132275	188
SL AE2050 cws	6726684	6132266	177
SL AE2050 rws	6726677	6132265	177
SL AE2070 cws	6727629	6132271	182
SL AE2070 lgr	6720859	6132272	182
SL AE2070 rws	6727612	6132270	182
SL BL ANT cws	6726646	6132195	187
SL BL ANT cws	6726646	6132195	190
SL BL ANT rws	6720781	6132258	187
SL BL ANT rws	6720781	6132258	190
SL BL blind cws	6720750	6132252	187
SL BL blind cws	6720750	6132252	190
SL BL blind rws	6726431	6132199	187
SL BL blind rws	6726431	6132199	190
SL ESli20110 rws	6725380	6132300	188
SL ESli2050 cws	6724390	6132294	177
SL ESli2050 rws	6724383	6132293	177
SL ESli2070 cws	6725366	6132297	182
SL ESli2070 lgr	6725373	6132298	182
SL ESli2070 rws	6720071	6132296	182
SL ESre20110 rws	6724345	6132286	189
SL ESre2050 cws	6723423	6132278	177
SL ESre2050 rws	6719914	6132277	177
SL ESre2070 cw	6723454	6132282	182
SL ESre2070 lgr	6723461	6132283	182
SL ESre2070 rws	6723447	6132281	182
SL ETler20110rws	6720682	6132242	189
SL ETler5070 cws	6720668	6132239	185
SL ETler5070 lgr	6720057	6132237	185
SL ETler5070 rws	6720651	6132238	185
SL GTler20110rws	6719891	6132236	189
SL GTO 50-70 cws	6719839	6132224	186
SL GTO 50-70 lgr	6719822	6132223	186
SL GTO 50-70 rws	6719846	6132229	186
SL GTSA5070 cws	6726424	6132197	187
SL GTSA5070 rws	6726448	6132234	187
SL IE20110 rws	6726653	6132259	188

Type	GTIN	Item no.	Page
SL IE2050 cws	6726455	6132249	177
SL IE2050 rws	6720743	6132248	177
SL IE2070 cws	6726486	6132254	182
SL IE2070 lgr	6726493	6132255	182
SL IE2070 rws	6720767	6132253	182
SL KUP20110 rws	6719884	6132235	189
SL KUP2050 cws	6720620	6132226	178
SL KUP2050 rws	6720613	6132225	178
SL KUP2070 cws	6719853	6132231	183
SL KUP2070 lgr	6719860	6132232	183
SL KUP2070 rws	6720644	6132230	183
SL2GT20110 rws	6726462	6132250	189
SL2GT5070 cws	6720729	6132246	185
SL2GT5070 lgr	6720736	6132247	185
SL2GT5070 rws	6720712	6132245	185
SL2GTK5070 cws	6732869	6132178	186
SL2GTK5070 rws	6732876	6132179	186
SLL 2050 cws	6748327	6132157	178
SLL 2050 cws	6719990	6132211	179
SLL 2050 rws	6720002	6132212	179
SLL 2050 rws	6748334	6132158	178
SLL 2070 cws	6720019	6132214	184
SLL 2070 rws	6748358	6132159	178
SLL 2070 rws	6720026	6132215	184
SLL AE2050 cws	6726660	6132261	179
SLL AE2050 rws	6720798	6132260	179
SLL AE2070 cws	6720811	6132263	184
SLL AE2070 rws	6720804	6132262	184
SLL IE2050 cws	6720675	6132241	179
SLL IE2050 rws	6720064	6132240	179
SLL IE2070 cws	6720705	6132244	184
SLL IE2070 rws	6720699	6132243	184
SLT 2050 cws	6720033	6132217	180
SLT 2050 rws	6720040	6132218	180
SLT 2070 cws	6720590	6132221	185
SLT 2070 rws	6720606	6132222	185
SLT ESli2050 cws	6724369	6132289	180
SLT ESli2050 rws	6724352	6132288	180
SLT ESli2070 cws	6793983	6132320	185
SLT ESli2070 rws	6724376	6132291	185
SLT ESre2050 cws	6725403	6132303	180
SLT ESre2050 rws	6725397	6132302	180
SLT ESre2070 cws	6726516	6132306	185
SLT ESre2070 rws	6726509	6132305	185
TRI 3535 OT rws	6738526	6131190	118
TRI 5050 OT rws	6738533	6131191	119
TRI C 35-16 rws	6723300	6131182	118
TRI C 35-50 rws	6723317	6131185	119
TRI ES350350 rws	6723294	6131179	118
TRI IE350350 rws	6738519	6131171	118
TRI IE5050 rws	6723270	6131172	119
		/100 pc.	
ULS	6015061	6178548	252
VF 10 rws	6727698	6132600	254
VF 10KB rws	6727704	6132601	254
VF 20 rws	6727711	6132603	254
VF 20KB rws	6727728	6132604	254
VF 30 rws	6727735	6132606	254
VF 30KB rws	6727742	6132607	254
VF 40 rws	6727759	6132609	254
VF 40KB rws	6727766	6132610	254
		/pc.	
VK ISCS 5012	6149100	6178643	250
VKHK	6734139	6132594	232
WDK A100130CW	7250720	6024468	102
WDK A100130GR	7250706	6024476	102
WDK A100130LGR	7250744	6024484	102
WDK A100130RW	7250768	6024506	102
WDK A100230CW	7250829	6024573	102
WDK A100230GR	7250805	6024581	102
WDK A100230LGR	7250843	6024611	102

Type	GTIN	Item no.	Page
WDK A100230RW	7250867	6024630	102
WDK A80170CW	7250522	6024654	98
WDK A80170GR	7250508	6024689	98
WDK A80170LGR	7250546	6160485	98
WDK A80170RW	7250560	6160493	98
WDK A80210CW	7250621	6160550	98
WDK A80210GR	7250607	6161104	98
WDK A80210LGR	7250645	6161112	98
WDK A80210RW	7250669	6161155	98
WDK F100130CW	7251123	6161708	103
WDK F100130GR	7251109	6161716	103
WDK F100130LGR	7251147	6161759	103
WDK F100130RW	7251161	6161775	103
WDK F100230CW	7251222	6182314	103
WDK F100230GR	7251208	6182349	103
WDK F100230LGR	7251246	6182365	103
WDK F100230RW	7251260	6182713	103
WDK F80170CW	7250928	6182748	99
WDK F80170GR	7250904	6182764	99
WDK F80170LGR	7250942	6183523	99
WDK F80170RW	7250966	6183531	99
WDK F80210CW	7251024	6183574	99
WDK F80210GR	7251000	6192107	100
WDK F80210LGR	7251048	6192111	100
WDK F80210RW	7251062	6192115	100
WDK GT1M45RW	6617296	6154893	106
		/pc.	
WDK HA10020CW	6099979	6153291	64
WDK HA10020RW	6492015	6154417	63
WDK HA10030CW	6804498	6153305	40
WDK HA10030RW	6491537	6154425	40
WDK HA12022RW	6615797	6154432	43
		/pc.	
WDK HA13025PW	5959090	6192139	47
WDK HA13025RW	5959083	6192141	46
WDK HA15030CW	6579198	6160611	51
WDK HA15030GR	6579136	6158358	51
WDK HA15030RW	6795253	6192149	51
WDK HA15040CW	6579372	6160638	53
WDK HA15040GR	6579310	6158366	53
WDK HA15040RW	6494712	6192157	53
WDK HA20020CW	6579013	6160603	58
WDK HA20020GR	6578955	6158331	58
WDK HA20020LGR	6675197	6182402	58
WDK HA20020RW	6795314	6192165	58
WDK HA20050CW	6507856	6153372	61
WDK HA20050RW	6493210	6154468	61
WDK HA25025CW	6579556	6160646	66
WDK HA25025GR	6579495	6158374	66
WDK HA25025LGR	6675258	6182445	66
WDK HA25025RW	6504855	6192173	66
WDK HA25040CW	6579730	6160654	69
WDK HA25040GR	6579679	6158382	69
WDK HA25040RW	6795376	6192181	69
WDK HA30030CW	6580095	6160670	70
WDK HA30030GR	6580033	6158404	70
WDK HA30030LGR	6675319	6182488	70
WDK HA30030RW	6795437	6192211	70
WDK HA30045CW	6641598	6160689	72
WDK HA30045GR	6641536	6158420	72
WDK HA30045LGR	6675371	6182496	72
WDK HA30045RW	6497171	6192238	72
WDK HA40040CW	6580279	6160697	74
WDK HA40040GR	6580217	6158412	74
WDK HA40040LGR	6675432	6182526	74
WDK HA40040RW	6795499	6192246	74
WDK HA40060CW	6106813	6160700	76
WDK HA40060GR	6019212	6021697	76
WDK HA40060LGR	6675494	6182534	76
WDK HA40060RW	6795550	6192254	76
WDK HA40090CW	6106875	6160719	78
WDK HA40090GR	6017171	6021093	78
WDK HA40090LGR	6675555	6182542	78
WDK HA40090RW	6795611	6192262	78
WDK HA40110CW	6106936	6160727	80
WDK HA40110GR	6019274	6021700	80
WDK HA40110LGR	6675616	6182550	80
WDK HA40110RW	6220878	6192270	80
WDK HA60060CW	6107179	6160905	82
WDK HA60060GR	6020539	6022073	82
WDK HA60060LGR	6676392	6182593	82
WDK HA60060RW	6360970	6192319	82
WDK HA60090CW	6107230	6160913	84
WDK HA60090GR	6020713	6022111	84

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Always indicate the item number when ordering.

Type listing

Type	GTIN	Item no.	Page
		/pc.	
WDK HA60090LGR	6676453	6182607	84
WDK HA60090RW	6801558	6192327	84
WDK HA60110CW	6107292	6160921	86
WDK HA60110GR	6020836	6022146	86
WDK HA60110LGR	6676514	6182615	86
WDK HA60110RW	6354559	6192335	86
WDK HA60130CW	6107353	6160948	88
WDK HA60130GR	6020959	6022162	88
WDK HA60130LGR	6676576	6182623	88
WDK HA60130RW	6353057	6192343	88
WDK HA60150CW	6638352	6160972	90
WDK HA60150GR	6638291	6024521	90
WDK HA60150LGR	6676637	6182631	90
WDK HA60150RW	6492312	6192351	90
WDK HA60170CW	6107414	6160956	92
WDK HA60170GR	6021079	6022189	92
WDK HA60170LGR	6676699	6182658	92
WDK HA60170RW	6351855	6192378	92
WDK HA60210CW	6107476	6160964	94
WDK HA60210GR	6021130	6022197	94
WDK HA60210LGR	6676750	6182666	94
WDK HA60210RW	6795673	6192386	94
WDK HA60230CW	6639731	6160980	96
WDK HA60230GR	6639670	6024548	96
WDK HA60230LGR	6676811	6182674	96
WDK HA60230RW	6492374	6192394	96
WDK HE100130CW	6110353	6163041	102
WDK HE100130GR	6028337	6024882	102
WDK HE100130LGR	6678976	6183956	102
WDK HE100130RW	5042655	6193395	102
WDK HE10020CW	6100392	6153593	63
WDK HE10020RW	6491834	6154514	63
WDK HE100230CW	6651436	6163076	104
WDK HE100230GR	6651375	6024904	104
WDK HE100230LGR	6679034	6183980	104
WDK HE100230RW	5042723	6193399	104
WDK HE10030CW	6100453	6153607	41
WDK HE10030RW	6491353	6154522	41
WDK HE12022RW	6615827	6154532	44
		/pc.	
WDK HE13025PW	6056033	6193088	48
WDK HE13025RW	6056026	6193093	48
WDK HE15015CW	6642670	6162495	50
WDK HE15015GR	6642618	6158692	50
WDK HE15015LGR	6673933	6183603	50
WDK HE15015RW	6797172	6193099	50
WDK HE15030CW	6583577	6162517	52
WDK HE15030GR	6434534	6158714	52
WDK HE15030RW	6797233	6193102	52
WDK HE15040CW	6583690	6162525	54
WDK HE15040GR	6434596	6158722	54
WDK HE15040RW	6975624	6193110	54
WDK HE20020CW	6583454	6162509	59
WDK HE20020GR	6434473	6158706	59
WDK HE20020LGR	6673995	6183611	59
WDK HE20020RW	6797295	6193129	59
WDK HE20035CW	6643219	6162487	60
WDK HE20035GR	6643158	6158781	60
WDK HE20035LGR	6674053	6183654	60
WDK HE20035RW	6976768	6193137	60
WDK HE20050CW	6507672	6153674	62
WDK HE20050RW	6493395	6154557	62
WDK HE25025CW	6583812	6162533	67
WDK HE25025GR	6434657	6158730	67
WDK HE25025LGR	6674114	6183662	67
WDK HE25025RW	6504794	6193145	67
WDK HE25040CW	6583935	6162541	69
WDK HE25040GR	6434718	6158749	69
WDK HE25040RW	6797356	6193153	69
WDK HE30030CW	6584239	6162576	71
WDK HE30030GR	6584178	6158765	71
WDK HE30030LGR	6674176	6183697	71
WDK HE30030RW	6797417	6193188	71
WDK HE30045CW	6641239	6162584	73
WDK HE30045GR	6434831	6158803	73
WDK HE30045LGR	6674237	6183700	73
WDK HE30045RW	6497355	6193196	73
WDK HE40040CW	6583331	6162592	75
WDK HE40040GR	6583270	6158773	75
WDK HE40040LGR	6674299	6183727	75
WDK HE40040RW	6712939	6193218	75
WDK HE40060CW	6109517	6162606	77
WDK HE40060GR	6018857	6021492	77

Type	GTIN	Item no.	Page
		/pc.	
WDK HE40060LGR	6674350	6183735	77
WDK HE40060RW	6797479	6193226	77
WDK HE40090CW	6109579	6162614	79
WDK HE40090GR	6018918	6021506	79
WDK HE40090LGR	6674411	6183743	79
WDK HE40090RW	6797530	6193234	79
WDK HE40110CW	6109630	6162622	81
WDK HE40110GR	6018970	6021514	81
WDK HE40110LGR	6674473	6183751	81
WDK HE40110RW	6974788	6193242	81
WDK HE60060CW	6109876	6162800	83
WDK HE60060GR	6022694	6022499	83
WDK HE60060LGR	6678372	6183808	83
WDK HE60060RW	6712991	6193285	83
WDK HE60090CW	6109937	6162819	85
WDK HE60090GR	6022755	6022502	85
WDK HE60090LGR	6678433	6183816	85
WDK HE60090RW	6492794	6193293	85
WDK HE60110CW	6109999	6162827	87
WDK HE60110GR	6022991	6022588	87
WDK HE60110LGR	6678495	6183824	87
WDK HE60110RW	6713059	6193307	87
WDK HE60130CW	6110056	6162835	89
WDK HE60130GR	6022816	6022529	89
WDK HE60130LGR	6678556	6183832	89
WDK HE60130RW	6713110	6193315	89
WDK HE60150CW	6637997	6162878	91
WDK HE60150GR	6637935	6024823	91
WDK HE60150LGR	6678617	6183840	91
WDK HE60150RW	6492855	6193323	91
WDK HE60170CW	6110117	6162843	93
WDK HE60170GR	6022878	6022545	93
WDK HE60170LGR	6678679	6183859	93
WDK HE60170RW	6713172	6193331	93
WDK HE60210CW	6110179	6162851	95
WDK HE60210GR	6022939	6022561	95
WDK HE60210LGR	6678730	6183867	95
WDK HE60210RW	6797592	6193358	95
WDK HE60230CW	6639373	6162886	97
WDK HE60230GR	6639311	6024831	97
WDK HE60230LGR	6678792	6183875	97
WDK HE60230RW	6492916	6193366	97
WDK HE80170CW	6110230	6163009	98
WDK HE80170GR	6028214	6024858	98
WDK HE80170LGR	6678853	6183913	98
WDK HE80170RW	5042518	6193387	98
WDK HE80210CW	6110292	6163017	100
WDK HE80210GR	6028276	6024874	100
WDK HE80210LGR	6678914	6183921	100
WDK HE80210RW	5042587	6193391	100
WDK HF10020CW	6099139	6152600	64
WDK HF10020RW	6491896	6154212	63
WDK HF10030CW	6099191	6152619	40
WDK HF10030RW	6491414	6154220	40
WDK HF12022RW	6615810	6154232	44
		/pc.	
WDK HF13025PW	5959151	6192740	47
WDK HF13025RW	5959144	6192742	47
WDK HF15030CW	6582075	6161219	52
WDK HF15030GR	6582013	6158595	52
WDK HF15030RW	6796694	6192750	52
WDK HF15040CW	6582259	6161227	54
WDK HF15040GR	6582198	6158609	54
WDK HF15040RW	6494835	6192769	54
WDK HF20020CW	6581894	6161200	59
WDK HF20020GR	6581832	6158587	59
WDK HF20020LGR	6673391	6183212	59
WDK HF20020RW	6796755	6192777	59
WDK HF20050CW	6507733	6152686	62
WDK HF20050RW	6493333	6154255	62
WDK HF25025CW	6582433	6161235	66
WDK HF25025GR	6582372	6158617	66
WDK HF25025LGR	6673452	6183255	66
WDK HF25025RW	6504916	6192785	66
WDK HF25040CW	6582617	6161243	69
WDK HF25040GR	6582556	6158625	69
WDK HF25040RW	6796816	6192793	69
WDK HF30030CW	6582976	6161278	70
WDK HF30030GR	6582914	6158641	70
WDK HF30030LGR	6673513	6183298	70
WDK HF30030RW	6796878	6192815	70
WDK HF30045CW	6641772	6161286	72
WDK HF30045GR	6641710	6158676	72

Type	GTIN	Item no.	Page
		/pc.	
WDK HF30045LGR	6673575	6183301	72
WDK HF30045RW	6497294	6192823	72
WDK HF40040CW	6583157	6161294	74
WDK HF40040GR	6583096	6158668	74
WDK HF40040LGR	6673636	6183336	74
WDK HF40040RW	6796939	6192831	74
WDK HF40060CW	6107711	6161308	76
WDK HF40060GR	6019458	6021735	76
WDK HF40060LGR	6673698	6183344	76
WDK HF40060RW	6796991	6192858	76
WDK HF40090CW	6107773	6161316	79
WDK HF40090GR	6018253	6021336	79
WDK HF40090LGR	6673759	6183352	79
WDK HF40090RW	6797059	6192866	79
WDK HF40110CW	6107834	6161324	81
WDK HF40110GR	6019519	6021743	81
WDK HF40110LGR	6673810	6183360	81
WDK HF40110RW	6496990	6192874	81
WDK HF60060CW	6108077	6161502	82
WDK HF60060GR	6022519	6022448	82
WDK HF60060LGR	6677719	6183409	82
WDK HF60060RW	6712694	6192912	82
WDK HF60090CW	6108138	6161510	85
WDK HF60090GR	6021796	6022316	85
WDK HF60090LGR	6677771	6183417	85
WDK HF60090RW	6492619	6192920	85
WDK HF60110CW	6108190	6161529	87
WDK HF60110GR	6021918	6022332	87
WDK HF60110LGR	6677832	6183425	87
WDK HF60110RW	6712755	6192939	87
WDK HF60130CW	6108251	6161537	88
WDK HF60130GR	6022038	6022359	88
WDK HF60130LGR	6677894	6183433	88
WDK HF60130RW	6712816	6192947	88
WDK HF60150CW	6638536	6161561	90
WDK HF60150GR	6638475	6024599	90
WDK HF60150LGR	6677955	6183441	90
WDK HF60150RW	6492671	6192955	90
WDK HF60170CW	6108312	6161545	92
WDK HF60170GR	6022151	6022375	92
WDK HF60170LGR	6678013	6183468	92
WDK HF60170RW	6712878	6192963	92
WDK HF60210CW	6108374	6161553	94
WDK HF60210GR	6022274	6022391	94
WDK HF60210LGR	6678075	6183476	94
WDK HF60210RW	6797110	6192971	94
WDK HF60230CW	6639915	6161596	97
WDK HF60230GR	6639854	6024602	97
WDK HF60230LGR	6678136	6183484	97
WDK HF60230RW	6492732	6192998	97
WDK HI10020CW	6099559	6153003	64
WDK HI10020RW	6492077	6154328	63
WDK HI10030CW	6099610	6153011	40
WDK HI10030RW	6491599	6154336	40
WDK HI12022RW	6615780	6154342	43
		/pc.	
WDK HI13025PW	5959359	6191833	46
WDK HI13025RW	5959342	6191835	46
WDK HI15030CW	6577811	6160026	51
WDK HI15030GR	6577750	6158234	51
WDK HI15030RW	6794652	6191843	51
WDK HI15040CW	6577996	6160034	53
WDK HI15040GR	6577934	6158242	53
WDK HI15040RW	6494651	6191851	53
WDK HI20020CW	6577637	6160018	58
WDK HI20020GR	6577576	6158226	58
WDK HI20020LGR	6674657	6182011	58
WDK HI20020RW	6794713	6191878	58
WDK HI20050CW	6507917	6153089	61
WDK HI20050RW	6974542	6154360	61
WDK HI25025CW	6578177	6160042	66
WDK HI25025GR	6578115	6158250	66
WDK HI25025LGR	6674718	6182062	66
WDK HI25025RW	6502219	6191886	66
WDK HI25040CW	6578351	6160050	68
WDK HI25040GR	6578290	6158269	68
WDK HI25040RW	6794775	6191894	68
WDK HI30030CW	6578719	6160077	70
WDK HI30030GR	6578658	6158285	70
WDK HI30030LGR	6674770	6182097	70
WDK HI30030RW	6794836	6191924	70
WDK HI30045CW	6641413	6160085	72
WDK HI30045GR	6641352	6158307	72

Type	GTIN	Item no.	Page
		/pc.	
WDK HI30045LGR	6674831	6182100	72
WDK HI30045RW	6976829	6191932	72
WDK HI40040CW	6584598	6160093	74
WDK HI40040GR	6578832	6158293	74
WDK HI40040LGR	6674893	6182119	74
WDK HI40040RW	6794898	6191940	74
WDK HI40060CW	6105915	6160107	76
WDK HI40060GR	6019335	6021719	76
WDK HI40060LGR	6674954	6182127	76
WDK HI40060RW	6794959	6191959	76
WDK HI40090CW	6105977	6160115	78
WDK HI40090GR	6017652	6021190	78
WDK HI40090LGR	6675012	6182135	78
WDK HI40090RW	6795017	6191967	78
WDK HI40110CW	6106035	6160123	80
WDK HI40110GR	6019397	6021727	80
WDK HI40110LGR	6675074	6182143	80
WDK HI40110RW	6221110	6191975	80
WDK HI60060CW	6106271	6160301	82
WDK HI60060GR	6022212	6022383	82
WDK HI60060LGR	6675739	6182194	82
WDK HI60060RW	6362950	6192017	82
WDK HI60090CW	6106332	6160328	84
WDK HI60090GR	6021253	6022219	84
WDK HI60090LGR	6675791	6182208	84
WDK HI60090RW	6799879	6192025	84
WDK HI60110CW	6106394	6160336	86
WDK HI60110GR	6021376	6022235	86
WDK HI60110LGR	6675852	6182216	86
WDK HI60110RW	6362776	6192033	86
WDK HI60130CW	6106455	6160344	88
WDK HI60130GR	6021499	6022251	88
WDK HI60130LGR	6675913	6182224	88
WDK HI60130RW	6362479	6192041	88
WDK HI60150CW	6638178	6160379	90
WDK HI60150GR	6638116	6024432	90
WDK HI60150LGR	6675975	6182232	90
WDK HI60150RW	6800056	6192068	90
WDK HI60170CW	6106516	6160352	92
WDK HI60170GR	6021611	6022286	92
WDK HI60170LGR	6676033	6182240	92
WDK HI60170RW	6362233	6192076	92
WDK HI60210CW	6106578	6160360	94
WDK HI60210GR	6021673	6022294	94
WDK HI60210LGR	6676095	6182259	94
WDK HI60210RW	6795079	6192084	94
WDK HI60230CW	6639557	6160395	96
WDK HI60230GR	6639496	6024440	96
WDK HI60230LGR	6676156	6182267	96
WDK HI60230RW	6800896	6192092	96
WDK HK40060CW	6108619	6162002	77
WDK HK40060GR	6025459	6023312	77
WDK HK40060LGR	6673155	6182925	77
WDK HK40060RW	6796519	6192556	77
WDK HK40090CW	6108671	6162010	79
WDK HK40090GR	6024551	6023142	79
WDK HK40090LGR	6673216	6182933	79
WDK HK40090RW	6796571	6192564	79
WDK HK40110CW	6108732	6162029	81
WDK HK40110GR	6025572	6023339	81
WDK HK40110LGR	6673278	6182941	81
WDK HK40110RW	6500833	6192572	81
WDK HK60060CW	6108978	6162207	83
WDK HK60060GR	6025039	6023223	83
WDK HK60060LGR	6677054	6183018	83
WDK HK60060RW	6351794	6192610	83
WDK HK60090CW	6109036	6162215	85
WDK HK60090GR	6023837	6023002	85
WDK HK60090LGR	6677115	6183026	85
WDK HK60090RW	6492435	6192629	85
WDK HK60110CW	6109098	6162223	87
WDK HK60110GR	6023950	6023029	87
WDK HK60110LGR	6677177	6183034	87
WDK HK60110RW	6712519	6192637	87
WDK HK60130CW	6109159	6162231	89
WDK HK60130GR	6024070	6023045	89
WDK HK60130LGR	6677238	6183042	89
WDK HK60130RW	6712571	6192645	89
WDK HK60150CW	6638710	6162274	91
WDK HK60150GR	6638659	6024769	91
WDK HK60150LGR	6677290	6183050	91
WDK HK60150RW	6492497	6192653	91
WDK HK60170CW	6109210	6162258	93

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Always indicate the item number when ordering.

Type listing

Type	GTIN	Item no.	Page
		/pc.	
WDK HK60170GR	6024193	6023061	93
WDK HK60170LGR	6677351	6183069	93
WDK HK60170RW	6712632	6192661	93
WDK HK60210CW	6109272	6162266	95
WDK HK60210GR	6024438	6023126	95
WDK HK60210LGR	6677412	6183077	95
WDK HK60210RW	6796632	6192688	95
WDK HK60230CW	6640096	6162290	96
WDK HK60230GR	6640034	6024777	96
WDK HK60230LGR	6677474	6183085	96
WDK HK60230RW	6492558	6192696	96
WDK HPC13025PW16	5959175	6193708	48
WDK HPC13025PW19	5959205	6193728	48
WDK HPC13025PW20	5978060	6193731	48
WDK HPC13025RW16	5959168	6193710	48
WDK HPC13025RW19	5959182	6193730	48
WDK HPC13025RW20	5978053	6193729	48
WDK HS10020CW	6098293	6152007	64
WDK HS10020RW	6492138	6154026	63
WDK HS10030CW	6098354	6152015	40
WDK HS10030RW	6491650	6154034	40
WDK HS12022RW	6615773	6154042	43
		/pc.	
WDK HS13025PW	5959076	6193496	46
WDK HS13025RW	5959069	6193498	46
WDK HS15030CW	6507610	6152031	51
WDK HS15030GR	6507559	6158838	51
WDK HS15030RW	6223695	6193501	51
WDK HS15040CW	6098477	6152058	53
WDK HS15040GR	6507498	6158846	53
WDK HS15040RW	6975266	6193528	53
WDK HS20050CW	6507252	6152104	61
WDK HS20050RW	6974481	6154069	61
WDK HS25040CW	6507375	6152082	68
WDK HS25040GR	6507436	6158889	68
WDK HS25040RW	6507313	6193560	68
WDK HS40090CW	5462170	6193582	78
WDK HS40090RW	5461814	6193580	78
WDK HS40110CW	5462187	6193588	80
WDK HS40110RW	5461821	6193586	80
WDK HS60090CW	5462217	6193592	84
WDK HS60090RW	5461838	6193590	84
WDK HS60110CW	5462224	6193598	86
WDK HS60110RW	5461845	6193596	86
WDK HT10020CW	6098712	6152309	65
WDK HT10020RW	6491957	6154115	65
WDK HT10030CW	6098774	6152317	41
WDK HT10030RW	6491476	6154123	41
WDK HT12022RW	6615803	6154132	44
		/pc.	
WDK HT13025PW	5959113	6192449	47
WDK HT13025RW	5959106	6192451	47
WDK HT15030CW	6580637	6161928	52
WDK HT15030GR	6580576	6158463	52
WDK HT15030RW	6796212	6192459	52
WDK HT15040CW	6580811	6161936	54
WDK HT15040GR	6580750	6158471	54
WDK HT15040RW	6494774	6192467	54
WDK HT20020CW	6580453	6161901	59
WDK HT20020GR	6580392	6158455	59
WDK HT20020LGR	6672851	6182801	59
WDK HT20020RW	6796274	6192475	59
WDK HT20050CW	6507795	6152384	62
WDK HT20050RW	6493272	6154166	62
WDK HT25025CW	6580996	6161944	67
WDK HT25025GR	6580934	6158498	67
WDK HT25025LGR	6672912	6182852	67
WDK HT25025RW	6504978	6192483	67
WDK HT25040CW	6581177	6161952	69
WDK HT25040GR	6581115	6158501	69
WDK HT25040RW	6796335	6192491	69
WDK HT30030CW	6581535	6161979	71
WDK HT30030GR	6581474	6158536	71
WDK HT30030LGR	6672974	6182887	71
WDK HT30030RW	6796397	6192513	71
WDK HT30045CW	6641956	6161987	73
WDK HT30045GR	6641895	6158552	73
WDK HT30045LGR	6673032	6182895	73
WDK HT30045RW	6497232	6192521	73
WDK HT40040CW	6581719	6161995	75
WDK HT40040GR	6581658	6158544	75
WDK HT40040LGR	6673094	6182917	75
WDK HT40040RW	6796458	6192548	75

Type	GTIN	Item no.	Page
		/pc.	
WDK HTCW13025PW	5959137	6192448	47
WDK HTCW13025RW	5959120	6192450	47
WDK I100130CW	7250300	6192417	103
WDK I100130GR	7250287	6192421	103
WDK I100130LGR	7250324	6192425	103
WDK I100130RW	7250348	6192429	103
WDK I100230CW	7250423	6193026	104
WDK I100230GR	7250386	6193030	104
WDK I100230LGR	7250447	6193034	104
WDK I100230RW	7250461	6193081	104
WDK I80170CW	7250102	6193078	99
WDK I80170GR	7250072	6193080	99
WDK I80170LGR	7250126	6193825	99
WDK I80170RW	7250140	6193827	99
WDK I80210CW	7250201	6193831	100
WDK I80210GR	7250188	6193860	100
WDK I80210LGR	7250225	6193864	100
WDK I80210RW	7250249	6193866	100
WDK MH	7249854	6028430	115
WDK T100130CW	7251543	6193400	103
WDK T100130GR	7251581	6193410	103
WDK T100130LGR	7251567	6163090	103
WDK T100130RW	7251505	6183990	102
WDK T100230CW	7251659	6193402	103
WDK T100230GR	7251697	6193412	103
WDK T100230LGR	7251673	6163092	103
WDK T100230RW	7251604	6183992	104
WDK T80170CW	7251345	6193404	99
WDK T80170GR	7251383	6193414	99
WDK T80170LGR	7251369	6163094	99
WDK T80170RW	7251307	6183994	98
WDK T80210CW	7251444	6193406	99
WDK T80210GR	7251482	6193415	99
WDK T80210LGR	7251468	6163096	99
WDK T80210RW	7251406	6183996	100
		price/m	
WDK100130CW	6030132	6026273	102
WDK100130GR	6030194	6026281	102
WDK100130LGR	6668595	6027245	102
WDK100130RW	5042297	6191347	102
WDK10020CW	6098170	6150756	62
WDK10020RW	6492251	6150764	62
WDK10020SRW	5396703	6027318	64
WDK10020SSW	7005207	6027374	64
WDK10020SW	7005023	6027321	62
		price/m	
WDK100230CW	6642137	6026338	104
WDK100230GR	6642076	6026311	104
WDK100230LGR	6668656	6027253	104
WDK100230RW	5042303	6191355	104
WDK10030CW	6508037	6150772	40
WDK10030RW	6491773	6150780	40
WDK12022RW	6615766	6150702	42
WDK12022RW 2100	6623846	6150703	42
WDK12022TRW	6642878	6027300	43
WDK12022TRW 2100	6642885	6027301	43
		price/m	
WDK13025	5438939	6187704	46
WDK13025	5438946	6187714	46
WDK15015BR	6642373	6024971	50
WDK15015CW	6642311	6024963	50
WDK15015GR	6642250	6024955	50
WDK15015LGR	6667338	6024947	50
WDK15015RW	6794058	6191002	50
WDK15015SW	7005054	6024949	50
		price/m	
WDK15030BR	6332892	6025021	51
WDK15030CW	6332830	6025013	51
WDK15030GR	6332779	6025005	51
WDK15030LGR	6794539	6025048	51
WDK15030RW	6794119	6191010	51
		/pc.	
WDK15030RW2500	6406623	6191013	51
		price/m	
WDK15030SRW	5164210	6027325	51
WDK15040CW	6028634	6025161	53
WDK15040GR	6028511	6025137	53
WDK15040RW	6494590	6191029	53
WDK15040SRW	5164227	6027335	53
WDK20020BR	6028450	6025129	58
WDK20020CW	6028573	6025153	58

Type	GTIN	Item no.	Page
		price/m	
WDK20020GR	6028399	6025110	58
WDK20020LGR	6667390	6025102	58
WDK20020RW	6794171	6191037	58
WDK20020SRW	5164265	6027360	58
WDK20020SW	7005085	6025155	58
		price/m	
WDK20035CW	6642854	6026370	60
WDK20035GR	6642793	6026362	60
WDK20035LGR	6667451	6026354	60
WDK20035RW	6496938	6191045	60
WDK20050CW	6438433	6168701	61
WDK20050RW	6801671	6168736	61
WDK25025CW	6030316	6026427	66
WDK25025GR	6030255	6026419	66
WDK25025LGR	6667512	6026400	66
WDK25025RW	6505036	6191053	66
WDK25025SRW	5773399	6027372	66
WDK25040CW	6030491	6026451	68
WDK25040GR	6030439	6026443	68
WDK25040LGR	6794591	6026486	68
WDK25040RW	6794232	6191061	68
WDK25040SW	7005115	6026488	68
		price/m	
WDK30030BR	6333073	6026834	70
WDK30030CW	6333011	6026826	70
WDK30030GR	6332953	6026818	70
WDK30030LGR	6667574	6026796	70
WDK30030RW	6794294	6191096	70
WDK30045CW	6640935	6026869	72
WDK30045GR	6640874	6026850	72
WDK30045LGR	6667635	6026842	72
WDK30045RW	6497058	6191118	72
WDK40040BR	6028931	6025420	74
WDK40040CW	6028870	6025412	74
WDK40040GR	6028993	6025447	74
WDK40040LGR	6667697	6027016	74
WDK40040RW	6363490	6191126	74
WDK40060BR	6029051	6025617	76
WDK40060CW	6016273	6020887	76
WDK40060GR	6029112	6025633	76
WDK40060LGR	6667758	6027024	76
WDK40060RW	6794355	6191134	76
WDK40060SW	7005146	6025638	76
		price/m	
WDK40090CW	6016334	6020895	78
WDK40090GR	6016877	6021018	78
WDK40090LGR	6667819	6027032	78
WDK40090RW	6794416	6191142	78
WDK40090SW	7005177	6021023	78
		price/m	
WDK40110CW	6016396	6020909	80
WDK40110GR	6016990	6021034	80
WDK40110LGR	6667871	6027040	80
WDK40110RW	6501199	6191150	80
WDK60060CW	6020171	6021948	82
WDK60060GR	6029174	6025668	82
WDK60060LGR	6667994	6027105	82
WDK60060RW	6363018	6191193	82
WDK60090CW	6020119	6021913	84
WDK60090GR	6020232	6022006	84
WDK60090LGR	6668052	6027113	84
WDK60090RW	6491292	6191207	84
WDK60110CW	6019816	6021840	86
WDK60110GR	6020294	6022014	86
WDK60110LGR	6668113	6027121	86
WDK60110RW	6363438	6191215	86
WDK60130CW	6019878	6021859	88
WDK60130GR	6020355	6022022	88
WDK60130LGR	6668175	6027148	88
WDK60130RW	6363377	6191223	88
WDK60150CW	6637577	6021883	90
WDK60150GR	6637515	6022030	90
WDK60150LGR	6668236	6027156	90
WDK60150RW	6491230	6191231	90
WDK60170CW	6019939	6021867	92
WDK60170GR	6020416	6022049	92
WDK60170LGR	6668298	6027164	92
WDK60170RW	6363193	6191258	92
WDK60210CW	6019991	6021875	94
WDK60210GR	6020478	6022065	94

Type	GTIN	Item no.	Page
		price/m	
WDK60210LGR	6668359	6027172	94
WDK60210RW	6794478	6191266	94
WDK60230CW	6638956	6021891	96
WDK60230GR	6638895	6022057	96
WDK60230LGR	6668410	6027180	96
WDK60230RW	6799459	6191274	96
WDK80170CW	6029778	6026176	98
WDK80170GR	6029839	6026184	98
WDK80170LGR	6668472	6027229	98
WDK80170RW	5042273	6191304	98
WDK80210CW	6029952	6026206	100
WDK80210GR	6029891	6026192	100
WDK80210LGR	6668533	6027237	100
WDK80210RW	5042280	6191312	100
WDKH-10020RW	5933779	6175375	122
WDKH-10020RW T	5933984	6175377	122
WDKH-15030LGR	5933977	6175457	124
WDKH-15030RW	5933953	6175390	124
WDKH-15030RW T	5933991	6175392	124
WDKH-20020LGR	5817789	6175460	126
WDKH-20020RW	5812456	6175400	126
WDKH-30045LGR	5817796	6175463	128
WDKH-30045RW	5812463	6175405	128
WDKH-40060LGR	5817802	6175466	130
WDKH-40060RW	5812470	6175410	130
WDKH40060RW 2500	6974894	6175412	130
WDKH-60090LGR	5817833	6175469	132
WDKH-60090RW	5812487	6175415	132
WDKH60090RW 2500	6975129	6175417	132
		price/m	
WDKH-60110LGR	5817840	6175472	134
WDKH-60110RW	5812494	6175420	134
WDKH-60150LGR	5817857	6175475	136
WDKH-60150RW	5812500	6175425	136
		/pc.	
WDKH-A10020RW	5933830	6175612	122
WDKH-A15030RW	5934127	6175618	124
WDKH-A20020LGR	5922865	6176000	126
WDKH-A20020RW	5922841	6175624	126
WDKH-A30045LGR	5814955	6176004	128
WDKH-A30045RW	5814061	6175626	128
WDKH-A40060LGR	5814962	6176008	130
WDKH-A40060RW	5814078	6175630	130
WDKH-A60090LGR	5814979	6176012	132
WDKH-A60090RW	5814085	6175634	132
WDKH-A60110LGR	5814986	6176016	134
WDKH-A60110RW	5814092	6175638	134
WDKH-A60150LGR	5815020	6176020	136
WDKH-A60150RW	5814108	6175642	136
WDKH-E10020RW	5933946	6175540	123
WDKH-E15030RW	5934233	6175546	125
WDKH-E20020LGR	5814597	6175928	127
WDKH-E20020RW	5813910	6175550	127
WDKH-E30045LGR	5814603	6175932	129
WDKH-E30045RW	5813927	6175554	129
WDKH-E40060LGR	5814610	6175936	131
WDKH-E40060RW	5813934	6175558	131
WDKH-E60090LGR	5814627	6175940	133
WDKH-E60090RW	5813941	6175562	133
WDKH-E60110LGR	5814863	6175944	135
WDKH-E60110RW	5813958	6175566	135
WDKH-E60150LGR	5814870	6175948	137
WDKH-E60150RW	5813965	6175570	137
WDKH-F10020RW	5933885	6175648	123
WDKH-F15030RW	5934158	6175654	125
WDKH-F20020LGR	5922919	6176036	126
WDKH-F20020RW	5922896	6175658	126
WDKH-F30045LGR	5815037	6176040	128
WDKH-F30045RW	5814115	6175662	128
WDKH-F40060LGR	5815044	6176044	130
WDKH-F40060RW	5814122	6175666	130
WDKH-F60090LGR	5815075	6176048	132
WDKH-F60090RW	5814139	6175670	132
WDKH-F60110LGR	5815082	6176052	134
WDKH-F60110RW	5814146	6175674	134
WDKH-F60150LGR	5815099	6176056	136
WDKH-F60150RW	5814153	6175678	136
WDKH-I10020RW	5933809	6175572	122
WDKH-I15030RW	5934073	6175578	124
WDKH-I20020LGR	5922803	6175964	126
WDKH-I20020RW	5922780	6175581	126

Gebäudeinstallation - Leitungsführungssysteme / en / 2023/05/02 10:01:36 10:01:36 (LLExport_03294) / 2023/05/02 10:01:58 10:01:58

Always indicate the item number when ordering.

Type listing

Type	GTIN	Item no.	Page
		/pc.	
WDKH-I30045LGR	5814887	6175968	128
WDKH-I30045RW	5814016	6175590	128
WDKH-I40060LGR	5814894	6175972	130
WDKH-I40060RW	5814023	6175594	130
WDKH-I60090LGR	5814900	6175976	132
WDKH-I60090RW	5814030	6175598	132
WDKH-I60110LGR	5814917	6175980	134
WDKH-I60110RW	5814047	6175602	134
WDKH-I60150LGR	5814924	6175984	136
WDKH-I60150RW	5814054	6175606	136
WDKH-T10020RW	5933915	6175684	123
WDKH-T15030RW	5934189	6175690	125
WDKH-T20020LGR	5922971	6176072	126
WDKH-T20020RW	5922926	6175694	126
WDKH-T30045LGR	5815105	6176076	128
WDKH-T30045RW	5814160	6175698	128
WDKH-T40060LGR	5815112	6176080	130
WDKH-T40060RW	5814177	6175702	130
WDKH-T60090LGR	5815129	6176084	132
WDKH-T60090RW	5814184	6175706	132
WDKH-T60110LGR	5815136	6176088	134
WDKH-T60110RW	5814191	6175710	134
WDKH-T60150LGR	5815143	6176092	136
WDKH-T60150RW	5814207	6175714	136
		price/m	
WDKH-TW40LGR	5812517	6175500	138
WDKH-TW60LGR	5812524	6175504	138
WDKMD12CW	6097692	6150179	37
WDKMD12RW	6493036	6150284	36
WDKMD12S	5154501	6150330	37
WDKMD12S	5154501	6150330	37
WDKMD17CW	6097753	6150187	38
WDKMD17RW	6492978	6150292	36
WDKMD17S	5154549	6150334	38
WDKMD4CW	6097579	6150152	37
WDKMD4RW	6493159	6150268	36
WDKMD7CW	6097630	6150160	37
WDKMD7RW	6493098	6150276	36
WDKMD7S	5154495	6150326	37
WDK-N20050CW	6438495	6168728	61
WDK-N20050RW	6802159	6168744	61
WDK-N25040CW	6507191	6150632	68
WDK-N25040RW	6975686	6150640	68



© OBO Bettermann Order no. 9178357 03/2023 EN

OBO Bettermann
Holding GmbH & Co. KG
P.O. Box 1120
58694 Menden
GERMANY

www.obo-bettermann.com

Customer Service
Tel.:+49 23 73 89 - 17 00
export@obo.de

Building Connections

OBO BETTERMANN